



Dear Sign Professional,

We are very excited to bring you the 2024 JDS Sign Supply catalog. We continue to add more material and tools to our product mix and we hope you will find many of them useful as you continue to grow your business in 2024.

2023 was a year of stabilization in so many things. Our supply chain in general made great improvements so we were able to improve our inventories and fill rates on orders. Prices on average decreased quite a bit in 2023 which is the first time that has happened on a large scale. Inflation continues to be a factor for all of us, but that is also improving quite a bit recently and coming back down to more normal levels. On average our prices will increase 3% in 2024. Most imported products only went up a couple of percent which was nice. There was a little bit more increase on many domestically produced items, 4-5% on average. Anyone running a business in the US knows their costs are increasing on things like wages, rent, insurance and many other things, so this is really not a surprise.

We are very happy to bring some great new products to our 2024 catalog. The largest addition is Stahls'® Heat Transfer products and Hotronix heat presses which adds more than 3000 new items to what you can already purchase from JDS. Our team is very excited for this new partnership and the benefits it will bring to you such as inventory available all over the country in JDS warehouses as well as free freight, which is not something available if you order straight from the factory. We are also excited to add Weldy heat guns, more items from General Formulations, Avery

JDS is ever growing and always busy finding new ways to work with you. Our team is in the process of some more huge additions that we think you will all enjoy. Stay tuned for those as this year progresses. One of the best ways to see new products before everybody else is to attend tradeshows in your area, we bring the latest and greatest new products to all of the shows we attend.

JDS Sign Supply has 13 Warehouses across the US and over 1.3 million sq ft full of products you need. Let us be a resource for you to service your customer's needs. We look forward to talking to you either on the phone or at one of the many trade shows where we exhibit. Let us help you make 2024 your best year ever.

~ Your JDS Sign Supply Team






New

Stahls' CAD-CUT® & CAD-COLOR® Heat Transfer Material







New Kota Pro H-Stakes





Aslan Printable Glass Décor Film



We keep coming back to JDS because of the great service, you guys are the best! Out of Marco & Johnson's and all of them, you're the best & we Love the free shipping.

- Julie, The Sign Studio What keeps me coming back to JDS? The ease of use, the quick shipping, the free shipping with \$99 and usually spend that much every time. Have used you guys for years. When my parents owned business, they got started using JDS. Pretty much anything I need, especially with introducing all the sign supplies, it's a one stop shop honestly.

- Eric Huber, Eric Huber LLC





Keep coming back to JDS because of the great service and the fact that we get 2 day shipments out of Seattle.

Overall great company to work with!

- Greg Painter, Fast Signs We order a little bit of a lot of products. I can tell you, JDS is our favorite ultimate vendor. Had Signarama training with a peer group last weekend and we have a new Signarama in town. I told them, you need to check out JDS. They're right there on the back porch!

- Kendra, HLR Custom Graphics & Signs



FREE FREIGHT PROGRAM

Save more \$\$\$ on shipping with JDS Industries' FREE FREIGHT Program! The minimum order to qualify is only \$99. All JDS products are included in this program unless otherwise noted in the catalog and online. Those items are flagged in the catalog as no free freight.

MDF plaques, trophy marble and marble cup bases can not be included on \$99 Free Freight orders, but are still included on Free Freight on orders of \$500 or more.

Orders less than \$99 or between \$99 and \$499 that include MDF or Marble, will qualify for our fixed rate shipping program. With this program you will know what your shipping cost is before your order is shipped. No Freight Surprises!!!

JDS Customer Service or our online shopping cart will be able to tell you what on your order does not qualify for free shipping and also be able to tell you what your shipping cost will be on those items.

With \$99 free freight on most items, \$500 Free Freight on MDF & Marble, and fixed rate shipping on the items not included on Free Freight, JDS makes your shipping a whole lot easier!



\$99FREIGHT

Fixed Freight Shipping

For orders not qualifying for free freight

Orders 1-10 lbs \$15.75
Orders 11-25 lbs \$23.75
Orders 26-50 lbs \$37.25
Orders 51-100 lbs \$62.25
Orders 101-250 lbs \$112.95
Orders 251+ lbs \$146.95

*Offer applies to shipping within the 48 contiguous states. Customers outside the 48 states get a 5% discount in lieu of Free Freight, or Free Freight to a US address such as a broker or forwarder. Offer is good only on published prices or quote where it is specifically included. JDS will decide shipping method based on cost, if customer has a preferred method they would pay the difference between that option and the least expensive option. Any special requirements such as liftgate, COD, etc will be at customer's expense. COD charges through UPS are not considered part of freight cost and will be billed separately.

Contact Us

SIGN SUPPLY LINE

855.661.2388

SPANISH SPEAKING LINE LINEA DE ESPAÑOL DIRECTA

855.661.2387

QUALITY ASSURANCE LINE

855.537.8478

FAX: 605.339.1467



ADVANTAGE PRICING PROGRAM



JDS Industries' Advantage Pricing program is available to those customers buying \$5,000 or more annually. Agree to order \$5,000 or more of any products from JDS during the year, and you will receive the best published price on all products purchased in unopened cases.*

Download and complete the Advantage Pricing form from our website, jdsindustries.com. Once it is submitted and accepted you will be eligible for Advantage Pricing.

*Exceptions:

Aluminum, Brass & Steel Engraving Materials:

Order 25 sheets mixed for best price

Duets by Gemini™, JDS FLEX™ & JDS Plastics:

Order 10 quarter sheets mixed for best price

or

10 half sheets mixed for best price

or

5 full sheets mixed for best price

Gildan[®] or Vapor Apparel™:

Order 10 items mixed for best price

Pronto™ Individual Letters:

Order 25 letters or numbers mixed for best price

All orders for less than case quantities will be billed at less than case price.

DISPLAY SAMPLE PROGRAM

Earn FREE samples and literature whenever you buy your products through JDS Industries. All JDS customers will be eligible to receive free samples or marketing literature, up to 1% of their prior year purchases (freight not included). JDS customer sample accounts are automatically updated January 1 each year.



How to use your sample dollars



- Cost on samples will be considered end quantity price for the 1% limit.
- Additional samples above 1% of prior year purchases will be made available at end quantity price.
- Customers will pay the cost of freight on the samples (unless the samples are part of a qualifying free freight order).
- Sample Program Credits have no cash value.
- Sample Program Credits cannot be used towards purchase of equipment or ink.
- International customers will be billed 50% of end quantity price due to customs regulations.
 The 50% reduction will be deducted from available sample balance.

Call us or log onto *jdsindustries.com* to check your current available balance.







Cast Removable Vinyl

830 AutoMarkTM

This premium gloss white cast wrap film with DRIFT® Technology and adhesive combination is engineered to provide superior repositionability and slidability. Developed to meet the long-term demands of full or partial wraps as well as many other graphic applications.

OUTDOOR DURABILITY: 7 Year/3 Year Removable

FILM THICKNESS: 2.0 mil Cast

OVERLAMINATE: 813, 831, 840, 844 or 242

FINISH: Gloss White

ADHESIVE: Grey, Solvent Slideable, Repositionable

LINER: 106# Air Egress Layflat

DRY APPLY ONLY



GENERAL FORMULATIONS



GF830-60

	830 AutoMark™ Wrap Kits		
	Kits	Size	Part No.
	830/831 Wrap Kit - 2.0 mil Gloss	54" x 150 yd	GFKT831
	830/840 Wrap Kit - 2.0 mil Matte	54" x 150 yd	GFKT840
	830/242 Wrap Kit - 2.0 mil Gloss Optically Clear	54" x 150 yd	GFKT242
NEW	830/813 Wrap Kit - 1.3 mil Gloss	54" x 150 yd	GFKT813
INEW	830/844 Wrap Kit - 2.0 mil Ulti-Matte	54" x 150 yd	GFKT844

Overlaminates found on pages 32-45

60" x 150'

Fleet GraphicsOutdoor Signage

Common Applications:Vehicle Graphics

POP & Retail Signage

We love the film. Cold stretch is really good. Air release is good. The more we work with it, the more we love it.

- Lee Twait, Cutting Edgz






JDS Sign Supply (JDS

Cast Removable Vinyl

MPI 1105 Supercast Easy Apply™ RS



OUTDOOR DURABILITY: 7 Years

OVERLAMINATE: MPI 1105 Supercast must be laminated with DOL 1060Z, 1060MAX, 1080Z, 1360Z, 1360MAX, 1370Z, 1380Z, or 1460Z.

FILM THICKNESS: 2.0 mil Cast

Common Applications:

- Vehicle
- Fleet
- Wall Murals
- POP Displays
- Outdoor Signage
- Floor Graphics
- Marine/Watercraft (Easy Apply only)

FINISH: Gloss White **ADHESIVE:** Grey Acrylic Easy Apply™ (Air Egress) Repositionable and Slidable (RS)

LINER: 90# Easy Apply™ & Easy Apply™ RS CONFORMABILITY: Flat, flat with rivets, corrugations, complex curves (vehicle wraps)

DRY APPLY ONLY













Avery has risen to a league of their own when it comes down to install quality and overall finish as far as looks go. Being an installer for over 15 years, there's no other product I would rather work with than Avery 1105 when it comes to vehicle graphics.

> - Justin Vanden Bosch Redline Wraps & Signs



Wrap Kits

MPI 1105 Supercast Easy Apply™ RS Wrap Kits		
Kits	Size	Part No.
MPI 1105/DOL1360Z Wrap Kit - 1.3 mil Optically Clear	54" x 50 yd	KT6483
MPI 1105/DOL1460Z Wrap Kit - 1.3 mil Gloss	54" x 50 yd	KT6499
MPI 1105/DOL1080Z Wrap Kit - 2.1 mil Matte	54" x 50 yd	KT6477
MPI 1105/DOL1060Z Wrap Kit - 2.1 mil Gloss	54" x 50 yd	KT6469



Overlaminates found on pages 32-45



Cast Removable & Permanent Vinyl

MPI 1405 PVC Free Easy Apply™ RS

When a standard PVC film isn't going to work and you need the conformability of a cast film, this is the answer. MPI 1405 is made of a high-grade Polyurethane that is softer and more conformable than PVC. Not only is this film the right option for moderately textured surfaces like cinder block, stucco and brick walls but it works great in hospital and restaurant settings. The high gloss finish will make your printed image pop and the grey adhesive will give you an opaque print every time!


OVERLAMINATE: DOL6460 Cast Polyurethane FILM THICKNESS: 2.0 mil Cast Polyurethane

Common Applications:

Outdoor Textured Surfaces

OUTDOOR DURABILITY: 12 Years

- Vehicle
- Fleet
- Rail Car
- POP Displays
- Outdoor Signage
- Hospitals













ADHESIVE: Long Term Removable Grey Acrylic Easy Apply™

Repositionable and Slideable (RS) **LINER:** 90# Easy Apply™ RS

CONFORMABILITY: Flat, flat with rivets, corrugations, complex curves (vehicle wraps), moderately textured walls

DRY APPLY ONLY

FINISH: Gloss White



ASTM E84 Class 1 or A rating

MPI 1106 Supercast High Tack Easy Apply™

This opaque vinyl is designed for demanding applications that require the conformability of a cast film. The clear high tack adhesive is ideal when working with low energy surfaces (LSE) like plastic, powder-coated paints, fiberglass, painted metals and clear coats. MPI 1106 also comes with an air egress liner for quick bubble-free installation.



OVERLAMINATE: MPI 1106 Supercast must be laminated with DOL 1060Z, 1060MAX, 1080Z, 1360Z, 1360MAX, 1370Z, 1380Z, or 1460Z

FILM THICKNESS: 2.0 mil

Common Applications:

- Heavy Equipment
- Trucks and Trailers
- Buses and Transit
- Rail Car
- Commuter Rail
- Snow Vehicles
- ATV/Recreational Vehicles

MPI 1106 High Tack Easy Apply™		
Film	Part No.	
54" x 50 yd	A006111	










Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.










JDS Sign Supply (JDS

High Performance Calendered Permanent Vinyl





FINISH: Gloss

DRY APPLY ONLY

ADHESIVE: Grey, Permanent

LINER: 90# Air Egress Layflat

Repositionable



OUTDOOR DURABILITY: 7 Year/2 Year Removable


FILM THICKNESS: 2.4 mil

Common Applications:

OVERLAMINATE: 231, 240 813 or 844

- Fleet
- Vehicle
- POP Displays
- Window Graphics
- Outdoor Signage





230 AutoMark™ Wrap Kits		
Kits	Size	Part No.
230/231 UV Wrap Kit - 2.4 mil Gloss	54" x 150 yd	GFKT231
230/240 UV Wrap Kit - 2.4 mil Matte	54" x 150 yd	GFKT240



Overlaminates found on

pages 32-45

333 AutoMark™ DRIFT® PW (Partial Wrap)



This version of AutoMark has a repositionable and slideable "DRIFT" adhesive allowing the installer to slide larger graphics across an OEM painted surface for exact graphic registration. This is an excellent choice for partial wrap applications when an installer can avoid deep recesses and compound curves. Save money and time with the 333 AutoMark DRIFT PW.

OUTDOOR DURABILITY: 7 Year/2 Year Removable


FILM THICKNESS: 3.0 mil **OVERLAMINATE: 231 or 240**

Common Applications:

Partial-wrap applications including:

- Vans
- Box Trucks
- Fleet and Recreational Vehicles









FINISH: Gloss





High Performance Calendered Vinyl

MPI 2105 Easy Apply™ RS

One of the most popular and versatile calendered vinyl films from Avery Dennison, MPI 2105 is an excellent choice for vehicle, fleet and general signage applications. The repositionable and slideable adhesive allows for exact graphic registration every time! The long-term removable adhesive is also a plus for switching out old graphics with new ones. MPI 2105 is an excellent choice for all levels of installation experience.





OVERLAMINATE: DOL2060, DOL2070 or DOL2080

FILM THICKNESS: 3.1 mil

Common Applications:

- Fleet
- Vehicle
- POP Displays
- Window Graphics
- Outdoor Signage









Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.

FINISH: Gloss White

ADHESIVE: Grey Acrylic Easy Apply™ Repositionable and Slidable (RS) LINER: 90# Easy Apply™

CONFORMABILITY: Flat, simple curves

DRY APPLY ONLY

MPI 2105 Easy Apply™ RS		
Film	Part No.	
54" x 50 yd	A002539	
MPI 2105 Easy Apply™		
MPI 2105 Easy Ap	ply™	
MPI 2105 Easy Ap Film	<i>pply™</i> Part No.	





MPI 2126 High Tack Easy Apply™

Great for low energy surfaces (LSE) such as plastics, powder-coated paints, fiberglass, clear coats and painted metals, this film is ideal for a variety of outdoor applications. The aggressive high tack adhesive is sure to hold up to the most demanding situations.

OUTDOOR DURABILITY: 6 Years OVERLAMINATE: DOL2080 FILM THICKNESS: 3.4 mil

Common Applications:

- Heavy Equipment
- Trucks and Trailers
- Buses and Transit
- Rail Car
- Commuter Rail
- Snow vehicles

FINISH: Matte

ADHESIVE: Clear Permanent Easy Apply™ High Tack LINER: 90# Easy Apply™

CONFORMABILITY: Flat, simple curves

DRY APPLY ONLY









Overlaminates found on pages 32-45

MPI 2050 White Translucent

This translucent film is the answer for self-adhesive, illuminated signage requiring great image quality, superior stability and long term durability. The matte finish will reduce any reflection when installed on the outside of the sign face.

LATEX SOLVENT

OUTDOOR DURABILITY: 6 Years OVERLAMINATE: DOL2080

FILM THICKNESS: 3.4 mil FINISH: Matte Translucent

ADHESIVE: Clear Permanent Acrylic

LINER: 90# StaFlat™

CONFORMABILITY: Flat, simple curves





Common Applications:

• Backlit Signs







MPI 2050 White Translucent	
Film	Part No.
54" x 25 yd	A004230
54" x 50 yd	A004228
60" x 50 yd	A004229

Intermediate Calendered Removable Vinyl

MPI 2902

This is an excellent product for a 3-5 year outdoor project. The grey adhesive provides excellent opacity to the application surface and the film produces a high-quality image with excellent outdoor performance.

OUTDOOR DURABILITY: 5 Years OVERLAMINATE: DOL2060 or DOL3060

FILM THICKNESS: 3.0 mil

Common Applications:

- Fleet (flat & simple curves only)
- Vehicle (flat & simple curves only)
- Wall Murals
- POP Displays
- Outdoor Signage
- Floor Graphics
- Ice Rink Boards/Dasherboards

MPI 2902 Gloss	
Film	Part No.
54" x 50 yd	A001498



ADHESIVE: Grey Removable

LINER: 90# StaFlat™

CONFORMABILITY: Flat, simple curves







MPI 2921 StaFlat™ & MPI 2921 Easy Apply™

If you're trying to cover up existing graphics, this is the product to use! This specially engineered film is opaque and flexible and is also available with an Easy Apply liner for bubble-free installation. This film allows for easy installation and removal of short-term graphics, perfect for bus and transit graphics.

OUTDOOR DURABILITY: 2 Years OVERLAMINATE: DOL2080 or DOL3080

FILM THICKNESS: 3.4 mil

Common Applications:

- Bus/Transit Ad (flat & simple curves only)
- Fleet (flat & simple curves only)
- POP Displays
- Tradeshow
- Window Graphics
- Outdoor Signage
- Floor Graphics
- Ice Rink Boards/Dasherboards

MPI 2921 StaFlat™		
Film	Part No.	
54" x 50 yd	A001099	
MPI 2921 Easy Apply™		
Film	Part No.	

FINISH: Matte

ADHESIVE: Grey Removable **LINER:** 2921 (90# StaFlat™), 2921 Easy Apply™ (90# Easy Apply) **CONFORMABILITY:** Flat, Simple Curves

DRY APPLY ONLY







Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.



Intermediate Calendered Removable Vinyl

202 Matte and 204 Gloss Vinyl



GENERAL

This vinyl is the perfect choice for general signage applications that don't require the film to be conformed to complex curves or corrugations. The removable pressure-sensitive adhesive makes it a friendly option for temporary signage that can be applied directly to the surface, such as a glass window or door. Laminate with a long term outdoor laminate for extended outdoor life!

OUTDOOR DURABILITY: 5 Years/1 Year Removable

OVERLAMINATE: 100 Series Short Term or 400 Series Long Term


FILM THICKNESS: 3.0 mil (Gloss) 3.4 mil (Matte)

Common Applications & Surfaces:

- Temporary Interior/Exterior Signage
- Decals
- Nameplates
- Die-cut letters
- POP Displays
- Windows

Not designed for coated/sealed/treated stainless steel, brass or bronze surfaces.

202 Matte White	
Film	Part No.
54" x 150'	GF202-54
60" x 150'	GF202-60
204 Gloss White	
Film	Part No.
54" x 150'	GF204-54
60" x 150'	GF204-60







FINISH: Gloss (221) Matte (223)

LINER: 90# Tight Release


FINISH: Gloss (204) Matte (202)

LINER: 90# Layflat

ADHESIVE: Clear Removable Acrylic

Overlaminates found on pages 32-45

221 Gloss and 223 Matte Semi-Rigid Vinyl



OUTDOOR DURABILITY: 3 Years/1 Year Removable **OVERLAMINATE:** 100 Series Short Term, 400 Series Long Term

FILM THICKNESS: 6.0 mil

Common Applications & Surfaces:

- Temporary Interior/Exterior Signage
- Decals
- Nameplates
- Die-cut Letters
- POP Displays
- Windows
- Smooth Surfaces, Painted Metals and HSE Plastics.

Not designed for coated/sealed/treated stainless steel, brass or bronze surfaces.







Intermediate Calendered Permanent Vinyl

MPI 2920 Series

The 2920 series is a great option when the customer requests labels, decals, or other signage. The permanent adhesive will hold on whatever it's applied to and the clear adhesive makes it a great option when you may see the backside of the vinyl from a window or glass enclosure. The matte finish will provide an aesthetically pleasing finish and reduce glare from sunlight or overhead lighting.

OUTDOOR DURABILITY: 5 Years OVERLAMINATE: DOL2080 FILM THICKNESS: 3.4 mil

FINISH: Matte

ADHESIVE: Clear Permanent LINER: 90# StaFlat™

CONFORMABILITY: Flat, Simple Curves

Common Applications:

- Wall Murals
- POP Displays
- Outdoor Signage







MPI 2920 Series	
Film	Part No.
54" x 50 yd	A001098
'	MARNING CANCER AND REPRODUCTIVE HARM



Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.



Overlaminates found on pages 32-45

MPI 2923 Easy ApplyTM

When you're asked to install a decal or graphic on a flat surface and it is larger than you're comfortable with, use this version of the 2900 series. It offers an Easy Apply liner for bubble-free installation. The grey adhesive will cover up anything that may already be on the surface without compromising the messaging displayed on the new graphic.

OUTDOOR DURABILITY: 5 Years OVERLAMINATE: DOL2080 FILM THICKNESS: 3.4 mil

FINISH: Matte

ADHESIVE: Grey Permanent LINER: 90# Easy Apply™

CONFORMABILITY: Flat, simple curves

DRY APPLY ONLY

- Wall Murals
- POP Displays
- Outdoor Signage







MPI 2923 Easy Apply™	
Film	Part No.
54" x 50 yd	A002626
60" x 50 yd A002625	
'	WARNING CANCER AND REPRODUCTIVE HARI





Intermediate Calendered Permanent Vinyl



GENERAL

MPI 2903 and MPI 2903 Easy Apply™

The same great option for decals, labels and POP graphics as the 2920 and 2923 Easy Apply, but with a gloss finish. 2903 works for graphics of all sizes that are applied to a flat or slightly curved surface. The larger the graphic, the more you may want to consider the Easy Apply liner. The grey adhesive comes in both versions of this film so covering up imperfections in the application surface won't be a problem.

OUTDOOR DURABILITY: 4 Years OVERLAMINATE: DOL2060 FILM THICKNESS: 3.4 mil

Common Applications:

- Wall Murals
- POP Displays
- Outdoor Signage
- Floor Graphics
- Fleet Vehicles (flat & simple curves only)

FINISH: Gloss

ADHESIVE: Grey Permanent LINER: 90# StaFlat™ (2903)

90# Easy Apply™ (2903 Easy Apply) CONFORMABILITY: Flat, simple curves

DRY APPLY ONLY














MPI 2903 Easy Apply ™	
Film	Part No.
54" x 50 yd	A002620
60" x 50 yd	A002619



201-0PAE Matte and 203-OPAE Gloss Opaque Vinyl

This film's grey adhesive offers great opacity in both matte and gloss. The adhesive builds to a permanent bond over 24 hours leaving it repositionable during installation. The air egress liner will also ensure installing larger decals or graphics will be bubble-free and look great.

OUTDOOR DURABILITY: 5 Years OVERLAMINATE: 400 Series

FILM THICKNESS: 3.4 mil (201 OPAE) 3.0 mil (203 OPAE)

FINISH: Matte (201 OPAE) Gloss (203 OPAE)

ADHESIVE: Grey Permanent LINER: 90# Air Egress Layflat

DRY APPLY ONLY

- Large format interior or exterior signage
- Decals
- Nameplates
- POP Displays













GENERAL

JDS Sign Supply

Intermediate Calendered Permanent Vinyl

201 Matte and 203 Gloss Intermediate Vinyl



These films have a strong clear permanent adhesive that will ensure an excellent bond to many common substrates used in the graphics industry. You have the option of matte or gloss and both come with a clear adhesive that offers a great value when the application doesn't require an opaque film.

OUTDOOR DURABILITY: 5 Years OVERLAMINATE: 400 Series Long Term,

100 Series Short Term

FILM THICKNESS: 3.0 mil (Gloss) 3.4 mil (Matte)

FINISH: Matte (201) Gloss (203) **ADHESIVE:** Clear Permanent LINER: 90# Layflat

Common Applications:

- Large Format Interior or Exterior Signage
- Decals
- Nameplates
- POP Displays

201 Matte White	
Film	Part No.
54" x 150'	GF201-54
60" x 150'	GF201-60

203 Gloss White	
Film	Part No.
54" x 150'	GF203-54
60" x 150'	GF203-60





Overlaminates found on pages 32-45

220 Gloss and 222 Matte Semi-Rigid Vinyl

If you're printing graphics for a client but not installing them, this 6.0 mil semi-rigid vinyl will help ensure the install is a success! The thickness makes the vinyl easier to handle and has the same strong permanent adhesive as the 201 and 203. Remember to use a long term laminate when installing outdoors.



OVERLAMINATE: 400 Series Long Term, 100 Series Short Term

FILM THICKNESS: 6.0 mil

FINISH: Gloss (220) Matte (222) **ADHESIVE:** Clear Permanent LINER: 90# Tight Release

- Interior/Exterior Signage
- Decals
- Nameplates
- POP Displays
- Die-Cut Letters

220 Gloss White	
Film	Part No.
54" x 100'	GF220-54
222 Matte White	
LLL matte winte	
Film	Part No.











Intermediate Calendered Permanent Vinyl

235 MotoMark® LSE GRIP Matte High-Bond Vinyl



This film has a unique high-bond adhesive designed for the powersport graphic and decal market. Have confidence that your custom graphics and decals will last when applied to low surface energy (LSE) plastics. Don't forget to pair this film with the 238 MotoMark® ARMOR overlaminate for the highest level of protection.

OUTDOOR DURABILITY: 5 Year FILM THICKNESS: 3.4 mil

Common Applications:

OVERLAMINATE: GF238 MotoMark® ARMOR

FINISH: Matte

ADHESIVE: Extremely High-Tack Clear Permanent

LINER: 90# PE-Coated Kraft

CONFORMABILITY: Flat, simple curves













Overlaminates found on pages 32-45

201-HTAPAE, 201-HTAP Matte High Tack Vinyl & 203-HTAPAÉ, 203-HTAP Gloss High Tack Vinyl

LATEX SOLVENT UV SOLVENT



The high tack adhesive on these films makes them great options for low surface energy (LSE) applications such as plywood, painted metals or MDO boards. An air egress liner is available to make installing larger graphics easier.

OUTDOOR DURABILITY: 5 Year

OVERLAMINATE: 400 Series Long Term, 100 Series Short Term

FILM THICKNESS: 3.4 mil (Matte) 3.0 mil (Gloss)

Common Applications:

- Interior/Exterior Signage
- Decals
- Templates
- POP Displays
- Painted/Unpainted Metals
- Smooth Wood
- Plywood and MDO Board
- Vinvl
- ABS and Polystyrene

201-HTAPAE- Matte White

• Polyester, Polycarbonate, Smooth Polyolefins

Film	Part No.
54" x 150'	GF201HTAPAE-54
60" x 150'	GF201HTAPAE-60
203-HTAPAE-	Gloss
54" x 150'	GF203HTAPAE-54
60" x 150'	GF203HTAPAE-60
201-HTAP-Ma	tte White
201-HTAP-Ma Film	tte White Part No.
Film	Part No.
Film 54" x 150'	Part No. GF201HTAP-54 GF201HTAP-60
Film 54" x 150' 60" x 150'	Part No. GF201HTAP-54 GF201HTAP-60

FINISH: 201 (Matte) 203 (Gloss)

ADHESIVE: Clear Acrylic High Tack Permanent

LINER: HTAPAE, 90# Layflat Air Egress

HTAP, 90# Layflat

DRY APPLY ONLY





Wall Films: High Performance Calendered

MPI 2611 Removable White Luster Wall Film

Spice up an office or hallway with Avery's most popular and versatile wall films. The clear, removable adhesive makes it perfect for swapping graphics for holidays or special events and makes the clean up a breeze. The smooth texture will make the graphic look painted onto the surface of the wall.

INDOOR/OUTDOOR DURABILITY: 4 Years

OVERLAMINATE: DOL 1060, 1080, 2060 or 2080 Series

FILM THICKNESS: 7.0 mil

FINISH: White Luster

ADHESIVE: Clear Removable Acrylic

LINER: 70# StaFlat™ **CONFORMABILITY: Flat**

Common Applications:

- Wall Murals
- POP Displays

MPI 2611 Wall Film	
Film	Part No.
54" x 25 yd	A004226
54" x 50 yd	A004225











ASTM E84 Class 1 or A rating

CAN ULC S102.2 (MPI 2611) - Flame Spread Rating: 10, Smoke Developed Classification: 40 MPI 2611 meets the requirements of IMO FTP Code Part 2 & 5 for all material categories

MPI 2630 Permanent Textured Wall Film

If a natural, unique finish is what your client is asking for, these wall films with permanent adhesive are the solution. These three natural textures will create a dynamic interior wall solution with 100% opacity to cover up any existing paint or graphics.

INDOOR DURABILITY: 3 Years

OVERLAMINATE: N/A

FILM THICKNESS: 6.0 mil (Pure Canvas & Natural Stucco)

8.0 mil (Crushed Stone)

FINISH: White Luster

ADHESIVE: Clear Permanent Acrylic **LINER:** (2630) 90# StaFlat™

855,661,2388 •

CONFORMABILITY: Flat

Common Applications:


- Wall Murals
- POP Displays







Pure Canvas Pictured








Avery Dennison® Products

Avery Dennison® Products can **ONLY** be distributed to customers in the United States and US Territories.



Digital Print Vinyl



Wall Films: Intermediate Calendered Removable

234 GraphiTex™ Matte Polyester Wall Fabric

Uniquely designed with a coated polyester fabric, this material will provide a textured surface that really enriches the look of a printed design. Not to mention, General Formulations has added a removable adhesive that makes changing graphics or designs from a painted wall easier than ever! Designed for walls only.

DURABILITY: 5 Years/1 Year Removable (Indoor Only) **OVERLAMINATE:** Not recommended due to textured face

FILM THICKNESS: 7.0 mil

FINISH: Matte (canvas finish) ADHESIVE: Clear Low-Tack Removable Wall Adhesive LINER: 90# Layflat

GENERAL FORMULATIONS

Common Applications:

Interior Walls

Not designed for coated/sealed/treated stainless steel, brass or bronze surfaces.

234 Matte White	
Film	Part No.
54" x 100'	GF234-54
60" x 100'	GF234-60
	↑WARNING







Overlaminates found on pages 32-45

226 WallMark™ and 226HTR Wallmark™ Matte Semi-Rigid Wall Vinyl

The thickness of the film makes it easy to handle and the adhesive options make this a perfect choice for almost any smooth vertical surface. The smooth texture will make the graphics look painted on the wall. Choose between a traditional removable adhesive or a high tack removable (HTR) for added security on those hard to adhere surfaces.

DURABILITY: 3 Years/1 Year Removable (Indoor Only) FINISH: Matte (smooth)

OVERLAMINATE: 100 Series FILM THICKNESS: 6.0 mil

ADHESIVE: 226: Clear Removable 226 HTR: High Tack Removable (HTR) LINER: 90# Tight Release

Customer Testimonial

GENERALFORMULATIONS

We've had a lot of clients very happy with this product.

> - Thomas Wink, CEO/Co-Founder, Virtuoso Graphics, Houston, TX

Common Applications:

- Interior Walls
- Sealed Wall Coverings

Not designed for coated/sealed/treated stainless steel, brass or bronze surfaces.

226 Matte White	
Film	Part No.
54" x 100'	GF226-54
54" x 100'	GF226HTR-54









GENERAL

FORMULATIONS

JDS Sign Supply (JDS

Wall Films: Intermediate Calendered Removable

229HTR High Tack Matte Canvas Textured Vinyl



Use this film for a unique indoor wall covering. The innovative pressure sensitive adhesive is designed to be high tack and removable up to one year. This artistic texture provides the look of canvas with the ease of use and durability of vinyl!

DURABILITY: 3 Year Outdoor/ 5 Year Indoor OVERLAMINATE: ClearShield or ClearJet® by Marabu

FILM THICKNESS: 6.0 mil

FINISH: Matte

ADHESIVE: Clear High Tack Removable

LINER: 90# Layflat Liner

Common Applications:

- Interior Walls
- Sealed Wall Coverings











Note: Safe for all spaces with its E84 Class A Fire rating and compliance with REACH, RoHS and PROP 65.



285 RoughMark™ Matte Polymeric Conformable Wall Vinyl

If you're not using a wall film that is conformable to moderately textured surfaces, you're missing out! This affordable film will turn some of the most unthinkable surfaces into marketable advertising spaces! The clear high tack removable adhesive will bond to most brick, cinder block and stucco surfaces. Grab a heat gun and textured surface roller when installing.



OVERLAMINATE: 242 Optically Clear

FILM THICKNESS: 3.5 mil

Common Applications:

- Interior Walls
- Exterior Walls
- Brick, Block and Concrete Walls (VERTICAL SURFACES ONLY)



TEST all applications prior to use. If applied to a painted surface, paint must bond tightly to the surface. Not designed for coated/ sealed/treated stainless steel, brass or bronze surfaces.

285 Matte White	
Film	Part No.
54" x 150'	GF285-54
60" x 150'	GF285-60





ADHESIVE: Clear Solvent High Tack Removable

LINER: 90# Layflat





Window Films: Intermediate Calendered Removable

255 Optically Clear Printable Gloss Vinyl



Here is another film to create dimension and add an artistic flair to glass surfaces. The film comes equipped with an optically clear adhesive that provides exceptional clarity and gives the illusion that the glass and vinyl are one!

OUTDOOR DURABILITY: 3 Years/1 Year Removable

OVERLAMINATE: 242 Optically Clear

FILM THICKNESS: 3.0 mil

FINISH: Gloss

ADHESIVE: Optically Clear Removable LINER: 2.0 mil Traction Backed Polyester **CONFORMABILITY:** Flat, Simple Curves

- Short Term Interior/Exterior Signage
- Decals
- POP Displays







Part No.	
GF255-54	





GENERAL

Window Films: Intermediate Calendered

WindowMark™ 232 Matte Perforated 50/50 Film

The perfect film for passenger vehicles, this film has 50% of the material punched out so it is easy to see through. The black back perforated film has a clear removable adhesive and comes with a dual layflat liner that creates a "bucket" in the liner so ink can settle through the perforation and not fill the perforated holes during the printing process. The holes are .060 inches (1.5mm).

OUTDOOR DURABILITY: 2 Years/1 Year Removable

OVERLAMINATE: 242 Optically Clear

FILM THICKNESS: 6.0 mil

FINISH: Matte White Front/Black Back ADHESIVE: Clear Removable

LINER: 84# Lavflat with Dual Liner Technology

Common Applications:

- Flat Vertical Vehicle Windows
- Commercial Store Windows
- Interior or Exterior Glass



When this product is applied to exterior glass surfaces, the surface must be cleaned to assure adequate product bond. DO NOT use solvent or ammonia based glass cleaners for cleaning.

Product may not comply with all local DOT and Highway Safety Regulations. Check local laws prior to installation.

232 Matte White	,
Film	Part No.
30" x 25'	GF232-3025
30" x 100'	GF232-30



Overlaminates found on pages 32-45



270 WindowMark™ Matte Perforated 70/30 Film

If you're looking for a window perf that has great image clarity and still blocks more light than a standard 50/50 perf, try 270 Window Mark. 30% of the film is punched out with .060 (1.5mm) holes, leaving 70% left to be printed. The film has a black back with clear removable adhesive and a dual liner that assists in the printing process to keep holes free of ink build-up.

OUTDOOR DURABILITY: 2 Years/1 Year Removable

OVERLAMINATE: 242 Optically Clear FILM THICKNESS: 6.0 mil

Common Applications:

- Commercial Store Windows
- Interior or Exterior Glass



When this product is applied to exterior glass surfaces, the surface must be cleaned to assure adequate product bond. DO NOT use solvent or ammonia based glass cleaners for cleaning.

Product may not comply with all local DOT and Highway Safety Regulations. Check local laws prior to installation.

270 Matte White	
Film	Part No.
54" x 25'	GF270-5425
54" x 100'	GF270-54
60" x 25'	GF270-6025
60" x 100'	GF270-60





FINISH: Matte White Front/Black Back



Window Films: Intermediate Calendered

280 WindowMark™ Matte Perforated 80/20 Film

The most vibrant image you can get in window perf! This film has 20% of the material removed, leaving 80% of the material intact for a high-quality print. The clear removable adhesives are designed to remove cleanly and the black back helps you see through the .060 inch (1.5mm) holes from the reverse side.

OUTDOOR DURABILITY: 2 Years/1 Year Removable

OVERLAMINATE: 242 Optically Clear

FILM THICKNESS: 6.0 mil

FINISH: Matte White Front/Black Back

ADHESIVE: Clear Removable

LINER: 84# Lavflat w/ Dual Liner Technology

Common Applications:

- Commercial Store Windows
- Interior or Exterior Glass









When this product is applied to exterior glass surfaces, the surface must be cleaned to assure adequate product bond. DO NOT use solvent or ammonia based glass cleaners for cleaning.

Product may not comply with all local DOT and Highway Safety Regulations. Check local laws prior to installation.

280 Matte White	
Film	Part No.
54" x 25'	GF280-5425
54" x 100'	GF280-54
60" x 25'	GF280-6025
60" x 100'	GF280-60









front view



back view



790AE Print-N-Privacy Polymeric Light Etched Film

When your client asks you to do something unique and different, this film is the answer. This high-quality etched vinyl is uniquely designed to simulate etched glass and is also printable so you can enhance the design with a pop of color. Whether you use it as is or you print on it, the material comes on an air egress liner so you can say yes to any job, big or small. Not recommended for small cut letters or intricate designs. Excellent for indoor and outdoor applications.

FINISH: Light Etched

ADHESIVE: Clear Permanent

LINER: 90# Paper Air Egress **DRY APPLY ONLY**

OUTDOOR DURABILITY: 7 Years

OVERLAMINATE: Not recommended due to textured faces

FILM THICKNESS: 3.0 mil

Common Applications:

• Interior or Exterior Glass

• Glass Windows or Doors









When this product is applied to exterior glass surfaces, the surface must be cleaned to assure adequate product bond. DO NOT use solvent or ammonia based glass cleaners for cleaning.

Not designed for cut lettering or to be repositioned. Transfer tape is recommended for easier application.

790AE Print Privacy	
Film	Part No.
54" x 75'	GF790AE-5475
60" x 75'	GF790AE-6075



JDS Sign Supply JDS

Window Films: Intermediate Decorative Calendered



NEW Aslan Printable Glass Décor Film



This printable, self-adhesive glass decoration film is ideal for producing creative designs and sight protection on any glass surface. The unique dry apply air egress technology makes application particularly quick and easy.

OUTDOOR DURABILITY: 7 Years FILM THICKNESS: 3.2 mil

FINISH: Etch, Milky White or Matte Silver CONFORMABILITY: Flat Surfaces OVERLAMINATE: Not Recommended **ADHESIVE:** Clear, Semi-Permanent **LINER:** 80# Silicone Coated Paper

DRY APPLY ONLY









DFL 300 Etched Glass		
Film	Part No.	
54" x 164'	7292-5416-300	
54" x 32.8'	7292-5404-300	
27" x 164'	7292-2716-300	
27" x 32.8'	7292-2704-300	



DFL 210 Milky White		
Film	Part No.	
54" x 164'	7292-5416-301	
54" x 32.8'	7292-5404-301	
27" x 164'	7292-2716-301	
27" x 32.8'	7292-2704-301	



DFL 302 Matte Sil	ver
Film	Part No.
54" x 164'	7292-5416-302
54" x 32.8'	7292-5404-302
27" x 164'	7292-2716-302
27" x 32.8'	7292-2704-302

Find more Decorative Window Films on page 77





Intermediate Calendered Removable Floor Vinyl

212 Traffic Graffic® Matte Carpet Vinyl

If you're printing graphics for a convention or large event, you're sure to be asked about graphics for carpet! This film is specifically formulated with a clear high tack removable adhesive so graphics will bond perfectly to short nap carpets and remove cleanly when it is time to take them up. Be sure to use a laminate with the UL 410 rating for slip resistance.

INDOOR DURABILITY: 6 Months Removable

OVERLAMINATE: 109 or 211 FILM THICKNESS: 3.4 mil

FINISH: Matte

ADHESIVE: Clear High Tack Removable

LINER: 90# Layflat

Common Applications:

- Temporary Short Nap/Tight Weave Carpet
- Decals Advertising
- Point of Purchase Advertising

Must use a recommended UL Listed overlaminate.







Overlaminates found on pages 32-45



JDS Sign Supply JDS

GENERAL FORMULATIONS

Intermediate Calendered Removable Floor Vinyl

210 Traffic Graffic® Matte Floor Vinyl

This film is specifically designed for smooth tile or concrete commercial floor graphics. The film will last for up to 6 months under normal conditions and the clear removable adhesive will make changing graphics a breeze. Don't forget to use a laminate that is UL 410 rated for slip resistance. 210 is for indoor use only.

INDOOR DURABILITY: 6 Months Removable

OVERLAMINATE: 109, 211 or 213

FILM THICKNESS: 3.4 mil

FINISH: Matte

ADHESIVE: Clear Removable

LINER: 90# Layflat

GREAT FOR SMOOTH FLOOR GRAPHICS!

Common Applications:

- Temporary Smooth Floor Graphics
- Decals Advertising
- Point of Purchase Advertising

Must use a recommended UL Listed overlaminate.

210 Matte White	
Film	Part No.
54" x 150'	GF210-54



Overlaminates found on pages 32-45





Promotional Calendered Permanent Vinyl

MPI 3300 and MPI 3320

Save money on short term signage with this scuff-resistant, flexible promotional grade vinyl. The film is designed to deliver consistent print images at an excellent value. The clear permanent adhesive will give you confidence in its holding power for point of purchase displays, product labels and other general signage applications.

OUTDOOR DURABILITY: 3 Years

OVERLAMINATE: DOL3060, DOL3080 or DOL3070

FILM THICKNESS: 3.4 mil

Common Applications:

- Wall Murals
- POP Displays
- Outdoor Signage
- Floor Graphics









FINISH: Gloss (3300) Matte (3320)

ADHESIVE: Clear Permanent LINER: 78# Clay Coated Kraft

CONFORMABILITY: Flat, simple curves



MPI 3300 Gloss		
Film	Part No.	
54" x 50 yd	A003663	
MPI 3320 Matte		
Film	Part No.	
54" x 50 yd	A003815	





Promotional Calendered Permanent Vinyl

MPI 3303 and MPI 3323

These two films offer the same great value on short term signage but with a different color adhesive. The grey permanent adhesive will give you confidence in its holding power as well as covering up imperfections in the surface the vinyl is applied to. An excellent option for point of purchase displays, product labels and other general signage applications.

OUTDOOR DURABILITY: 3 Years OVERLAMINATE: DOL3060 or DOL3080

FILM THICKNESS: 3.4 mil

FINISH: Gloss (3303) Matte (3323)

ADHESIVE: Grey Permanent LINER: 78# Clay Coated Kraft

CONFORMABILITY: Flat, simple curves

- Wall Murals
- POP Displays
- Outdoor Signage
- Floor Graphics



















Magnetic Material

Magnum Magnetics

DigiMag® Vinyl Rolls and Pre-cut Sheets

DigiMag® Vinyl is the most popular magnetic substrate that allows you to print directly to the magnet without the need to over-laminate. The material cuts to any shape with cutters, plotters, or even a pair of scissors.

DigiMag Printable Matte White Magnetic Film		
Size	Thickness	Part No.
24.375" X 50' Roll	.015"	MAGDM-015-2450
24.375" X 25' Roll	.020"	MAGDM-020-2425
24.375" X 50' Roll	.020"	MAGDM-020-2450
24.375" X 25' Roll	.030"	MAGDG-030-2425
24.375" X 50' Roll	.030"	MAGDG-030-2450
12" X 18" Sheet	.030"	MAGSHT-030-1218
24.375" X 12" Sheet	.030"	MAGSHT-030-2412
24.375" X 18" Sheet	.030"	MAGSHT-030-2418

Common Applications:

- Temporary Signage
- POP Displays
- Outdoor Signage
- Vehicle Magnets (.030" Only)













DigiMaxx® is a super-wide magnet for printing large-scale, high-quality images. These extra-wide magnetic sheets suit a wide range of indoor and outdoor applications. They're also compatible with the major ink systems used in the sign industry.

DigiMaxx Printable Matte White Magnetic Film		
Size	Thickness	Part No.
48" X 25' Roll	.020"	MAGDX-020-4825
48" X 50' Roll	.020"	MAGDX-020-4850
48" X 25' Roll	.030"	MAGDX-030-4825
48" X 50' Roll	.030"	MAGDX-030-4850

Common Applications:

- Temporary Signage
- POP Displays
- Outdoor Signage
- Vehicle Magnets (.030" Only)







MuscleMag® Latex

If you're using a latex printer, MuscleMag® Latex is the product you need to use.

This high-energy printable magnetic material is specially formulated to be very thin to allow for smooth feeding and easy cutting while having a stronger holding power than a refrigerator magnet. MuscleMag® is perfect for vehicle signage and other signage and graphics applications that require thin but strong magnet material.

Muscle Mag White Magnetic Latex Film		
Size	Thickness	Part No.
48" x 50' Roll	.015"	MAGMM-015-4850

Common Applications:

LATEX

- Temporary Signage
- POP Displays
- Outdoor Signage
- Vehicle Magnets

* Test printer platen with magnet for ferromagnetic metals. Ferromagnetic metals can cause feeding issues with magnetic material.

JDS Sign Supply JDS

Permanent Holographic Film

765 Rainbow Holographic Film



This holographic film will create a unique look for decals that can't be duplicated with normal vinyl. This film has a permanent adhesive and is printable with latex, UV, solvent, and eco-solvent inks common to wide format digital printers.

OUTDOOR DURABILITY: 1 Year FILM THICKNESS: 6.0 mil OVERLAMINATE: 108, 110, 231,

OVERLAMINATE: 108, 110, 2 242 or 400

Common Applications:

• Decals/Stickers/Labels

General Signage

POP/Retail

Window Graphics

• Indoor/Outdoor (Short-term)

FINISH: Holographic Film **ADHESIVE:** Clear, Permanent

LINER: 90# Kraft

CONFORMABILITY: Flat, Simple Curves

765 Holograph	ic
Film	Part No.
30" x 150'	GF765-30
30" x 75'	GF765-3075
60" x 150'	GF765-60
60" x 75'	GF765-6075



Note: 60" rolls will have a "shim line" in the center of the roll and a less noticeable, repeating line, every 12" across the width of the roll. 30" rolls will have a "shim line" at the edge of the roll and a less noticeable, repeating line, every 12" across the width of the roll. To create the holographic look, the film goes through an embossing process. During this process, one or more metal shims are mounted around the circumference of a round embossing cylinder leaving behind a visible line on the material surface. This is common in most holographic films and is not considered a defect.





Cast Overlaminates



813 High Gloss Clear UV Cast



If you are looking for an extremely thin, highly conformable laminate this one is for you. GF 813 provides graphic protection from UV exposure, moisture and abrasion with a high gloss finish. Use with full vehicle wraps, partial wraps, fleet graphics as well as long-term applications where a high-quality cast laminate is required.

ADHESIVE: Clear Permanent Solvent Acrylic

OUTDOOR DURABILITY: 4 Years FILM THICKNESS: 1.3 mil FINISH: High Gloss

Common Applications:

- Fleet
- Wraps
- POP/ Retail
- Walls
- Windows
- Outdoor Signage

813 High Gloss	
Film	Part No.
54" x 150'	GF813-54
60" x 150'	GF813-60









844 Ulti-Matte Clear UV Cast

Made to last, GF 844 provides graphic protection from UV exposure, moisture and abrasion with an ultimate matte finish. GF cast laminates are specifically engineered for full vehicle wraps, partial wraps, fleet graphics as well as long-term applications where a high-quality cast laminate is required.

OUTDOOR DURABILITY: 8 Years FILM THICKNESS: 2.0 mil FINISH: Matte

Common Applications:

- Fleet
- Wraps
- POP/ Retail
- Walls
- Windows
- Outdoor Signage

844 Matte	
Film	Part No.
54" x 150'	GF844-54
60" x 150'	GF844-60

ADHESIVE: Clear Permanent Solvent Acrylic **LINER:** 74# White Clay-Coated Kraft



JDS Sign Supply JDS

Cast Overlaminates



831 and 840 AutoMark™ UV Overlaminates



These conformable laminates provide graphic protection from UV exposure, moisture and abrasions.

They're specifically engineered for the lamination of full vehicle wraps and fleet graphics or where long-term protection is required.

OUTDOOR DURABILITY: 8 Years FILM THICKNESS: 2.0 mil FINISH: Gloss (831) Matte (840)

Common Applications:

- Fleet
- Wraps
- POP/Retail
- Wall
- Windows

831 Gloss UV	
Film	Part No.
54" x 150'	GF831-54
60" x 150'	GF831-60
840 Matte UV	
Film	Part No.
54" x 150'	GF840-54
60" x 150'	GF840-60



ADHESIVE: Clear Permanent Solvent Acrylic **LINER:** 74# White Clay-Coated Kraft





DOL1060Z Gloss



This gloss overlaminate can be used with Avery Dennison's super cast digital print vinyl. This cast film is used to protect the inks printed on the cast base film while maintaining the conformable properties needed for installation. The synthetic liner creates a super smooth high gloss finish in the adhesive that gives the print a paint-like finish. This is UL 410 rated and can be used to laminate floor graphics.

OUTDOOR DURABILITY: Up to 5 Years

FILM THICKNESS: 2.1 mil

FINISH: Gloss

ADHESIVE: Clear Permanent Acrylic LINER: 2.0 mil Transparent Synthetic CONFORMABILITY: Flat, flat with rivets

Common Applications:

- Fleet
- Vehicle
- Marine/Watercraft
- Backlit Signs
- Wall Murals
- POP Displays
- Window Graphics
- Outdoor Signage
- Floor Graphics

DOL1060Z	
Film	Part No.
48" x 50 yd	A006149
54" x 50 yd	A006133
60" x 50 yd	A006131



FLOOR COATING AND FINISHING MATERIAL AS TO SLIP RESISTANCE ONLY UL Reference # 16GH

Avery Dennison® Products

Avery Dennison® Products can **ONLY** be distributed to customers in the United States and US Territories.





Cast Overlaminates



DOL 1060 Max Clear Cast



Add years of additional outdoor durability with this premium quality, ultra-thin and conformable cast overlaminate. DOL 1060 Max delivers up to 7 years vertical durability to vehicle wraps, fleet graphics, marine/watercraft, window graphics, exterior signage, POP graphics, backlit signs, wall murals and even floor graphics. Designed to be used with MPI1105 Supercast print media, 1360 Max offers a gloss finish with excellent value while providing great conformability, abrasion resistance, durability and excellent resistance to UV, temperature, humidity and salt-spray.

OUTDOOR DURABILITY: 7 Years FILM THICKNESS: 2.1 mil

FINISH: Gloss

ADHESIVE: Clear, Permanent Acrylic LINER: 2 mil Transparent Synthetic CONFORMABILITY: Flat, Flat with Rivets

Common Applications:

- Fleet
- Vehicle
- Marine/Watercraft
- Backlit
- POP/Trade Show
- Wall Murals
- Floor Graphics
- Window Graphics
- Outdoor Signage


DOL1060MAX Gloss	
Film	Part No.
54" x 50 yd	A473092
54" x 100 yd	A473093
60" x 50 yd	A473095
60" x 100 yd	A473097







DOL 1360 Max Clear Cast





OUTDOOR DURABILITY: 7 Years FILM THICKNESS: 1.3 mil FINISH: Optically Clear, High Gloss

Common Applications:

- Vehicle
- Marine/Watercraft
- Backlit
- POP/Trade Show
- Wall Murals
- Window Graphics
- Outdoor Signage

ADHESIVE: Clear Permanent Acrylic **LINER:** 2 mil Transparent Synthetic CONFORMABILITY: Flat, Flat with Rivets, Corrugations, Complex Curves (vehicle wraps)

DOL1360MAX Optical Clear Gloss		
Film	Part No.	
54" x 50 yd	A473334	
54" x 100 yd	A473335	
60" x 50 yd	A473337	



Cast Overlaminates

DOL1080Z Matte

This matte overlaminate can be used with Avery Dennison's super cast digital print vinyl. This cast film is used to protect the inks printed on the cast base film while maintaining the conformable properties needed for installation. The matte-like finish provides a high end, anti-glare finish to the surface of the film. DOL 1080Z is UL 410 rated and can be used to laminate floor graphics.

OUTDOOR DURABILITY: Up to 5 Years ADHESIVE: Clear Permanent Acrylic FILM THICKNESS: 2.1 mil LINER: 83# Kraft Coated 1 Side

CONFORMABILITY: Flat, flat with rivets

Common Applications:

- Fleet
- Vehicle
- Marine/Watercraft
- Backlit Signs

FINISH: Matte

- Wall Murals
- POP Displays
- Window Graphics
- Outdoor Signage
- Floor Graphics









FLOOR COATING AND FINISHING MATERIAL AS TO SLIP RESISTANCE ONLY UL Reference # 16GH

DOL1360Z Optically Clear Gloss

As an ultra-thin, ultra-conformable cast overlaminate, this film will not only protect the printed base film but it will stand up to the most demanding installations you can find. The synthetic liner on the film provides an optically clear high gloss finish. The film boasts excellent UV, temperature, humidity and salt spray resistance. Highly recommended for window graphics and vehicle wraps.

OUTDOOR DURABILITY: Up to 4 Years

FILM THICKNESS: 1.3 mil

FINISH: Gloss

LINER: 2.0 mil Transparent Synthetic **CONFORMABILITY:** Flat, flat with rivets, corrugations, complex curves

ADHESIVE: Clear Permanent Acrylic

Common Applications:

- Fleet
- Vehicle
- Marine/Watercraft
- Backlit Signs
- Wall Murals
- POP Displays
- Window Graphics
- Outdoor Signage

Part No.	
A006160	
A006158	
A006157	
	A006160 A006158









Overlaminates





Cast Overlaminates

DOL1370Z Luster and DOL1380Z Matte

Enhance the color and depth of your graphics with these ultra-thin and ultra-conformable cast overlaminates. The matte and luster finish provided by these overlaminates are the right choice to protect your printed graphics. These films will also protect during

installation and from harmful UV rays that wreak havoc on printed graphics. **OUTDOOR DURABILITY: 4 Years** ADHESIVE: Clear Permanent Acrylic

FILM THICKNESS: 1.3 mil FINISH: Luster (1370Z) Matte (1380Z)

LINER: 83# Kraft Coated 1 Side **CONFORMABILITY:** Flat. Flat with Rivets.

Corrugations, Complex Curves

Common Applications:

- Fleet
- Vehicle
- Marine/Watercraft
- Backlit Signs
- Wall Murals
- POP Displays
- Window Graphics
- Outdoor Signage

DOL1370Z Luster	
Film	Part No.
54" x 50 yd	A006163
60" x 50 yd	A006162
DOL1380Z Matte	
DOL1380Z Matte Film	Part No.
	Part No. A006167



DOL1460Z High Gloss

The most conformable overlaminate we offer, this cast overlaminate allows vibrant graphics to conform to the most extreme 3D curves, corrugations and crevices without the need for a primer. You can pair this film with any of Avery Dennison's Supercast digital print vinyls for a high gloss, eye catching graphic solution.

OUTDOOR DURABILITY: 4 Years FILM THICKNESS: 1.3 mil FINISH: High Gloss

Common Applications:

- Fleet
- Vehicle (Extreme Wraps)
- Marine/Watercraft
- Backlit Signs
- Wall Murals
- POP Displays
- Window Graphics
- Outdoor Signage



DOL1460Z High Gloss	
Film	Part No.
48" x 50 yd	A006173
54" x 50 yd	A006171
60" x 50 vd	A006170





Cast Overlaminates

242 Optically Clear UV Gloss Cast Overlaminate



This cast laminate is a must-have solution for clear films, window perf or conformable vinyl. The polyester liner creates a super smooth adhesive coat that is invisible to the naked eye. Combine these benefits with the additional UV inhibitors and you'll always want this film on hand in your shop.

OUTDOOR DURABILITY: 5 Years FILM THICKNESS: 2.0 mil

FINISH: Gloss

ADHESIVE: Optically Clear Permanent LINER: Smooth Frosted Polyester

Common Applications:

- Wraps
- Windows

242 Optically Cl	ear
Film	Part No.
54" x 150'	GF242-54
54" x 100'	GF242-54100
60" x 100'	GF242-60100
60" x 150'	GF242-60






DOL6460 High Gloss PVC Free

 POP Displays Window Graphics

Outdoor Signage



OUTDOOR DURABILITY: 6 Years FILM THICKNESS: 1.5 mil FINISH: High Gloss

ADHESIVE: Clear Permanent Acrylic LINER: Transparent Synthetic CONFORMABILITY: Flat, Flat with Rivets,

Corrugations, Complex Curves, Deep Recesses

Common Applications:

- Fleet
- Vehicle
- Marine/Watercraft

- Backlit Signs Hospitals Wall Murals

DOL6460 Gloss	
Film	Part No.
54" x 50 yd	A005632

Avery Dennison® Products





High Performance Calendered Overlaminates

DOL2060, DOL2070 and DOL2080 Calendered Overlaminates

These 2000 series overlaminates are specifically designed to be paired with high performance and intermediate calendered digital print vinyl from Avery Dennison. If it's a flat general signage application or one with simple curves, these are the overlaminates you need. Choose from three finishes: gloss, luster or matte.

OUTDOOR DURABILITY: 3 Years FILM THICKNESS: 3.1 mil FINISH: Gloss (2060)

> Luster (2070) Matte (2080)

ADHESIVE: Clear Permanent Acrylic **LINER:** 78# Bleached Kraft

CONFORMABILITY: Flat or simple curves



Common Applications:

- Fleet (Flat & Simple Curves Only)
- Vehicle (Flat & Simple Curves Only)
- Backlit Signs
- Wall Murals

- POP Displays
- Window Graphics
- Outdoor Signage
- Floor Graphics


## Part No. 54" x 50 yd	P. 01 0000 01	
54" x 50 yd A004127 60" x 50 yd A004128 DOL2070 Luster Film Part No. 54" x 50 yd A001117 60" x 50 yd A001455 DOL2080 Matte Film Part No. 54" x 50 yd A004134	DOL2060 Gloss	
60" x 50 yd A004128 DOL2070 Luster Film Part No. 54" x 50 yd A001117 60" x 50 yd A001455 DOL2080 Matte Film Part No. 54" x 50 yd A004134	Film	Part No.
DOL2070 Luster Film Part No. 54" x 50 yd A001117 60" x 50 yd A001455 DOL2080 Matte Film Part No. 54" x 50 yd A004134	54" x 50 yd	A004127
Film Part No. 54" x 50 yd A001117 60" x 50 yd A001455 DOL2080 Matte Film Part No. 54" x 50 yd A004134	60" x 50 yd	A004128
54" x 50 yd A001117 60" x 50 yd A001455 DOL2080 Matte Film Part No. 54" x 50 yd A004134	DOL2070 Luster	
60" x 50 yd A001455 D0L2080 Matte Film Part No. 54" x 50 yd A004134	Film	Part No.
DOL2080 Matte Film Part No. 54" x 50 yd A004134	54" x 50 yd	A001117
Film Part No. 54" x 50 yd A004134	60" x 50 yd	A001455
54" x 50 yd A004134	DOL2080 Matte	
-	Film	Part No.
60" x 50 yd A004148	54" x 50 yd	A004134
	60" x 50 yd	A004148



ASTM E84 Class 1 or A rating



Wrapped by Signarama, Sioux Falls, SD



High Performance Calendered Overlaminates

GENERAL

231 and 240 AutoMark™ UV Overlaminates

These films are the complements to 230 & 333 AutoMark digital print vinyls. Choose from matte or gloss and your cost-saving wrap is protected for 5 years. You'll be sure to impress your customers with a great vinyl and laminate kit that will make both of your checking accounts happy! You can even use gloss for window perf! Cold laminate for best results.

OUTDOOR DURABILITY: 5 Years FILM THICKNESS: 2.4 mil FINISH: Gloss (231) **ADHESIVE:** Clear Solvent Permanent **LINER:** 53# White PE-Coated 1-sided Kraft

Matte (240)

Common Applications:


- Wrap
- Fleet
- General Signage
- Outdoor (long term)

231 Gloss UV	
Film	Part No.
54" x 150'	GF231-54
60" x 150'	GF231-60

240 Matte UV	
Film	Part No.
54" x 150'	GF240-54
60" x 150'	GF240-60

WARNING
CANCER AND REPRODUCTIVE HARM
WWW, P65Warnings, ca, gov

GF 230 AutoMark can be found on page 11





Intermediate Calendered Overlaminates

238 MotoMark® ARMOR UV Overlaminate



This laminate provides the ultimate protection for recreational vehicles. The film has UV inhibitors to protect your printed graphics. The extra film thickness is the best form of protection against heavy wear. There is no better option on the market to protect the plastics on quads, snowmobiles, motocross, and even helmets!

OUTDOOR DURABILITY: 5 Years FILM THICKNESS: 12.0 mil

FINISH: Gloss

54" x 75'

238 Gloss ARMOR Laminate
Film Part No.
30" x 75' GF238-30

GF238-54

ADHESIVE: Clear Permanent

LINER: 45# White PE-Coated 1-sided Kraft

Common Applications:

- Partial Wraps
- Powersport Vehicles
- General Signage
- Outdoor (long-term)



JDS Sign Supply JDS

Intermediate Calendered Overlaminates

400 and 402 UV Clear Long Term Overlaminate Film



Take advantage of this affordable, general-purpose, outdoor laminate and you won't be disappointed by the performance or the price. Choose from matte or gloss and you'll have a UV protected, moisture and abrasion resistant sign for the next 4 years. Cold laminate for best results.

OUTDOOR DURABILITY: 4 Years FILM THICKNESS: 3.0 mil FINISH: Gloss (400) Matte (402)

ADHESIVE: Clear Permanent LINER: 53# White PE-Coated 1-sided Kraft

400 Gloss UV Clear	
Film	Part No.
54" x 150'	GF400-54
60" x 150'	GF400-60

402 Matte UV Clear	
Film	Part No.
54" x 150'	GF402-54
60" x 150'	GF402-60

Common Applications:

- POP/Retail
- Translucent
- Transit (Flat/Simple)
- General Signage
- Outdoor (long term)







Intermediate Calendered Overlaminates

100 and 102 Clear Short Term Overlaminate Film



If you have an indoor application that is flat and needs to get out the door quickly, grab a roll of this indoor laminate that has a reputation for exceeding expectations. Enjoy the savings while you choose from matte or gloss and remember to laminate your graphics cold for best results.

OUTDOOR DURABILITY: 1 Year FILM THICKNESS: 3.0 mil

FINISH: Gloss (100) Matte (102) **ADHESIVE:** Clear Permanent **LINER:** 53# White PE-Coated

1-side Kraft

Common Applications:

POP/Retail
 Wall
 Transit (Flat/Simple)
 General Signage
 Translucent
 Outdoor (long term)

100 Gloss Clear	
Film	Part No.
54" x 150'	GF100-54
60" x 150'	GF100-60
61" x 150'	GF100-61*

* 61" available while supplies last.

102 Matte Clear	
Film	Part No.
54" x 150'	GF102-54
60" x 150'	GF102-60
61" x 150'	GF102-61*

^{* 61&}quot; available while supplies last.







Textured Floor Overlaminate



Floor graphics are a great way to get customers on top of your message. It is extremely important that your graphics are laminated with a UL Rated laminate. This overlaminate is qualified by the UL 410 classification and it is designed with a slight texture for a unique look. The 5.0 mil thickness will add to the extended life of this rugged application and the super smooth liner will make reading the graphic super easy!

FILM THICKNESS: 5.0 mil ADHESIVE: Clear Permanent FINISH: Textured LINER: 1.5 mil Clear Polyester

Common Applications:

- Mouse Pads
- Counter Mats
- Decals
- Floor Graphics
- Display Overlays

The Adhesive is formulated to adhere to most printing inks. However, specific formulations must be tested before use. Some inks may contain excessive flow additives that could reduce adhesion of this product. Test before production.

109 Matte	
Film	Part No.
54" x 150'	GF109-54







TRAFFIC GRAFFIC CLASSIFIED BY UNDERWRITERS LABORATORIES, INC® AS TO SLIP RESISTANCE ONLY UL410

JDS Sign Supply

Intermediate Calendered Overlaminates

211 Traffic Graffic® Floor Overlaminate



If your clients' floors are so clean you can eat off them, you'll want a floor laminate that blends right in. This gloss, 6.0 mil is a perfect pairing to the 210 Traffic Graffic vinyl application. The exceptional clarity and UL 410 slip-resistant rating will be an easy sell for clients.

ADHESIVE: Clear Permanent FILM THICKNESS: 6.0 mil FINISH: Gloss LINER: 53# White PE-Coated 1-side Kraft

Common Applications:

- POP/Retail
- General Signage
- Floor
- Indoor
- Counter

The Adhesive is formulated to adhere to most printing inks. However, specific formulations must be tested before use. Some inks may contain excessive flow additives that could reduce adhesion of this product. Test before production.



TRAFFIC GRAFFIC CLASSIFIED BY UNDERWRITERS LABORATORIES, INC® AS TO SLIP RESISTANCE ONLY UL410

211 Gloss	
Film	Part No.
54" x 150'	GF211-54







213 Traffic Graffic® Embossed Non-PVC Floor Overlaminate

Bars and restaurants are covering tables and bar tops these days with vinyl for sponsorships, seasonal messaging, etc. If there is a chance for food to make indirect contact with any of these surfaces, you need this NON-PVC laminate. An environmentally friendly product, this laminate is a great solution for floor graphics in hospitals, schools and daycares. The embossed texture also makes this unique compared to other laminates we offer.

FILM THICKNESS: 3.75 mil **ADHESIVE:** Clear Permanent FINISH: Embossed Polypropylene LINER: 53# White PE-Coated 1-side Kraft

Common Applications:

- POP/Retail
- Floor
- Counter
- General Signage
- Indoor (short-term)

213 is approved for indirect food contact. The Adhesive is formulated to adhere to most printing inks. However, specific formulations must be tested before use. Some inks may contain excessive flow additives that could reduce adhesion of this product. Test before production.



TRAFFIC GRAFFIC CLASSIFIED BY UNDERWRITERS LABORATORIES, INC® AS TO SLIP RESISTANCE ONLY UL410

213 Embossed	
Film	Part No.
54" x 150'	GF213-54







Promotional Calendered Overlaminates

DOL3060, DOL3070 and DOL3080

When the job needs to be done fast and cheap, don't pass up the 3000 series overlaminates. Not only are they affordable they're the right choice for short-term promotional graphics. Make money on the jobs where the client's first expectation is cost savings. You will meet the client's expectation on price and you won't have to lay awake at night worrying about the quality you've guaranteed.

LINER: #51 Kraft

OUTDOOR DURABILITY: 2 Years ADHESIVE: Clear Permanent Acrylic

CONFORMABILITY: Flat or simple curves FINISH: Gloss (3060)

Luster (3070)

Matte (3080) **Common Applications:**

FILM THICKNESS: 3.1 mil

- Backlit Signs
- Wall Murals
- POP Displays
- Window Graphics
- Outdoor Signage
- Floor Graphics

DOL3060 Gloss	
Film	Part No.
54" x 50 yd	A002498
60" x 50 yd	A002497

DOL3070 Luster	
Film	Part No.
54" x 50 yd	A002495
60" x 50 yd	A002494

DOL3080 Matte	
Film	Part No.
54" x 50 yd	A002501
60" x 50 yd	A002500



ASTM E84 Class 1 or A rating





FLOOR COATING AND FINISHING MATERIAL AS TO SLIP RESISTANCE ONLY UL Reference # 16GH

Specialty Overlaminates Marabu Select Liquid Overlaminate

Protect your digital prints from harmful UV for up to 5 years with ClearShield Select. Apply with a roller, foam brush or sprayer that can be rinsed off with hot water for easy clean up. Quick and easy solution for added protection. Strong chemical and mar resistance for textured vinyl and a wide range of other digital substrates.

ClearShield Liquid Common Applications:

- Banners
- Billboards
- Signage
- Vehicle Graphics

ClearJet® Aerosol **Common Applications:**

- Poster Paper
- Window Perf

ClearShield Select Gloss		
Part No.	Size	
CSL211Q	Quart	
CSL211G	Gallon	

ClearShield Select Matte			
Part No. Size			
CSL214Q	Quart		
CSL214G	Gallon		





continental U.S.

JDS Sign Supply

Specialty Overlaminates

108 Tedlar® by DuPont™ Anti-Graffiti Overlaminate



GF 108 made with DuPont™ Tedlar® film is easy to clean. Tedlar® film can be cleaned with a simple mixture of soap and water. Light washing should be all that is needed to keep graphics looking clean and bright. Most painted and sprayed on graffiti can be removed with suitable commercial solvents without damage to the Tedlar® surface.

OUTDOOR DURABILITY: 10 Years FILM THICKNESS: 1.0 mil PVF Film

FINISH: Satin

Common Applications:

- POP/Retail Graphics
- Wall Murals
- Window Graphics
- Fleet Wraps
- General Signage
- Outdoor Signage

GF 108	
Film	Part No.
54" x 150'	GF108-54

ADHESIVE: Permanent

LINER: 45# White PE-Coated Kraft



Before




After

GENERAL

FORMULATIONS



110 EraseMark Pro™ Commercial Grade **Dry Erase Overlaminate**



OUTDOOR DURABILITY: 5 years FILM THICKNESS: 2.0 mil

FINISH: Clear

Common Applications:

- POP/Retail Graphics
- Wall Murals
- Window Graphics
- Indoor Signage

110 EraseMark	
Film	Part No.
54" x 150'	GF110-54



LINER: 45# White PE-Coated Kraft









Color Change Wrap Film

if you're looking for:

GLOSS

SATIN

MATTE

SPECIAL EFFECTS

COLORFLOWTM

PEARL

DIAMOND

EXTREME TEXTURE

RUGGED

CONFORM CHROME



Avery Dennison Supreme Wrapping™ Film



The SW900 film is the premium choice for full vehicle wraps, partial wraps and long-term decals or graphics. This film is extremely conformable, repositionable, and comes with a long-term removable adhesive. The bubble-free liner makes applying large sections of the vinyl fast and easy. You'll have everything you need with the wide variety of textures, colors and finishes offered in this series!

Film Thickness: 3.2 mil to 4.7 mil for high gloss, satin or matte Liner: 90# StaFlat, Poly-Coated with Easy Apply RS technology Adhesive: Long term removable acrylic **Durability:** Up to 12 years, depending on zone and color

Gloss Metallic




184 Mystery Black A409681: 60" x 25yd



192 Black A004369: 60" x 25yd A004540: 60" x 5yd



762 Radioactive





803 Silver

A004350: 60" x 25yd A004537: 60" x 5yd



255 Sand Sparkle

A142508: 60" x 25yd A142509: 60" x 5yd



700 Mysterious Indigo A409682: 60" x 25yd



879 Prismatic Grey

A409680: 60" x 25yd



929 Brown

A004392: 60" x 25yd A004543: 60" x 5yd



664 Magnetic Burst

A020260: 60" x 25yd **A020261:** 60" x 5yd



816 Quick Silver

A118120: 60" x 25yd A118106: 60" x 5yd



215 Gold

A004352: 60" x 25yd A004538: 60" x 5yd



653 Dark Blue

A004398: 60" x 25yd



807 Grey

A004354: 60" x 25yd A004539: 60" x 5yd



199 Eclipse

A020256: 60" x 25vd A020257: 60" x 5yd



A004546: 60" x 5yd

Gloss



101 White

A004002: 60" x 25yd A004519: 60" x 5yd



190 Black

A004004: 60" x 25yd A004520: 60" x 5yd



415 Red

A004027: 60" x 25yd A004525: 60" x 5yd



632 Light Blue

A004035: 60" x 25yd A004531: 60" x 5yd



249 Dark Yellow

A118107: 60" x 25yd A118137: 60" x 5yd



373 Orange

A118126: 60" x 25yd A134881: 60" x 5yd



612 Smoky Blue

A118113: 60" x 25yd A118112: 60" x 5yd



667 Intense Blue

A004404: 60" x 25vd A004549: 60" x 5yd



436 Carmine Red

A004396: 60" x 25vd A004545: 60" x 5yd



475 Burgundy

A004029: 60" x 25vd A004526: 60" x 5yd



656 Cloudy Blue

A118138: 60" x 25yd A118117: 60" x 5yd



728 Light Pistachio

A135202: 60" x 25vd A118116: 60" x 5yd



636 Aqua Blue

A344788: 60" x 25yd



648 Sea Breeze Blue

A118115: 60" x 25yd A118114: 60" x 5yd



699 Indigo Blue

A004402: 60" x 25yd A004548: 60" x 5yd



832 Grey

A004049: 60" x 25yd A004535: 60" x 5vd



677 Blue

A004037: 60" x 25yd A004532: 60" x 5yd



681 Dark Blue

A004039: 60" x 25yd A004533: 60" x 5yd



821 Rock Grey

A142504: 60" x 25yd A142505: 60" x 5yd



731 Lime Green

A004031: 60" x 25vd A004529: 60" x 5yd



792 Dark Green

A004033: 60" x 25yd A004530: 60" x 5yd



236 Ambulance Yellow

A118122: 60" x 25yd



865 Dark Grey

A004348: 60" x 25yd A004536: 60" x 5yd



A118119: 60" x 25yd A118118: 60" x 5yd

235 Yellow



433 Cardinal Red

A004394: 60" x 25vd **A004544:** 60" x 5yd





Gloss



191 Obsidian Black A384511: 60" x 25yd

Satin Metallic



566 Purple

A006312: 60" x 25yd **A006313:** 60" x 5yd



871 Dark Basalt

A142502: 60" x 25yd **A142503:** 60" x 5yd



805 Silver

A006314: 60" x 25yd **A006315:** 60" x 5yd



260 Safari Gold

A142506: 60" x 25vd **A142507:** 60" x 5yd



823 Black Rock Grey

A344789: 60" x 25yd



854 Dark Grey

A389608: 60" x 25yd

Satin



116 White

A005321: 60" x 25yd **A005322:** 60" x 5yd



438 Carmine Red

A005317: 60" x 25yd **A005318:** 60" x 5yd



514 Bubblegum Pink

A005282: 60" x 25yd A005316: 60" x 5yd



712 Khaki Green

A005532: 60" x 25yd **A005612:** 60" x 5yd



197 Black

A005319: 60" x 25yd **A005320:** 60" x 5yd



633 Light Blue

A006280: 60" x 25yd **A006281:** 60" x 5yd



833 Grey

A006316: 60" x 25yd A006317: 60" x 5yd



224 Yellow

A135372: 60" x 25vd A135371: 60" x 5yd



682 Dark Blue

A006295: 60" x 25yd A006296: 60" x 5yd

Matte



102 White

A004416: 60" x 25vd A004552: 60" x 5yd



321 Orange

A005109: 60" x 25yd **A005569:** 60" x 5yd



732 Olive Green

A142500: 60" x 25yd **A142501:** 60" x 5yd



180 Black

A004406: 60" x 25vd **A004550:** 60" x 5yd



711 Khaki Green

A005531: 60" x 25yd **A005611:** 60" x 5yd



856 Dark Grey

A004411: 60" x 25yd A004551: 60" x 5yd



Colors shown are approximate.







Matte Metallic



472 Garnet Red

520 Pink

A004665: 60" x 25yd **A004667:** 60" x 5yd

A005110: 60" x 25yd

A005570: 60" x 5yd

A004671: 60" x 25vd

A004673: 60" x 5yd

643 Frosty Blue



623 Night Blue

671 Brilliant Blue

565 Purple

A004668: 60" x 25yd **A004670:** 60" x 5yd

A004662: 60" x 25vd

A004664: 60" x 5yd

A004646: 60" x 25vd

A004648: 60" x 5yd



745 Apple Green

A004680: 60" x 25yd **A004682:** 60" x 5yd



857 Silver

A005136: 60" x 25yd A005608: 60" x 5yd



840 Gunmetal

A004674: 60" x 25yd **A004676:** 60" x 5yd



615 Blue

A005752: 60" x 25vd A005751: 60" x 5yd



845 Charcoal

A004677: 60" x 25yd **A004679:** 60" x 5yd



737 Moss Green

A350791: 60" x 25yd



A005137: 60" x 25yd A005609: 60" x 5yd



Special Effects



261 Energetic Yellow

A177348: 60" x 25yd



316 Stunning Orange

A177464: 60" x 25yd



448 Passion Red

A177350: 60" x 25yd



568 Fun Purple

A177349: 60" x 25yd



629 Wave Blue

A177463: 60" x 25yd



716 Cool Teal

A350053: 60" x 25yd



If you're a digital print shop and you've never installed SW900, don't be afraid to do it. And if you're a color change shop and you haven't installed the 1105, don't be afraid to tackle it either. You're going to see a lot of similarities between the two.

> - Austin Smith, Founder of Paint is Dead



ColorFlow™ - Satin






476 Solar Dawn Black/Red

251 Fresh Spring

Gold/Silver

A006174: 60" x 25vd

A006175: 60" x 5yd





788 Frozen Ocean Cyan/Blue

A512764: 60" x 25yd A517013: 60" x 5yd

673 Rushing Riptide

Cyan/Purple

A006193: 60" x 25yd

A006194: 60" x 5yd





634 Moonstone Silver/Blue

A512763: 60" x 25vd A517012: 60" x 5yd



610 Lightning Ridge Green/Purple

A006325: 60" x 25yd A006326: 60" x 5yd



786 Urban Jungle Silver/Green

A006195: 60" x 25yd A006196: 60" x 5yd





A006178: 60" x 25yd A006179: 60" x 5yd



446 Rising Sun Red/Gold

A006176: 60" x 25yd A006177: 60" x 5yd







252 Fresh Spring Gold/Silver

A006207: 60" x 25yd **A006208:** 60" x 5yd



552 Roaring Thunder Blue/Red

A006224: 60" x 25yd A006225: 60" x 5yd



674 Rushing Riptide Cyan/Purple

A006226: 60" x 25vd **A006227:** 60" x 5yd



447 Rising Sun Red/Gold

A006209: 60" x 25yd A006223: 60" x 5yd



611 Lightning Ridge Green/Purple

A006327: 60" x 25yd A006328: 60" x 5yd



787 Urban Jungle Silver/Green

A006246: 60" x 25yd A006247: 60" x 5yd



789 Hidden Forest **A409683:** 60" x 25yd



Color Pictured: ColorFlow™, #634 Moonstone

Colors shown are approximate.





Pearl



109 Gloss White

A004371: 60" x 25yd **A004541:** 60" x 5yd



777 Light Green

A005090: 60" x 25yd **A005567:** 60" x 5yd



796 Dark Green

A005009: 60" x 25yd **A005011:** 60" x 5yd



Diamond



161 Diamond White

A005755: 60" x 25yd **A005756:** 60" x 5yd



221 Diamond Amber

A005757: 60" x 25yd **A005758:** 60" x 5yd



426 Diamond Red

A005759: 60" x 25yd **A005780:** 60" x 5yd



587 Diamond Purple

A005781: 60" x 25yd **A005782:** 60" x 5yd



676 Diamond Blue

A005783: 60" x 25yd **A005784:** 60" x 5yd



878 Diamond Silver

A005836: 60" x 25yd **A005837:** 60" x 5yd

Extreme Texture



115 Carbon Fiber White

A004749: 60" x 25yd **A004750:** 60" x 10yd



193 Brushed Black

A004717: 60" x 25yd **A004722:** 60" x 5yd



194 Carbon Fiber Black

A004734: 60" x 25yd **A004735:** 60" x 10yd



802 Brushed Titanium

A004715: 60" x 25yd **A004720:** 60" x 5yd



812 Brushed Aluminum

A004716: 60" x 25yd **A004721:** 60" x 5yd



813 Brushed Steel

A004719: 60" x 25yd **A004724:** 60" x 5yd



933 Brushed Bronze

A004718: 60" x 25yd **A004723:** 60" x 5yd



Colors shown are approximate.

JDS

Avery Dennison Supreme Wrapping™ Film (continued)

Rugged



182 Onyx Black A381867: 60" x 25yd



738 Marsh Green **A381868:** 60" x 25yd



718 Combat Green A381883: 60" x 25yd



824 Bedrock Grey

A381887: 60" x 25yd

Colors shown are approximate.



Color Pictured: Rugged, Onyx Black

WARNING CANCER AND REPRODUCTIVE HARM WWW.P65Warnings.ca.gov

Conform Chrome



843 Silver

A134229: 53" x 5yd **A118109:** 53" x 10yd

A118154: 53" x 25yd



256 Blue

A134232: 53" x 5yd **A118149:** 53" x 10yd **A118151:** 53" x 25yd



844 Matte Silver

A118139: 53" x 5yd **A118155:** 53" x 10yd **A118142:** 53" x 25yd



474 Red

A134237: 53" x 5yd **A118150:** 53" x 10yd **A118152:** 53" x 25yd



196 Black

A134235: 53" x 5yd **A118148:** 53" x 10yd **A118145:** 53" x 25yd



604 Gold

A134231: 53" x 5yd **A118108:** 53" x 10yd **A118153:** 53" x 25yd



211 Rose Gold

A118141: 53" x 5yd **A118147:** 53" x 10yd **A118144:** 53" x 25yd







Cut Vinyl & Transfer Tapes

if you're looking for:

CAST

TRANSLUCENT

CALENDERED

METALLIC

REFLECTIVE

PAINT MASK

STATIC CLING

SPECIAL EFFECTS

TRANSFER TAPES



3M™ Scotchcal™ ElectroCut™ Cast Film Series 7125



If you're getting asked about long term cut graphics, this 2.0 mil, cast metallic film, is specifically designed for that purpose. This film will last for 8 years outdoors and is also extremely conformable. The clear adhesive on this film will also look great on windows allowing the installer to apply graphics indoors or outdoors. (For unpunched material, start the part number with 7125, for punched use 7175.)

Authorized Distributor

114 Transparent	101 Nimbus Gray	099 Fawn	013 Tomato Red
010 Gloss White	012 Black	065 Light Lemon Yellow	293 Atomic Red
020 Matte White	022 Matte Black	015 Bright Yellow	063 Geranium
090 Antique White	069 Duranodic	025 Sunflower	053 Cardinal Red
011 Pearl Gray	019 Deep Mahogany Brown	064 Apricot	023 Deep Red
121 Light Gray	029 Russet Brown	105 Harvest Gold	093 Imperial Red
031 Medium Gray	059 Putty	024 Terra Cotta	058 Burgundy
091 Dove Gray	081 Stone Gray	054 Light Orange	103 Magenta
061 Mid Gray	089 Sandstone	014 Bright Orange	273 Process Magenta
151 Traffic Gray	039 Tan	074 Red Orange	
041 Dark Gray	049 Beige	263 Perfect Match Red	

7125 Series	7125 Series
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
30" x 10 yard	30" x 50 yard
48" x 10 yard	48" x 50 yard

7175 Punched Series	7175 Punched Series	
Size	Size	
15" x 10 yard	15" x 50 yard	
30" x 10 yard	30" x 50 yard	





3M™ Products

3M Products can ONLY be distributed to customers in the United States and US Territories.

Note: Punched film is only available in 15" & 30" - use part number 7175. Note: Colors shown are approximate.

3M™ Scotchcal™ ElectroCut™ Cast Film Series 7125

177

Olympic Blue

107

097 Soft Blue

Light Blue

USA

FILM THICKNESS: 2.0 mil Cast PVC **FINISH:** Gloss

098

ADHESIVE/COLOR: Permanent /Clear LINER: 78# Kraft

LINER: 78# Kraft

CONFORMABILITY: Flat Surfaces, with or without Rivets, Simple Curves

OUTDOOR DURABILITY: 8 Years





Dark Blue



7125 Series
Size
15" x 50 yard
24" x 50 yard
30" x 50 yard
48" x 50 yard

All colors stocked in 24" x 10 yards



120 Satin Aluminum Champagne Metallic 201 Slate Metallic 219 Copper Metallic 243 Steampunk Red Metallic

Metallics

239 Chocolate Brown Metallic

Apple Green

Gold Metallic
131 Satin Gold

	į
17	



Petroleum Blue Metallic

217
Dark Blue Metallio

7175 Punched Series	7175 Punched Series
Size	Size
15" x 10 yard	15" x 50 yard
7175 Punched Series	30" x 50 yard
Size	
30" x 10 yard	





3M™ Scotchcal™ ElectroCut™ Cast Film Series 7725



3M Authorized Distributor

This series has all the same great color options, outdoor durability and conformability as the 7125 series. The big difference with this series is the synthetic liner that resists moisture absorption and static build-up, making it easier to cut and weed letters as small as 1/4".

(For unpunched material, start the part number with 7725, or punched use 7775.)

114 Transparent	101 Nimbus Gray	099 Fawn	013 Tomato Red
010 White	012 Black	065 Light Lemon Yellow	293 Atomic Red
020 Matte White	022 Matte Black	015 Bright Yellow	063 Geranium
090 Antique White	069 Duranodic	025 Sunflower	053 Cardinal Red
011 Pearl Gray	019 Deep Mahogany Brown	064 Apricot	023 Deep Red
121 Light Gray	029 Russet Brown	105 Harvest Gold	093 Imperial Red
031 Medium Gray	059 Putty	024 Terra Cotta	058 Burgundy
091 Dove Gray	081 Stone Gray	054 Light Orange	103 Magenta
061 Mid Gray	089 Sandstone	014 Bright Orange	273 Process Magenta
151 Traffic Gray	039 Tan	074 Red Orange	
041 Dark Gray	049 Beige	263 Perfect Match Red	

7725 Series	7725 Series	
Size	Size	
15" x 10 yard	15" x 50 yard	
24" x 10 yard	24" x 50 yard	
30" x 10 yard	30" x 50 yard	
48" x 10 yard	48" x 50 yard	

7775 Punched Series Size	7775 Punched Series Size
15" x 10 yard	15" x 50 yard
30" x 10 yard	30" x 50 yard



3M™ Products

3M Products can **ONLY** be distributed to customers in the United States and US Territories.

Note: Punched film is only available in 15" & 30" - use part number 7775. Note: Colors shown are approximate.



JDS Sign Supply

3M™ Scotchcal™ ElectroCut™ Cast Film Series 7725

FILM THICKNESS:

FINISH: **OUTDOOR DURABILITY: 8 Years**

2.0 mil Cast PVC ADHESIVE/COLOR: Permanent/Clear LINER:

Transparent Synthetic

CONFORMABILITY: Flat Surfaces, with or without Rivets, Simple Curves

136

196

046

186

Lime Green

Apple Green

Kelly Green

Bright Green







027

Indigo

127

197

397

177

037

017

Boat Blue

Light Navy

Dark Blue

Shadow Blue

Sapphire Blue



047

117

057


Intense Blue

Persian Blue





357





7725 Series	7725 Series	
Size	Size	
15" x 10 yard	15" x 50 yard	
24" x 10 yard	24" x 50 yard	
30" x 10 yard	30" x 50 yard	
48" x 10 yard	48" x 50 yard	



Metallics

120
Satin Aluminum

201
Slate Metallic

9390	411
(Palling	Charcoal Metallic

S III	239		
	Chocolate Brown Metallic		

241	
Gold Metallic	

249
Champagne Metallic

131	
Satin Gold	

	229	
A RE	Copper Metallic	



101111	247
	Petroleum Blue Metallic

	227
FO 17 17 17	Bright Blue Metallic

217
Dark Blue Metallic

7775 Punched Series Size	7775 Punched Series Size
15" x 10 yard	15" x 50 yard
30" x 10 yard	30" x 50 yard





3M™ Controltac™ Cast Film with Comply™ Adhesive Series 180mC



This premium vinyl series has all the bells and whistles of cast cut vinyl. You still have all the color options of the 7125 and 7725 series along with exceptional outdoor durability. The big thing you gain is advanced conformability. The micro comply adhesive offers a bubble-free, repositionable feature that makes installation on larger graphics fast and easy.



Authorized Distributor

		Duranodic		Terra Cotta
114 Transparent		019 Deep Mahogany		054 Light Orange
010 White		029 Russet Brown		014 Bright Orange
090 Antique White		059 Putty		074 Red Orange
011 Pearl Gray		081 Stone Gray micro COMPLY™		263 Perfect Match Red
121 Light Gray		089 Sandstone		013 Tomato Red
031 Medium Gray		039 Tan		293 Atomic Red
091 Dove Gray		049 Beige		063 Geranium
061 Mid Gray		099 Fawn		053 Cardinal Red
151 Traffic Gray		065 Light Lemon Yellow		023 Deep Red
041 Dark Gray		015 Bright Yellow		093 Imperial Red
101 Nimbus Gray		025 Sunflower		058 Burgundy
012 Black		064 Apricot		103 Magenta
022 Matte Black		105 Harvest Gold		273 Process Magenta
80mC Series	180mC Series			
		_	180mC	
			SERIES	
	O10 White (Gray Adhesive) O90 Antique White O11 Pearl Gray 121 Light Gray O31 Medium Gray O91 Dove Gray O61 Mid Gray 151 Traffic Gray O41 Dark Gray 101 Nimbus Gray O12 Black O22 Matte Black	O10 White (Gray Adhesive) O90 Antique White O11 Pearl Gray 121 Light Gray O91 Dove Gray O61 Mid Gray 151 Traffic Gray O41 Dark Gray 101 Nimbus Gray O12 Black O22 Matte Black Bomc Series Size 24" x 10 yard Since Size 24" x 50 yard	O10 White (Gray Adhesive) O90 Antique White O11 Pearl Gray O31 Medium Gray O91 Dove Gray O61 Mid Gray O64 Dark Gray O15 Dark Gray O16 Dark Gray O17 Dark Gray O18 Dark Gray O19 Dove Gray O19 Dove Gray O11 Dark Gray O12 Black O12 Black O12 Matte Black O10 D15 D15 D16 D17 D17 D17 D18 D19	## Description of the content of the

Note: Colors shown are approximate.

3M™ Products

JDS Sign Supply (IDS

3M™ Controltac™ Cast Film with Comply™ Adhesive Series 180mC



FILM THICKNESS:

INSTALLATION:

2.0 mil Cast PVC Gloss

ADHESIVE/COLOR: Removable, Repositionable,

Pressure Activated/Gray Polyethylene-coated Paper

Authorized Distributor

FINISH: **OUTDOOR DURABILITY: 7 Years**

LINER:

DRY APPLY ONLY CONFORMABILITY: Flat Surfaces, with or without Rivets, Simple

098 Dark Violet 078

Plum

048 Purple

038 Royal Purple

027 Indigo

127 **Boat Blue**

197 Light Navy

397 Dark Blue

177 Shadow Blue

037 Sapphire Blue

017 Vivid Blue

> 047 Intense Blue

117 Persian Blue

057 Olympic Blue

107 Light Blue 097 Soft Blue

Peacock Blue

187 Wedgewood Blue

086

307

077

Robin Egg Blue

Dark Aqua

096 Teal

357 Bermuda Blue

136 Lime Green

196

Apple Green

046 Kelly Green

186 Bright Green

056 Dark Green

016

Khaki Green

066 Forest Green

276 Bottle Green

Metallics

Curves, Compound Curves and Corrugations

Satin Aluminum

201 Slate Metallic

211 Charcoal Metallic

239 Chocolate Brown Metallic

Gold Metallic

241

131 Satin Gold

249 Champagne Metallic

229 Copper Metallic

243 Steampunk Red Metallic


Petroleum Blue Metallic

227 Bright Blue Metallic

217 Dark Blue Metallic

180mC Series	180mC Series		
Size	Size		
24" x 10 yard	24" x 50 yard		
48" x 10 yard	48" x 50 yard		









3M™ Scotchcal ™ Translucent™ Graphic Film Series 3630



Authorized Distributor

This translucent film series has a superior matte finish that eliminates glare and provides a uniform color when backlit. You can use this film inside or outside on the first or second surface of a rigid substrate. The film is specifically engineered for use with internally illuminated sign faces.

(For unpunched material, start the part number with 3630, for punched use 3680.)





3M™ Scotchcal ™ Translucent™ Graphic Film Series 3630



FILM THICKNESS: FINISH:

OUTDOOR DURABILITY: 7 Years

2.0 mil Cast PVC Low Surface Gloss ADHESIVE/COLOR: LINER: CONFORMABILITY:

Permanent/Clear Transparent Synthetic Flat surfaces







3630 Series	3630 Series		
Size	Size		
24" x 10 yard	24" x 50 yard		
48" x 10 yard	48" x 50 yard		

Common Applications:

• Indoor/Outdoor Illuminated Signs





3M™ Scotchcal Translucent Film Series 3630 and 3M™ Envision™ Translucent Film Series 3730 (the "Products") have matte surface finish, eliminating glare and providing uniform color in reflected and transmitted light

Note: Colors shown are approximate.

3M™ Products



3M™ Scotchcal™ Calendered Film Series 50

Authorized

Distributor

For jobs that are flat, quick and easy, save money with this intermediate calendered film. Good for indoor or outdoor applications, this film will cut and weed like a champ. If you like to stay on time and budget, this 3M film needs to be part of your offering.

(For unpunched material, start the part number with 0050, for punched use 0055.)

FILM THICKNESS: 3.0 mil Calendered PVC

FINISH: High Gloss OUTDOOR DURABILITY: 5 Years

ADHESIVE/COLOR: Removable (Up to 3 years with heat) /Clear

LINER: White and Blue Kraft Paper
CONFORMABILITY: Flat surfaces and simple curves

011 Transparent	120 Matte Black
010 White (Blue Liner)	092 Brown
100 Matte White	054 Gold
094 Light Gray	914 Beige
097 Nimbus Gray	064 Pink
058 Silver	044 Light Red
012 Black	483 Dark Red

50 Series	50 Series		
Size	Size		
15" x 10 yard	15" x 50 yard		
24" x 10 yard	24" x 50 yard		
30" x 10 yard	30" x 50 yard		
48" x 10 yard	48" x 50 yard		


55 Punched Series Size	<i>55 Punched Series</i> Size	
15" x 10 yard	15" x 50 yard	
30" x 10 yard	30" x 50 yard	





Note: Punched film is only available in 15" & 30" - use part number 0055. Note: Colors shown are approximate.

3M™ Products



JDS Sign Supply



3M™ Scotchcal™ Calendered Film Series 50

For jobs that are flat, quick and easy, save money with this intermediate calendered film. Good for indoor or outdoor applications, this film will cut and weed like a champ. If you like to stay on time and budget, this 3M film needs to be part of your offering.





(For unpunched material, start the part number with 0050, for punched use 0055.)

FILM THICKNESS: 3.0 mil Calendered PVC ADHESIVE/COLOR: Removable (Up to 3 years with heat) /Clear

FINISH: High Gloss LINER: White and Blue Kraft Paper OUTDOOR DURABILITY: 5 Years CONFORMABILITY: Flat surfaces and simple curves



50 Series	50 Series	
Size	Size	
15" x 10 yard	15" x 50 yard	
24" x 10 yard	24" x 50 yard	
30" x 10 yard	30" x 50 yard	
48" x 10 yard	48" x 50 yard	


55 Punched Series	55 Punched Series		
Size	Size		
15" x 10 yard	15" x 50 yard		
30" x 10 yard	30" x 50 yard		





Note: Punched film is only available in 15" & 30" - use part number 0055. Note: Colors shown are approximate.

3M™ Products





Lumina™ Ultra High Gloss Calendered Vinyl Series 4200



Save money with this intermediate calendered film that offers a high gloss face film that is sure to last. This film is flexible, durable and resilient to harmful UV rays. You'll find that it weeds, cuts and transfers exceptionally well and has a wide variety of colors compared to the leading competitors. You will want to consider this vinyl for applications like architectural signage, POP graphics, banner, decals, striping and more.

(For unpunched material, start the part number with 4200, for punched use 4250.)

FILM THICKNESS: FINISH: OUTDOOR DURABILITY:	2.8 mil Calendered PVC High Gloss 5 Years	ADHESIVE/COLOR: LINER: CONFORMABILITY:	78# Kraft		es	
000 Clear		004 Gold		172 Poppy Red		005 Blue
200		068		001		032
Matte Clear		Beige		Red		Azure Blue
002 Gloss White		182 Sunbeam Yellow		012 Burgundy		018 Olympic Blue
049 Matte White		080 Matte Yellow		076 Magenta		108 Peacock Blue
202 Restful White		067 Primrose Yellow		124 Fiesta Pink		206 Breakfast Blue
102 Crystal White (Blue Liner)		025 Sunflower		063 Violet		071 Teal
007 Silver		006 Yellow		075 Lavender		142 Forest Green
050 Medium Grey		224 Rose Gold		074 Royal Purple		024 Dark Green
003 Gloss Black		113 Coral		168 Plum		126 Emerald Green
268 Flat Black		133 Tangerine		011 Dark Blue		061 Kelly Green
040 Matte Black		014 Tomato Red		266 Patriot Blue		252 Mint Green
008 Brown		125 Wild Cardinal Red		017 Sapphire Blue		257 Lime Green
4200 Series	4200 Series	4250 Punc				403 - <u>003</u>
Size 15" x 10 yard	Size 15" x 50 ya	rd 15"	x 10 yard		Series # Width =	
24" x 10 yard	24" x 50 ya				Lei	ngth = 30' (10 yard)
30" x 10 yard	30" x 50 ya	rd	Size			· · · · · · · · · · · · · · · · · · ·
48" x 10 yard	48" x 50 ya	<u>rd</u> 15"	x 50 yard	_		CANCER AND REPRODUCTIVE HARM WWW.P65Warnings.ca.gov

Note: Punched film is only available in 15" - use part number 4350. Note: Colors shown are approximate.

JDS

Lumina™ Satin Calendered Removable Vinyl Series 4301



This calendered vinyl is designed for producing specialty graphics for painted interior walls. Apply inspiring messages, corporate logos or quotes without being concerned about the vinyl removing poorly or failing prematurely. These graphics look great in kitchens, bedrooms, hallways, breakrooms, or lobbies. The satin finish blends in with the most common paint finishes for a high-quality professional look. For best results when transferring the graphics to the wall, use RTape 4000 ApliTape or 560U Low Tack. (For unpunched material, start the part number with 4301, for punched use 4351.)

FILM THICKNESS: 3.0 mil Calendered PVC ADHESIVE/COLOR: Removable/Clear FINISH: LINER: 78# Clay Coated OUTDOOR DURABILITY: 3 Years/1 Year Removable CONFORMABILITY: Flat Surfaces

049 White (Blue Liner)	004 Gold	001 Red	108 Peacock Blue
202 Restful White	068 Beige	124 Fiesta Pink	206 Breakfast Blue
007 Silver	080 Matte Yellow	076 Magenta	252 Mint Green
050 Medium Grey	113 Coral	168 Plum	257 Lime Green
008 Brown	133 Tangerine	011 Dark Blue	126 Emerald Green
040 Black	125 Wild Cardinal Red	032 Azure Blue	142 Forest Green

4301 Series	4301 Series		
Size	Size		
15" x 10 yard	15" x 50 yard		
24" x 10 yard	24" x 50 yard		
48" x 10 yard	48" x 50 yard		



4351 Punched Series	4351 Punched Series
Size	Size
15" x 10 yard	15" x 50 yard



Note: Punched film is only available in 15" - use part number 4251. Note: Colors shown are approximate.



3M™ Controltac™ Cast Film with Comply™ Adhesive Series 180mC



This premium vinyl series has all the bells and whistles for cast cut vinyl. You still have all the color options of the 7125 and 7725 series and exceptional outdoor durability. The big thing you gain is the advanced conformability. The micro comply adhesive offers a bubble free, repositionable feature that makes installation on larger graphics fast and easy.



Authorized Distributor

FILM THICKNESS: 2.0 mil Cast PVC

FINISH: Gloss
OUTDOOR DURABILITY: 7 Years

INSTALLATION: DRY APPLY ONLY

ADHESIVE/COLOR: Positionable, Pressure Activated/Gray

LINER: Polyethylene-coated paper

CONFORMABILITY: Flat Surfaces, with or without Rivets, Simple

Curves, Moderate Compound Curves

120 Satin Aluminum		201 Slate Metallic	wat I	229 Copper Metallic
131 Satin Gold	- 10 mm	211 Charcoal Metallic		243 Steampunk Red Metallic
		239 Chocolate Brown Metallic		247 Petroleum Blue Metallic
		241 Gold Metallic		227 Bright Blue Metallic
		249 Champagne Metallic		217 Dark Blue Metallic

180mC Series	180mC Series
Size	Size
24" x 10 yard	24" x 50 yard
48" x 10 yard	48" x 50 yard



Note: To order 180mC vinyls see part number example.





3M™ Products

3M Products can **ONLY** be distributed to customers in the United States and US Territories.

Note: Colors shown are approximate.



JDS Sign Supply

3M™ Scotchcal™ ElectroCut™ Cast Film Series 7125

If you're getting asked about long term cut graphics, this 2.0 mil, cast metallic film, is specifically designed for that purpose. This film will last for 8 years outdoors and is also extremely conformable. The clear adhesive on this film will also look great on windows allowing the installer to apply graphics indoors or outdoors.

Authorized Distributor

(For unpunched material, start the part number with 7125, for punched use 7175.)

FILM THICKNESS: 2.0 mil Cast PVC ADHESIVE/COLOR: Permanent/Clear FINISH: Gloss LINER: 78# Kraft **OUTDOOR DURABILITY: 8 Years**

CONFORMABILITY: Flat surfaces, with or without Rivets,

Simple Curves





7125 Series	7125 Series
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
30" x 10 yard	30" x 50 yard
48" x 10 yard	48" x 50 yard

7175 Punched Series Size	7175 Punched Series Size
15" x 10 yard	15" x 50 yard
30" x 10 yard	30" x 50 yard



3M™ Products

3M Products can ONLY be distributed to customers in the United States and US Territories.

Note: Punched film is only available in 15" & 30" - use part number 7175. Note: Colors shown are approximate.

Part # example		
7125- 2403 - 247		
Series # Width = 24"	Color #	
Length = 3	0' (10 yds)	



3M™ Scotchcal™ ElectroCut™ Cast Film Series 7725





This series has all the same great color options, outdoor durability and conformability as the 7125 series. The big difference with this series is the synthetic liner that resists moisture absorption and static build-up, making it easier to cut and weed letters as small as 1/4".

(For unpunched material, start the part number with 7725, for punched use 7775.)

ADHESIVE/COLOR: FILM THICKNESS: 2.0 mil Cast PVC Permanent/Clear FINISH: LINER: Transparent Synthetic Gloss

OUTDOOR DURABILITY: 8 Years CONFORMABILITY: Flat surfaces, with or without Rivets,

Simple Curves

120 Satin Aluminum 201 Slate Metallic 211 Charcoal Metallic

239 Chocolate Brown Metallic

241	243
Gold Metallic	Steampunk Red Metallic
*131 Satin Gold	247 Petroleum Blue Metallic
249	227
Champagne Metallic	Bright Blue Metallic
229 Copper Metallic	217 Dark Blue Metallic


7725 Series	7725 Series
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
30" x 10 yard	30" x 50 yard
48" x 10 yard	48" x 50 yard

7775 Punched Series	7775 Punched Series
Size	Size
15" x 10 yard	15" x 50 yard
30" x 10 yard	30" x 50 yard

3M™ Products

3M Products can ONLY be distributed to customers in the United States and US Territories.

Note: Punched film is only available in 15" & 30" - use part number 7775. Note: Colors shown are approximate.





V4000 High Visibility Easy Apply™ RS Printable Reflective Film

If your customer is looking for a custom graphic for their reflective decals, this white printable material fits the bill. This engineer-grade reflective product prints beautifully and installs with ease because of the repositionability and air egress technology.

FILM THICKNESS: 7.9 mil ADHESIVE/COLOR: Clear LTR with Gray Opacifying Layer

FINISH: **High Gloss** LINER: 90# Easy Apply™ RS


OUTDOOR DURABILITY: 7 Years **CONFORMABILITY:** Flat, Flat with Rivets, Corrugations, Moderate Curves

DO NOT WET APPLY INSTALLATION:

V4000 White	
Film	Part No.
24" x 10 yd	A135505
24" x 50 yd	A135506
48" x 10 yd	A135507
48" x 50 yd	A135508



- Fleet
- Striping
- Vehicle
- Railroad cars
- Bus graphics
- Indoor signage (wayfinding)
- Outdoor signage







3M™ Scotchlite™ Reflective Film Series 680



Use this long-term, durable reflective film on commercial vehicles, signs, rail cars, bus graphics and other common striping applications. This engineered reflective film will work great over corrugations or rivets and the Controltac adhesive will slide and reposition for easy installation.

(For unpunched material, start the part number with 6800, for punched use 6850.)

FILM THICKNESS: 7.0 mil Retroreflective

FINISH: Gloss
OUTDOOR DURABILITY: 9 Years


INSTALLATION: DRY APPLY ONLY

ADHESIVE/COLOR: Pressure Activated, Slidable/Clear Permanent

LINER: Polyethylene-coated Layflat

CONFORMABILITY: Vertical, Flat, Curved or Corrugated Surfaces,

with or without Rivets



Common Applications:

- Vehicle Markings
- Striping
- Emblems
- Bumper Stickers
- Railroad Graphics
- Signs

6800 Series	6800 Series	
Size	Size	
15" x 10 yard	15" x 50 yard	
24" x 10 yard	24" x 50 yard	
30" x 10 yard	30" x 50 yard	
48" x 10 yard	48" x 50 yard	

6850 Punched Series	6850 Punched Series	
Size	Size	
15" x 10 yard	15" x 50 yard	
30" x 10 yard	30" x 50 yard	

Part # example 6800 - 2403 - 010 Series # Width = 24" Color # Length = 30' (10 yards)

Note: Punched film is only available in 15" & 30" - use part number 6850.

Note: This series is Gerber punched.

Note: Colors shown are approximate.

3M™ Products

3M Products can **ONLY** be distributed to customers in the United States and US Territories.

JDS Sign Supply



3M™ Scotchlite™ Removable Reflective Film with Comply™ Adhesive Series 680CR





Reflective films can be difficult to apply, however, this premium series comes with the 3M ControlTac™ and Comply™ slideable adhesive. Apply this film on displays, signs, public transport vehicles, trucks and trailers, etc. This pressure-activated film also applies exceptionally well as a result of the air-release channels in the adhesive for bubble-free graphic installation. Choose this film when you have a long-term application or a surface with complex curves or rivets.

(For unpunched material, start the part number with 6801, for punched use 6851.)

FILM THICKNESS: 7.0 mil Retroreflective

FINISH: Gloss **OUTDOOR DURABILITY: 9 Years**

INSTALLATION: DRY APPLY ONLY ADHESIVE/COLOR: Removable Pressure Activated and Slideable

with Air Release Channels/Clear

LINER: Polyethylene-Coated Layflat

CONFORMABILITY: Vertical, Flat, Curved or Corrugated Surfaces,

with or without Rivets







071 Yellow







076







081 Lemon Yellow



082 Ruby Red



077 Green



064 Gold



014 Orange


075 Blue

	. <u> </u>	
6801 Series	6801 Series	
Size	Size	
15" x 10 yard	15" x 50 yard	
24" x 10 yard	24" x 50 yard	
30" x 10 yard	30" x 50 yard	
48" v 10 vard	48" v 50 vard	

6851 Punched Series	6851 Punched Series
Size	Size
15" x 10 yard	15" x 50 yard
30" x 10 yard	30" x 50 yard







3M™ Products

3M Products can ONLY be distributed to customers in the United States and US Territories.

Note: Punched film is only available in 15" & 30" - use part number 6851.

Note: This series is Gerber punched.

Note: Colors shown are approximate.







3M™ Scotchlite™ Reflective Film Series 5100R

This removable reflective film is an excellent choice for non-regulated commercial signage. Often used for flat vehicle markings, general purpose signage and non-critical road signs such as parkways or wayfinding signs. Ideal for short to mid-term graphics.

(For unpunched material, start the part number with 5101, for punched use 5151.)

7.0 mil Retroreflective

DRY APPLY ONLY

FILM THICKNESS: FINISH:

Gloss

LINER:

ADHESIVE/COLOR: Removable/Clear (Removable up to 3 years) Polyethylene Coated Layflat

OUTDOOR DURABILITY: INSTALLATION:

7 Years

CONFORMABILITY: Vertical, Flat, Curved or Corrugated Surfaces,

with or without Rivets

010

White

064

Gold

065

Rich Gold

081 Lemon Yellow



014 Orange



072 Red



Yellow

082 Ruby Red

074 Royal Purple



075 Blue



076 Light Blue





079 Brown

078

Light Green

085 Black

5101 Series	5101 Series
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
30" x 10 yard	30" x 50 yard
48" x 10 yard	48" x 50 yard

5151 Punched Series Size	5151 Punched Series Size
15" x 10 yard	15" x 50 yard
30" x 10 yard	30" x 50 yard

APPLIC	ATIONS	Series 5100R
Vehicle	Flat or Flat with Rivets	1
Graphics	Corrugations with Rivets	
Vehicle Ma	rkings	1

	V
Striping	1
Emblems	1
Bumper Stickers	1
Railroad Graphics	
Signs	1


3M™ Products

3M Products can ONLY be distributed to customers in the United States and US Territories.

Note: Punched film is only available in 15" & 30" - use part number 5151.

Note: This series is Gerber punched.

Note: Colors shown are approximate.







Avery Dennison® SF 100 Paint Mask Film 128 & 231, Removable Adhesive

Create a stencil with your cutter for your painted work that requires fine lines and details. You can also use this film to protect large areas that may be subject to overspray during the painting process. This film is formulated with a strong removable adhesive that will remove cleanly from OEM painted surfaces. Designed for flat surfaces and comes in two different colors.

FILM THICKNESS: 3.4 mil Calendered ADHESIVE/COLOR: Removable/Clear INSTALLATION: DRY APPLY ONLY

FINISH: Matte LINER: 78# Kraft **DURABILITY:** 1 Year **CONFORMABILITY:** Flat Surfaces

White

SF100-128 Paint	Mask - Punched
Size	Part No.
15" x 10 yd	A000247
15" x 50 yd	A000248
30" x 10 yd	A000249
30" x 50 yd	A000251

SF100-128 Paint	Mask - Unpunched
Film	Part No.
15" x 50 yd	A000250
24" x 10 yd	A000252
24" x 50 yd	A000253
30" x 50 yd	A000255
48" x 10 yd	A000256
48" x 50 yd	A000259



Note: Punched film is only available in 15" & 30" Note: Colors shown are approximate.

Yellow

SF100-231 Paint Mask - Punched		
Size	Part No.	
15" x 10 yd	A000273	
15" x 50 yd	A000274	
30" x 10 yd	A000275	

30" x 50 yd

SF100-231 Paint Mask - Unpunched		
Size	Part No.	
15" x 50 yd	A000276	
24" x 10 yd	A000278	
24" x 50 yd	A000279	
30" x 50 yd	A000281	
48" x 10 yd	A000282	
48" x 50 yd	A000285	



Note: Punched film is only available in 15" & 30" Note: Colors shown are approximate.

A000277

Avery Dennison® SF 100 Paint Mask High Temp Film 235, Removable Adhesive

When your custom paint job requires a baking cycle, you need this film. This material bonds well to OEM painted surfaces and will remove cleanly when you're done. The baking cycle should not exceed 200°F.

FILM THICKNESS: 3.2 mil Calendered ADHESIVE/COLOR: High Tack Removable/Clear INSTALLATION: DRY APPLY ONLY

FINISH: Matte LINER: 78# Kraft **DURABILITY:** 1 Year **CONFORMABILITY:** Flat surfaces



Yellow

SF100-235 Paint Mask - Punched		
Size	Part No.	
15" x 10 yd	A000312	
15" x 50 yd	A000313	
30" x 10 yd	A000314	
30" x 50 yd	A000316	



Note: Punched film is only available in 15" & 30" Note: Colors shown are approximate.

SF100-235 Paint Mask - Unpunched		
Size	Part No.	
15" x 50 yd	A000315	
24" x 10 yd	A000317	
24" x 50 yd	A000318	
30" x 50 yd	A000320	
48" x 10 yd	A000321	
48" x 50 yd	A000324	



Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.



Lumina™ Static Cling Film Series 7262



Static cling is a great option for short term graphics. You don't need to fuss with adhesive because the film's thick, soft texture can be positioned, repositioned and removed from glass with ease. We offer this in both white and clear printable film.

(Remember to select the right color code for punched and unpunched film.)

FILM THICKNESS: 7.5 mil Calendered ADHESIVE/COLOR: N/A FINISH: White/Clear LINER: 8 pt. board OUTDOOR DURABILITY: 3 Months CONFORMABILITY: Flat Surfaces

000	002
Gloss	Gloss
Clear	White


050	052
Gloss Clear (Punched)	Gloss White (Punche

7262 Series Unpunched	7262 Series Unpunched	
Size	Size	
30" x 25 yard	30" x 50 yard	
60" x 25 yard	60" x 50 yard	





Note: Punched film is only available in 15" Note: Colors shown are approximate.







3M™ Scotchcal™ ElectroCut™ Film Series 7725SE



You'll really impress your customers with these incredibly unique etched glass films. For a softer, smoother look try the dusted crystal finish. If you need a little more sparkle then you'll fall in love with the frosted finish. These films will cut cleanly and provide exceptional stability for years to come. Use a thicker transfer tape if you're having trouble getting smaller details to lift off the liner.

Authorized Distributor

(For unpunched material, start the part number with 7725, for punched use 7775.)

FILM THICKNESS: Dusted - 3.2 mil - Frosted - 4.7 mil/Cast FINISH: Dusted/Frosted Dusted/Frosted Dusted/Frosted Dusted/Frosted Dusted/Frosted Dusted/Frosted Dusted/Frosted Dusted/Frosted Conformability: Permanent/Clear Transparent Synthetic Conformability: Flat Surfaces

314 Dusted Crystal





324Frosted
Crystal

7725SE - Use 7725 for Part Number
Size
15" x 10 yard
24" x 10 yard
30" x 10 yard
48" x 10 yard
60" x 10 yard


7725SE - Use 7725 for Part Number
Size
15" x 50 yard
24" x 50 yard
30" x 50 yard
48" x 50 yard
60" x 50 yard

7775SE Punched - Use 7775 for Part Number		
Size		
15" x 10 yard		
30" x 10 yard		

7775SE Punched - Use 7775 for Part Number		
Size		
15" x 50 yard		
30" x 50 yard		



Printable etched glass film found on page 25



Note: Punched film is only available in 15" & 30" - use part number 7775. Note: Colors shown are approximate.

3M™ Products

3M Products can **ONLY** be distributed to customers in the United States and US Territories.



A Division of JDS Industries

RTape® VinylEfx® Metal Decorative Series



Gold (004)

Add the look of metal to indoor signs with the help of this decorative metallized PVC film. This film is designed to be extremely stable during the converting process. Add a pop of color by layering other cut vinyl or print directly to the surface of this film. This film is sure to impress your customers and set you apart from your competition.

(For unpunched material, start the part number with 2826, for punched use 2876.)

FILM THICKNESS: FINISH:

3.0 mil Metallized PVC

Gloss

ADHESIVE/COLOR:

Permanent/Clear

LINER: CONFORMABILITY:

88# Layflat Flat Surfaces

	Size	Size
	15" x 10 yard	15" x 50 yard
	24" x 10 yard	24" x 50 yard
104	Series 2876 Punche	d - Florentine Leaf Gold (00
Smooth	Size	Size

15" x 10 yard	15" x 50 yard
Series 2826 - Smooth N	firror Gold (104)
Size	Size
15" x 10 yard	15" x 50 yard
0.411 4.0	0.411 x 50 yand

Series 2826 - Florentine Leaf Gold (004)



Series 2876 Punched - Smooth Mirror Gold (1		Smooth Mirror Gold (104)	
Size		Size	
	15" x 10 vard	15" x 50 vard	

Series 2826 - Silver (107, 207)	
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
48" x 10 yard	48" x 50 yard


Series 2876 Punched - Silver (107, 207)	
Size	Size
15" x 10 yard	15" x 50 yard













Note: Punched film is only available in 15" - use part number 2876. Note: Colors shown are approximate.

RTape® VinylEfx® Metal Flake Decorative Series

Add eye-catching special effects to your graphics with this metallized PVC film. This film produces a unique finish that is only available with this technology. As a decorative series, this is only intended for flat, indoor applications. (For unpunched material, start the part number with 2824, for punched use 2874.)

FILM THICKNESS: FINISH:

3.0 mil Metallized PVC

Gloss


LINER:

ADHESIVE/COLOR: Permanent/Clear 88# Layflat

CONFORMABILITY: Flat Surfaces

LAMINATE: Cold

INSTALLATION: DRY APPLY ONLY



Series 2824 - Silver	
Size	Width x Length
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
48" x 10 yard	48" x 50 yard
Series 2874 Punched - Silver	



A SECOND	004
	004 Gold
	Star A
75 No. 1	No.
	September 1

JUITUS ZUZ- UUTU	
Size	Width x Length
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
Series 2874 Punche	ed - Gold
Size	Width x Length
15" x 10 yard	15" x 50 yard



Note: Punched film is only available in 15" - use part number 2874. Note: Colors shown are approximate.

RTape® VinylEfx® Metal Outdoor Durable



Now you can use the technology of metallized PVC to create unique outdoor graphics that look like metal! This film has a special coating that is designed for enhanced outdoor durability and is printable, adding even more versatility. This series offers several finishes that are sure to impress your customers. Use for flat promotional graphics, signs and decals.



(For unpunched material, start the part number with 4826, for punched use 4876.)

FILM THICKNESS: 3.0 mil Metallized PVC

FINISH: Gloss **OUTDOOR DURABILITY: 3 Years**

ADHESIVE/COLOR: Permanent/Clear LINER:

88# Layflat

LAMINATE: INSTALLATION: DRY APPLY ONLY

Cold

CONFORMABILITY: Flat Surfaces and Simple

Curves

15" x 50 yard

24" x 50 yard







* 4876 Punched - Florentin
Size
15" x 10 yard
15" x 50 yard
15 x 50 yard



* 4826 Smooth Mirror Silver	
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
30" x 10 yard	30" x 50 yard
48" x 10 yard	48" x 50 yard

* 4876 Punched - Smooth Mirror Silver
Size
15" x 10 yard
15" x 50 yard
30" x 10 yard
30" x 50 yard



4826 Fine Brushed Silver	
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
30" x 10 yard	30" x 50 yard
48" x 10 yard	48" x 50 yard

4876 Punched - Fine Brushed Silver
Size
15" x 10 yard
15" x 50 yard
30" x 10 yard
30" x 50 yard



* 4826 Smooth Mirror	r Gold
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
48" x 10 yard	48" x 50 yard

* 4876 Punched - Smooth Mirror Gold
Size
15" x 10 yard
15" x 50 yard



* 4826 Fine Brushed Large Engine Turn (
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
48" x 10 yard	48" x 50 yard


* 4876 Punched - Fine Brushed Gold & Large Engine Turn Gold
Size
15" x 10 yard
15" x 50 yard



* Not recommended for all plastics. Please test before use.

Note: Punched film is only available in 15" & 30" - use part number 4876. Note: Colors shown are approximate.







VinylEfx® Diamond Plate Decorative & Outdoor Durable



This metallized PVC film simulates the look of diamond plated metal. You'll be amazed by the amount of detail this film provides. Applied to the right surface, you won't be able to tell it's not real diamond plating. Add printed graphics to the surface for additional detail that will impress your customer. The 4827 series film comes with a coating that provides more durability for outdoor applications. (For decorative unpunched material, start the part number with 2827, for punched use 2877.) (For outdoor unpunched material, start the part number with 4827, for punched use 4877.)



R ChalkTalk

ADHESIVE/COLOR: Permanent/Clear FILM THICKNESS: 3.0 mil Metallized PVC Cold

FINISH: Gloss LINER: 88# Layflat INSTALLATION: DRY APPLY ONLY

4827 OUTDOOR DURABILITY: Outdoor 3 Years **CONFORMABILITY: Flat Surfaces**



2827 Indoor Series	
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
48" x 10 yard	48" x 50 yard

10 X 10 yara	10 x 00 yara
2877 Punched Indoor	Series
Size	;
15" x 10	yard
15" x 50	yard

Note: Punched film is only available in 15" - use part number 2877.

Note: Colors shown are approximate.

4827 Outdoor Series	
Size	Size
15" x 10 yard	15" x 50 yard
24" x 10 yard	24" x 50 yard
48" x 10 yard	48" x 50 yard


4877 Punched Outdoor Series
Size
15" x 10 yard
15" x 50 yard

Note: Punched film is only available in 15" - use part number 4877.

Note: Colors shown are approximate.



VinylEfx® ChalkTalk®







040 Black





Note: Color shown are approximate.











TransferRite® Ultra® 560U Low Tack Transfer Tape


FILM THICKNESS: 4.0 mil Standard Paper ADHESIVE/COLOR: Ultra Low Tack/White


This is a general-purpose low tack transfer tape that works great for large digitally printed graphics. You can also use this material as a masking. The ULTRA adhesive technology bonds to the exposed liner reducing "edge curl."

- Can be lasered.
- · Installs easily and removes cleanly with ease.
- Label on the inside of the core has a green "L" to indicate low tack adhesive.

TransferRite Ultra 50	60U Low Tack
Size	Part #
24" x 100 yard	560U24
48" x 100 yard	560U48
54" x 100 yard	560U54
60" x 100 yard	560U60

TransferRite® Ultra® 582U Medium Tack Transfer Tape





- The "Ultra" backing makes these tapes ideal for RTA (Ready-to-Apply) decals.
- Tape lays flat reducing wrinkling, tunneling and edge lifting during storage.
- Waterbased rubber adhesive adheres to smooth liners.
- · Can be lasered.
- Label on the inside of the core has a yellow "M" to indicate medium tack adhesive.

TransferRite Ultra 58	32U Medium Tack
Size	Part #
6" x 100 yard	582U6
12" x 100 yard	582U12
24" x 100 yard	582U24
30" x 100 yard	582U30
48" x 100 yard	582U48



TransferRite® Ultra® 592U High Tack Transfer Tape

FILM THICKNESS: 4.0 mil Standard Paper ADHESIVE/COLOR: Ultra High Tack/ White

- Ideal for use with intermediate or calendered films.
- Specially purposed for projects with smaller letters and graphics.
- The "Ultra" backing makes these tapes ideal for RTA (Ready-to-Apply) decals.
- Tape lays flat reducing wrinkling, tunneling and edge lifting during storage.
- Waterbased rubber adhesive adheres to smooth liners.
- · Can be lasered.
- Label on the inside of the core has a red "H" to indicate high tack adhesive.

TransferRite Ultra 592U High Tack	
Part #	
592U6	
592U12	
592U24	
592U30	
592U48	







ULTRA°





TransferRite® Ultra® 1320 High Tack Transfer Film

FILM THICKNESS: 4.0 mil Film Backing ADHESIVE/COLOR: High Tack/Clear

This transfer tape is made of a synthetic material that allows you to see the vinyl during the transfer process. The high tack adhesive is needed when weeding fine detail or thicker films such as reflective or special effect vinyl films like etched glass or metallized PVC films. The ULTRA adhesive technology bonds to the exposed liner reducing "edge curl." Tape lays flat reducing wrinkling and tunneling during storage

TransferRite Ultra 1320 High Tack	
Size	Part #
6" x 100 yard	13206
12" x 100 yard	132012
24" x 100 yard	132024
48" x 100 yard	132048



TransferRite® Ultra® 794U High Tack Transfer Tape

FILM THICKNESS: 5.0 mil Premium Paper ADHESIVE/COLOR: High Tack/White

High tack transfer paper that utilizes a thicker, premium paper paired with a high tack adhesive. Sign builders choose this tape when working with reflective films or etched glass films that can be tough to lift from the liner. Utilize this film when rolling, shipping or storing graphics for an extended period of time. The tape's heavy weight paper provides dimensional stability and resists humidity. Excellent for applying vinyl striping and bonds well to smooth liners, reducing "edge curl."

TransferRite Ultra 794U	
Size	Part #
48" x 100 yard	794U48

dustries


ENTRANCE

o Remain

During







This transfer tape is made of a synthetic material that allows you to see the vinyl during the transfer process. The medium tack adhesive is needed when weeding mid-sized graphics. The ULTRA adhesive technology bonds to the exposed liner reducing "edge curl."

- Tape lays flat reducing wrinkling and tunneling during storage.
- Ideal for general use or multi-color overlays.
- Easily releases from substrates.
- Snap to tear the tape.

TransferRite Ultra Clear 1310 Medium Tack	
Size	Part #
12" x 100 yard	131012
16" x 100 yard	131016
24" x 100 yard	131024
30" x 100 yard	131030
48" x 100 yard	131048
54" x 100 yard	131054



TransferRite® Ultra® Clear 310G With Grid Medium Tack Transfer Film

FILM THICKNESS: 4.0 mil Clear Polypropylene **ADHESIVE/COLOR:** Ultra Medium Tack/Clear

The same great tape as the 1310 only now you have a printed grid pattern for registration. The grid pattern provides a straight point of reference for aligning graphics during installation. Made of a synthetic material, you can see the vinyl clearly during the transfer process. The medium tack adhesive is needed when weeding mid-sized graphics. The ULTRA adhesive technology bonds to the exposed liner reducing "edge curl."

- Tape lays flat reducing wrinkling and tunneling during storage.
- Ideal for general use or multi-color overlays.
- · Easily releases from substrates.
- Snap to tear.

TransferRite Ultra Clear 310G Medium Tack	
Size	Part #
6" x 100 yard	310G6
8" x 100 yard	310G8
16" x 100 yard	310G16
24" x 100 yard	310G24
48" x 100 yard	310G48



FILM THICKNESS: 4.3 mil Clear Polypropylene Film Backing ADHESIVE/COLOR: 4.3 mil Clear Polypropylene Film Backing Latex Pressure Sensitive/Clear

The AirMask® transfer film is the only option to reduce the unavoidable "edge curl" common with air egress films. This tape will adhere and remain flat when applied to air egress liners.

- Fully adheres to air egress liners.
- Works well with difficult color change films and textured wrap films.
- Cold apply to film with a laminator for best results.
- Installs easily and removes cleanly with ease.

AirMask 510U Clear Film Premask Medium Tack	
Size	Part #
24" x 100 yard	510U24
48" x 100 yard	510U48
54" x 100 yard	510U54









RTape® AT65 Clear Choice® High Tack, Transfer Film

When you're transferring graphics that require multiple colors of cut vinyl, you need to see what you're doing. As a high tack film, this clear transfer film will offer exceptional clarity and pick up the finest detail your plotter can cut. Transferring graphics has never been easier.

FILM THICKNESS: 3.5 mil Clear Polypropylene **FINISH:** Matte

AT65 Clear Choice® High Tack, Application Tape		
Size	2667 Series Part #	
6 1/2" x 100 yard	2667-0630-000	
8 1/2" x 100 yard	2667-0830-000	
12" x 100 yard	2667-1229-000	
16" x 100 yard	2667-1630-000	

ADHESIVE/COLOR: High Tack Removable/Clear CONFORMABILITY: Conforms to Most Surfaces

AT65 Clear Choice® High Tack, Application Tape	
Size	2667 Series Part #
18" x 100 yard	2667-1830-000
24" x 100 yard	2667-2430-000
30" x 100 yard	2667-3030-000
36" x 100 yard	2667-3630-000
48" x 100 yard	2667-4830-000

RTape® AT75 Clear Choice® High Tack, Transfer Film

If you've had your film transfer tape wrinkle or stretch while applying it to a graphic then try this heavy-gauge, embossed film. This transfer tape will provide the structural integrity you need when applying and lifting the graphics off the liner. The anti-glare finish ensures you can confidently see your graphics during the entire installation process.

FILM THICKNESS: 5.7 mil Clear Polypropylene **FINISH:** Matte

AT75 Clear Choice® High Tack, Application Tape	
Size	2659 Series Part #
2 1/4" x 100 yard	2659-0230-000
6 1/2" x 100 yard	2659-0630-000
8 1/2" x 100 yard	2659-0830-000
12" x 100 yard	2659-1229-000

ADHESIVE/COLOR: High Tack Removable/Clear CONFORMABILITY: Conforms to Most Surfaces

AT75 Clear Choice® High Tack, Application Tape	
Size	2659 Series Part #
30" x 100 yard	2659-3030-000
36" x 100 yard	2659-3630-000
48" x 100 yard	2659-4830-000









R ApliTape

Trans

Transfer Tape

RTape® 4000 Aplitape™ Low Tack, Transfer Tape

Use this film for masking sign faces, digital prints or metal surfaces. The low tack adhesive removes cleanly which makes transferring large cut graphics much faster.

FILM THICKNESS:
4.5 mil Standard Paper
FINISH:
ADHESIVE/COLOR: Low Tack Removable/Clear
CONFORMABILITY: Conforms to Most Surfaces

4000 ApliTape™ Low Tack, Application Tape		
Size	2602 Series Part #	
8" x 50 yard	2602-0815-002	
12" x 50 yard	2602-1215-002	
15" x 50 yard	2602-1515-002	
24" x 50 yard	2602-2415-002	
48" x 50 yard	2602-4815-002	



RTape® 4050 ApliTape™ Medium Tack, Transfer Tape

You will use this medium tack transfer tape all day, every day. The standard paper thickness combined with the medium tack adhesive makes this film a shop necessity. It also works great for wet applications.

FILM THICKNESS: 4.5 mil Standard Paper FINISH: Matte

4050 ApliTape™ Medium Tack, Application Tape	
Size	2601 Series Part #
16" x 100 yard	2601-1630-002
18" x 100 yard	2601-1830-002
24" x 100 vard	2601-2430-002

ADHESIVE/COLOR: Medium Tack Removable/Clear CONFORMABILITY: Conforms to Most Surfaces

4050 ApliTape™ Medium Tack, Application Tape	
Size	2601 Series Part #
30" x 100 yard	2601-3030-002
36" x 100 yard	2601-3630-002
48" x 100 yard	2601-4830-002



R ApliTape

? Conform

RTape® 4075 RLA® Conform® High Tack, Transfer Tape

The high tack 4075 RLA does more than lift the smallest details in your design! The RLA stands for "Release Liner Adhesion." You can avoid the edge curling on "ready-made" graphics because this tape is designed with an adhesive that will stick to the liner. This tape is useful when working with hard to lift vinyl and wet applications.

FILM THICKNESS: 4.5 mil Standard Paper FINISH: Matte

4075 RLA® Conform® High Tack, Application Tape	
Size	2614 Series Part #
2 1/4" x 100 yard	2614-0230-002
6 1/2" x 100 yard	2614-0630-002
8 1/2" x 100 yard	2614-0830-002

ADHESIVE/COLOR: High Tack Removable/Clear CONFORMABILITY: Conforms to Most Surfaces

4075 RLA® Conform® High Tack, Application Tape	
Size	2614 Series Part #
12" x 100 yard	2614-1229-002
30" x 100 yard	2614-3030-002
36" x 100 yard	2614-3630-002
48" x 100 yard	2614-4830-002
54" x 100 yard	2614-5430-002













Kota Pro™ Banner Material









Kota Pro™ 13 oz. Outdoor

This outdoor grade laminated material has all the strength needed for the most common banner applications and it prints extremely well. You'll love the price point and the option of matte or gloss. NFPA 701 and CA Title 19 certified for fire resistance. **Material is wound print side in.** 3" Core

Scrim: 9x9, 1000x1000

13 oz. Banner Front Lit Outdoor		
Film	Matte	Gloss
38" x 150 ft	KPB1041	KPB1061
54" x 150 ft	KPB1042	KPB1062
63" x 150 ft	KPB1043	KPB1063



Choose this laminated, tear-resistant banner material for any indoor application or short term outdoor applications. You'll like how well it prints and the option to choose between a matte or gloss finish. NFPA 701 and CA Title 19 certified for fire resistance. **Material is wound print side in.** 3" Core

Scrim: 9x9, 500x500

13 oz. Banner Front Lit		
Film	Matte	Gloss
38" x 150 ft	KPB1001	KPB1021
54" x 150 ft	KPB1002	KPB1022
63" x 150 ft	-	KPB1023

See pages 94-99 for Kota Pro™ Banner Stands!

Kota Pro™ 13 oz. Blockout

We redesigned the scrim in this coated material to create a smooth finish without compromising the strength. This lightweight material also has a blockout layer that provides excellent opacity so the print side remains vibrant regardless of the environment. At 13 oz. it can be used outdoors or for close up indoor applications. The matte finish will absorb any reflection. This material is NFPA 701 and CA Title 19 certified for fire resistance.

Material is wound print side in.

3" Core

Scrim: 36x36, 250x250

13 oz. Banner Blockout	
Film	Part No.
38" x 150 ft	KPB2021
54" x 150 ft	KPB2022
63" x 150 ft	KPB2023















Kota Pro™ Banner Material







Kota Pro™ 18 oz. Double-Sided Blockout

As a coated double-sided material, this is a great tear-resistant choice for outdoor pole banners or indoor pennant style banners. The extra thickness makes the material strong and an additional blockout layer provides extra opacity for eye-catching color on both sides of the material. The super-smooth, matte finish absorbs reflection to minimize glare. The material is NFPA 701 and CA Title 19 certified for fire resistance.

Material is double sided.

3" Core

Scrim: 28x28, 500x500

18 oz. Double-Sided Blockout	
Film	Part No.
38" x 150 ft	KPB2001
54" x 150 ft	KPB2002
63" x 150 ft	KPB2003





WARNING

Kota Pro™ 8 oz. Mesh with Liner


This mesh material is a great option for large banner requests when overall weight can be a concern. This coated mesh material comes with a liner to keep your equipment clean while printing. An excellent option for fences, construction sites and large banners mounted to buildings. The air will easily pass through the mesh and reduce the stress on the mounting points. The material is NFPA 701 and CA Title 19 certified for fire resistance.

Material is wound print side in.

3" Core

Scrim: 12x12, 1000x1000

8 oz. Mesh with Liner	
Film	Part No.
38" x 150 ft	KPB3001
54" x 150 ft	KPB3002
63" x 150 ft	KPB3003





Kota Pro™ 13 oz. PET Gray Back

The smooth, matte finish of this laminated gray backed film makes this the optimal choice for retractable banner stands and other indoor applications. This non-curling PET (Polyethylene) provides excellent printability making this the highest quality material for close-up viewing. The material is NFPA 701 and CA Title 19 certified for fire resistance. Material is wound print side out. 3" Core

Scrim: None

13 oz. PET Gray Back	
Film	Part No.
38" x 150 ft	KPB4001
54" x 150 ft	KPB4002

See pages 94-99 for Kota Pro TM Banner Stands!







A Division of JDS Industries

Poster Material









Images dry instantly and it exhibits vivid colors that will not fade on display. The secret is the super smooth coating layers that produce exceptional image quality. This photo paper features a smooth, gloss finish to compliment fine detail with striking accuracy.

OUTDOOR DURABILITY: N/A FILM THICKNESS: 7 mil

FINISH: Gloss

Common Applications:

- High Resolution Graphics
- Posters
- Photos/Portraits
- Fine Art Reproduction

Photorealistic Pa	aper
Size	Part No.
30" x 100 ft	GFP65747
36" x 100 ft	GFP64972
54" x 100 ft	GFP68037





Wet Strength Paper

This is a unique combination of durability, performance and economy. The latex saturated base paper resists humidity and creates a strong foundation for a range of indoor and outdoor applications. Featuring a print receptive coating designed to promote ink adhesion with solvent, UV and latex inkjet printers.

OUTDOOR DURABILITY: Temporary, Humidity Resistant

FILM THICKNESS: 9 mil

FINISH: Luster

Common Applications:

- General Posters & Signage
- Retail Advertising
- Photo Reproduction
- Wall Murals

Wet Strength Pa	per
Size	Part No.
54" x 150 ft	WSP67106







JDS Sign Supply Magne

Poster Material









Poly/Cotton Stretch Canvas

Reproduce fine art prints and photographs with this traditional stretch canvas. The material has an award-winning matte coating and prints beautifully with latex, solvent, eco-solvent or UV printers. Whether your project is large or small this material will perform well.

OUTDOOR DURABILITY: N/A FILM THICKNESS: 15 mil FINISH: 65% Poly / 35% Cotton

Common Applications:

- Art Reproductions
- Photo Reproductions
- Wall Decor

Poly/Cotton Stretch Canvas	
Size	Part No.
36" x 75 ft	GFC66027
54" x 75 ft	GFC66029
60" x 75 ft	GFC66030



Tyvek® Banner

Use this lightweight indoor/outdoor Tyvek® banner material when you need high print quality with strength and durability. It features a subtle texture and bright white surface, with water and scratch resistant matte finish.

OUTDOOR DURABILITY: Short-term

FILM THICKNESS: 11 mil

FINISH: Matte

Common Applications:

- Banners
- General Posters
- General Signage

Tyvek Banner Material	
Size	Part No.
24" x 60 ft	TB22460
36" x 60 ft	TB23660






Kota Pro™ Mag Pro



Use this stand in its traditional form or use the top rail inserts to connect your stands together and form a wall of graphics. The stand also provides more visibility of the inserted graphic as it comes out of the front of the stand instead of the top. Easily adjust the tension on this stand to make setting up or changing graphics a breeze. Backed by a 100% quality guarantee, trust this classic design to deliver the dependability and profitability you've come to expect from the Kota Pro brand. Designed for interior use only. Banner material is sold separately.

- Visible Print Dimensions: 33.5" x 29" up to 100"
- Material Dimensions: 33.5" x 106" 6" bottom leader recommended
- Stand Dimensions: 34.5" x 100"
- · Lightweight for easy transport
- · Sturdy base for a strong display
- · Wider, telescoping pole for improved strength
- Mounting tape included for quick installation
- Optional magnetic connectors included
- Travel Case Included

Magnets Connect Top Rail For Side-to-Side Connectivity





Tension Control



34.5" Magnetic Retractable Single-Sided Banner Stand







Telescoping Pole



Banner Stands

Kota Pro™ Deluxe 48

JDS Sign Supply

KOTA

PRO

Contact Sign Supply

Market Sign Supply

JDS

Market Sign Supply

Market Sign

With a professional look, this stand has a sturdy frame, rugged carrying case and two telescoping poles to firmly hold the graphic in place. The extra wide display area is perfect for any size message. Backed by a 100% quality guarantee, trust this classic design to deliver the dependability and profitability you've come to expect from the Kota Pro brand. Designed for interior use only. Banner material is sold separately.

- Visible Print Dimensions: 48" x 69" up to 97.5"
- Material Dimensions: 48" x 103.5" 6" bottom leader recommended
- Stand Dimensions: 49.5" x 97.5"
- Affordable and lightweight for easy transport
- Solid base
- Two hybrid style poles for flexible graphic sizing
- Mounting tape included for quick installation
- Deluxe Travel Case Included



RUD48

48" Deluxe Retractable Single-Sided Banner Stand



See pages 90-91 for Kota Pro Banner Material!

82"



RUD05

Cube Retractable Single-Sided Banner Stand

Kota Pro™ Cube Retractable


The Cube – a banner stand system designed to help drive sales and increase profits. The Cube delivers the ability to easily connect single-sided stands into a wide variety of configurations with two, three, four or more sides. Banner material is sold separately.

- Visible Print Dimensions: 33.5" x 79"
- Material Dimensions: 33.5" x 85 " 6" Bottom Leader Recommended
- Stand Dimensions: 34" x 82"
- Affordable and Lightweight for Easy Transport
- Reinforced Design for Extra Strength
- 2 Folding Feet for Improved Stability
- 3 Piece Support Pole for Stable Long Term Use
- Mounting Tape Included for Quick Installation
- Travel Case Included
























Kota Pro™ Classic Retractable


You can now order our most popular retractable banner stand in two different widths - 34" and 48". Backed by a 100% quality guarantee, trust this classic design to deliver the dependability and profitability you've come to expect from the Kota Pro brand. Designed for interior use only. Banner material is sold separately.

RUD43

48" Classic Retractable


- Visible Print Dimensions: 33.5" x 79"
- Material Dimensions: 33.5" x 85" 6" Bottom Leader Recommended
- Stand Dimensions: 34" x 82"
- Affordable and Lightweight for Easy Transport
- Reinforced Design for Extra Strength
- 2 Folding Feet for Improved Stability
- 3 Piece Support Pole for Stable Long Term Use
- Mounting Tape Included for Quick Installation
- Travel Case Included

- Visible Print Dimensions: 47" x 79"
- Material Dimensions: 47" x 85" 6" Bottom Leader Recommended
- Stand Dimensions: 48" x 82"
- Affordable and Lightweight for Easy Transport
- Reinforced Design for Extra Strength
- 2 Folding Feet for Improved Stability
- 2 Tent style poles for improved stability
- Mounting Tape Included for Quick Installation
- Single-Sided Banner Stand Travel Case Included



RUD03

Classic Retractable Single-Sided Banner Stand



Visible Print Dimensions 33.5" x 79"

82"



34"

Includes Travel Case with Strap

Includes Travel Case with Strap

See pages 90-91 for Kota Pro Banner Material!

48"

Banner Stands

Kota Pro™ Deluxe Single or Double Sided

KOTA_{PRO}

Designed to deliver a sleek, professional look at competitive prices, the Deluxe retractable banner stands from Kota Pro are lightweight, durable, and easy to break down for storage. The RUD35 and RUD36 are perfect for displays at tradeshows, in the showroom and even the boardroom. Backed by a 100% quality guarantee,




Banner Stands

Kota Pro™ X

Lightweight, quick to setup or take down, and easy to carry, the X banner stand from Kota Pro

is an affordable option when your customer is working with a limited budget. Backed by a 100% quality guarantee, Kota Pro X banner stands are designed for interior use only. Banner material is sold separately. • Stand Dimensions: 23.6" x 62.9" - 31.5" x 70.8" • Works with Grommets: #2 - #3 • Fiberglass Poles Allow for Different Sizing Options • Recommended for interior use only • Great for Showrooms or Large Display Areas Carrying Bag Included KOTAPRO



2 extenders add an additional 8"!

See pages 90-91 for Kota Pro Banner Material!

Banner Stands



Hiker™ Banner Grommet Press and #2 Grommets

When it comes to hand grommet presses, the Hiker press is the best option available. The dies are interchangeable and adjustable for the perfect press, every time! The press was designed to produce up to 6 times more cutting and closing pressure than competing presses with 6 times less work. Be sure to use Hiker grommets with Hiker presses.



Grommets shown actual size. Grommets sold only in full packs of 500. For use with Hiker Presses only.

GROMB2

#2 Brass Self-Piercing Grommet with Flat Washer Case Qty: 500



GROMN2

#2 Nickel Self-Piercing Grommet with Flat Washer Case Qty: 500



GROMBK2

#2 Black Brass Self-Piercing Grommet with Flat Washer Case Qty: 500



GROMW2

#2 White Brass Self-Piercing Grommet with Flat Washer Case Qty: 500



GROMSS2

#2 Stainless Steel Self-Piercing Grommet with Flat Washer Case Qty: 500

Size: #2 ID: 3/8" **OD:** 3/4" LUF: 3/16"

> ID = Inside Diameter OD = Outside Diameter LUF = Length Under Flange



- Interchangeable Die
- Adjustable Lower Die
- Die Sold Separately • Professional Grade
- Inserts Eyelets as Small as 1/16" ID
- Inserts Self-piercing Grommets As Large as 5/8" ID (#5)

Specs:

• Throat Depth: 2 3/4" • Height: 11"

· Weight: 16 lbs.

Hiker Press Kits

Buy the press, die and a bag of grommets all in one kit. Choose between brass or nickel grommets and you're ready to go.

Brass Grommet Kit



Nickel Grommet Kit



H901KiTN2

Includes:

Grommeting Hand Press


• HKDIE2 #2 Die

• GROMN2 (500) #2 Nickel Self-Piercing Grommet with Flat Washer

BravoTabs®

BravoTabs® are large clear square tabs for outdoor and indoor use. These tabs can be used anywhere on a banner in place of standard metal grommets.





BAN017 Clear BravoTabs® Size: 4" x 2" 100 Pack



PowerPunch™

PowerPunch™ is a hole punch for banners and coroplast. Can cut substrates up to 4 mm thick.



EZPunch™

 $\mathsf{EZPunch}^\mathsf{TM}$ is a lightweight "Little Brother" to the PowerPunch $^\mathsf{TM}$. For banner material only.





PowerPunch™ Tool Required for BravoTabs®

STARTKT4AS2

Starter Kit Includes:

- 100 Pack Clear BravoTabs®
- 1 EZPUNCH
- 1 Roll Clear PowerTape (36 yards)





Adhesive Grommet Tabs

The "home plate" shaped tab is good for vertical and horizontal or 45 degree corner mount. Designed with foam adhesive, they are ideal for media with a rough surface.



BAN001 Large, White, with Neck Loop Size: 5 3/4" x 2" 100 Pack



BAN002 Mini, White, No Neck Loop Size: 2 1/2" x 1 1/2" 100 Pack



BAN003 Mini, Clear, No Neck Loop Size: 2 1/2" x 1 1/2" 100 Pack



PowerTabs®

PowerTabs® The triangular shape is for corners only, good for indoor or outdoor banners.







BAN012 Mini, White, No Neck Loop Size: 3" x 1 1/2" 100 Pack



BAN011 Large, White, with Neck Loop Size: 5 9/16" x 2 1/8" 100 Pack



Mini, Clear, No Neck Loop Size: 3" x 1 1/2" 100 Pack



Large, Clear, with Neck Loop Size: 5 9/16" x 2 1/8" 100 Pack



BAN016 Large, Crystal Clear Edge Tabs with Neck Loop Size: 4" x 1 1/2" 100 Pack

PolyTabs®

Perfect for bulk jobs. Perforated every four tabs for easy-to tear-away sheets. Poly tabs are recommended for top strength with lightweight film.





JDS Sign Supply

BANNER UPS

PowerTape®

PowerTape® is a single-sided tape made with a super strong film so you get the strength of a hem without the time and hassle of folding a hem.

Thickness: 11 mil





PTAPEDC White



Clear PowerTape®

Clear PowerTape® is a single-sided clear hem reinforcing tape. No folding needed. Allows banner graphics to show through. Especially recommended for 2-side printed and mesh banners.

Thickness: 9 mil



Size: 1 1/2" x 36 yd

MegaTape®

MegaTape® is a double-sided version of Clear PowerTape®. Use with tabs to create the ultimate strength banner.

Thickness: 13 mil





A Division of JDS Industries

TigerTape®

TigerTape® is double-sided and highly UV, temperature, and plasticizer resistant making it ideal for high-performance banner hemming applications.

Thickness: 6.5 mil









Double-sided Banner Tape	
Part No.	Size
TIGTAPE1036	1 " x 36 yd
TIGTAPE1536	1 1/2" x 36 yd
TIGTAPE2036	2" x 36 yd

Kota Pro™ Double-Sided Banner Hemming Tape

Get more tape for less money. This tape is the perfect solution for all of your standard banner hemming.

Thickness: 4.5 mil



Double-sided Banner Tape	
Part No.	Size
KPTP100	1 " x 72 yd
KPTP150	1 1/2" x 72 yd
KPTP200	2" x 72 yd



Banner Accessories

BANNER UPS

JDS

PoleTape™

PoleTape™ is a double-sided high tack rubber based tape used for creating pole pockets or for splicing banner media together. Recommended for typical outdoor use.*

Thickness: 35 mil





PoleTape™ Pro

POLE135 Double-Sided Size: 1" x 200 ft

PoleTape™ Pro is a double-sided high tack acrylic tape used for creating pole pockets or for splicing banner media together. Recommended for higher temperature outdoor use.*

Thickness: 35 mil



POLEPRO120

Double-Sided Size: 1" x 36 yd

*For best results use with 15-18 oz double-sided banner media.

TexTape®

TexTape® is a double-sided tape designed for high-performance hemming of woven and knitted textiles.

Thickness: 23 mil



TEX1925

Double-Sided Fabric Hemming Tape Size: 3/4" x 27 yd







Heat Transfer

if you're looking for:

KOTA PRO™ CUT

KOTA PRO™PRINT & MASK

KOTA PRO™ CLEAR PRINT

STAHLS' PRE-CUT NUMBERS

STAHLS' HEAT TRANSFER MATERIAL

STAHLS' PRINT HEAT TRANSFER MATERIAL

STAHLS' HEAT TRANSFER MASKS

SEF FLEXCUT MAXX

SEF GLITTERFLEX

SEF FLEXCUT SBB

SEF TATTOO SBB

SEF FLEXCUT ATOMIC

SEF FLEXCUT NYLON

SEF FLEXCUT METALFLEX

SEF FLEXCUT REFLECTIVE

SEF GRAFFITI PRINTABLE MATERIAL

FLEXTAPE



Kota Pro™ Cut Heat Transfer Material



205

Neon Blue

Enjoy the quality, speed and versatility of the Kota Pro[™] heat transfer material. The color selection is expansive and the material presses beautifully at a lower temp in **4 SECONDS!** Kota Pro Heat Transfer Material is OEKO-TEX Certified. Enjoy the time and money you'll save with Kota Pro.

Enjoy the time and money you'll save with Kota Pro. Heat Press Temp: 285° F/140° C Medium Pressure: Peel: Hot **Cut Direction:** Mirror Time: **4 SECONDS** 3.1 mil (3.5 mil Neon) Thickness: 001 034 044 012 023 White Midnight Satin Blue Teal Red 013 002 024 035 045 Wine Black **Bright Purple** Baby Blue Ocean 014 003 025 036 046 Lilac **Bright Yellow** Satin Purple Lime Green Brown 004 047 015 026 037 Golden Yellow Light Purple Dark Blue Apple Green Almond 005 038 027 016 048 Marigold Navy Bright Green Light Pink Tan 006 017 028 039 049 Pink Bright Blue Green Orange Terracotta 007 018 029 050 040 Clay Sunset Bubble Gum Royal Blue Forest Green 051 800 019 030 041 Bisque **Tangerine** Rose Slate Blue Olive Green 031 042 052 009 020 Light Grey **Burnt Orange** Azure Mint Fuchsia 010 021 032 043 053 Coral Red Grape Electric Blue Turquoise Dark Grey 011 033 022 **Bright Red** Dark Purple Sky Blue KotaPro Opaques, Specials & Neons 15" x 5 yard 15" x 54 yard For 5 yards use KPEX-1502-Color # Part # example 101 201 Rose Gold Neon Yellow Kota Pro ExPress Series Color # 102 202 Length = 162' (54 yard) Gold Neon Orange See page 670 for How to Build a Cut Vinyl Part Number. 103 203 Bronze Neon Pink 204 104 Neon Green Copper

STONE BROOK YOUTH CAMP

105

Silver

Graphite 106

Kota Pro™ Print Heat Transfer Material

Bring your custom apparel designs to life with this line of print heat transfer material from Kota Pro™. You'll fly through production as it prints beautifully and presses in just 4 SECONDS. The low temperature setting makes this an ideal material for almost any type of fabric. We recommend using Kota Pro Heat Transfer Mask as a transfer tape that also protects the film while pressing. Remove tape while hot.

Heat Press Temp: 285° F/140° C Peel:

Time:

Hot

4 SECONDS

Pressure: Medium **Print Direction:** Right Reading

Thickness: 3.1 mil



PRESS TIME

Part No.	Size
KPEX-2027-501	20" x 27 yard
KPEX-3027-501	30" x 27 yard
KPEX-6027-501	60" x 27 yard




See pages 216-229 for heat presses

Kota Pro™ Heat Transfer Mask

KOTA_{PRO} This mask is required to transfer Kota Pro™ Heat Transfer Print material from the liner onto the shirt being pressed. Print your design, cut it and then mask it with Kota Pro Heat Transfer Mask. The mask is designed to keep your graphics registered and protected while in the heat press. This is a must-have when working with printable heat transfer material!

Part No.	Size
EXTAPE20A	20" x 27 yard
EXTAPE30A	30" x 27 yard
EXTAPE60A	60" x 27 yard





Kota Pro™ Clear Print Heat Transfer Material



If you're creating designs for light-colored fabrics, you need to try Kota Pro™ Clear Print. It delivers a feel that's similar to screen printing with an eye-catching transparent finish. Print your designs directly onto the adhesive - eliminating the need for transfer tape.

Heat Press Temp: 305° F/150° C Medium Pressure: Print Direction: Mirror Peel: Warm Thickness: Time: 10 seconds 2.0 mil

Part No.	Size
KPEX-2027-000	20" x 27 yard







See pages 216-229 for heat presses

AlbaChem® VLR Vinyl Letter Removing Solvent

Use VLR to completely remove vinyl letters and residues from most fabrics.

- Fast Drying
- Leaves No Stains
- Does Not Contain Any Chlorinated Solvents
- Safe for Most Fabrics

VLR can only be shipped by ground in the continental U.S.

VLR1020 Vinyl Letter Remover 20 oz.





PRE-CUT Numbers NEW



Stahls' Pre-Cut numbers are the most popular choice for personalizing team uniforms. Pre-Cuts feature fast application and low cost, with high quality finishes and durability. Stocking Pre-Cut numbers is perfect for walk-in business and allows you to create last-minute player additions with little to no notice. Stocked in 3 Styles and many sizes.

Heat Press Temp: 330° F/165° C Peel: Hot

Black

Time: 6-8 seconds Pressure: Medium (4 - 6) Package Size: 1" & 2": 20 Count

3", 4", 6", 8", 10" & 12": 10 Count


	W
	Whit
	вк











PRO BLOCK Numbers* (PB)

1234567890

Available in Sizes: 1", 2", 3", 4", 6", 8", 10", 12" Numbers: 0, 1, 2, 3, 4, 5, 6/9, 7, 8

Understand	ling the Par	rt Numbers
		DFIL1-OW
		T T
Style	Height	# Color
		Height = 1010 (1")

Pressure Chart				
LIGHT	1 - 3			
MEDIUM	4 - 6			
FIRM	7 - 9			

*ALL NUMBER ARE CUT FROM THERMO-FILM®

See pages 216-229 for heat presses



Varsity Numbers* (VA)

1234567890


Available in Sizes: 4", 6", 8" & 10" Numbers: 0, 1, 2, 3, 4, 5, 6/9, 7, 8





TEAM US Numbers* (TU) 1234567890

Available in 4", 6", 8", 10" Numbers: 0, 1, 2, 3, 4, 5, 6/9, 7, 8









Your go-to material for everyday projects. UltraWeed provides a matte finish and soft feel with effortless weeding and cutting. With a low application temp, it delivers the ultimate, worry-free experience from start to finish.

Heat Press Temp: 260°-300° F/126°-149° C 12 seconds Hot Pressure: Medium (4 - 6)

(280-300°F if garment contains 50% or more cotton)

001 White	003 Red		011 Purple	110 Lime			048 Neon Pink
007 Gray	014 Cardinal		418 Carolina Blue	113 Greenery			561 Neon Raspberry
002 Black	118 Dark Crimson		092 Light Blue	513 Apple Green			132 Neon Blue
199 Pale Yellow	010 Maroon		O12 Columbia (only in 15")	091 Green			049 Neon Green
037 Maize	185 Coral		004 Royal	008 Kelly			137 Metallic Black
090 Yellow	017 Pink*		055 Cyan*	015 Dark Green			060 Vegas Gold
005 Gold	420 Medium Pink*		176 Light Navy	042 Cream*			061 Metallic Gold
018 Old Gold	319 Dark Pink		006 Navy	210 Medium Brown*			187 Rose Gold
041 Texas Orange	039 Lilac		209 Bahama Blue	051 Neon Yellow			062 Metallic Silver*
009 Orange	250 Amethyst		111* Mint Blue	050 Neon Orange			
134 Bright Red	114 Ultra Violet		034 Shark Teal	*No	t Available in 2	0"	

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends • Lycra®/Spandex


UltraWeed					
Size Not available in every color	Size	Size Not available in every color			
12" x 5 yard	15" x 5 yard	20" x 5 yard			
12" x 10 yard	15" x 10 yard	20" x 10 yard			
12" x 25 yard	15" x 25 yard	20" x 25 yard			
12" x 50 yard	15" x 50 yard	20" x 50 yard			

CUTTING INSTRUCTIONS Force

7-9

20 cm/s

45°



See pages 216-229 for heat presses



Graphtec






The #1 choice for contact sports uniforms, Thermo-FILM® and Thermo-GRIP® have a semi-gloss finish with the strength to stick and stay on. Thermo-FILM® offers extreme durability and enhanced abrasion resistance. Its superior opacity is perfect for inhibiting dye migration. Thermo-GRIP®, the best choice for nylon athletic garments, has a patented adhesive specially formulated to decorate Dazzle and nylon mesh with ease.

Heat Press Temp: 330° F/165° C Tir Peel: Thermo-FILM: Hot Pre

Thermo-FILM: Hot Pre

Time: 6-8 seconds **Pressure:** Medium (4 - 6)





^{*}Available in Thermo-GRIP

MATERIAL COMPATIBILITY THERMO-FILM

Gold*


Cotton • Polyester • Cotton/Poly Blends

THERMO-GRIP

Cotton • Polyester • Cotton/Poly Blends • Nylon Mesh

Thermo-FILM & Thermo-GRIP			
Size	Size		
15" x 5 yard	20" x 5 yard		
15" x 10 yard	20" x 10 yard		
15" x 25 yard	20" x 25 yard		
15" x 50 yard	20" x 50 yard		

CUTTING INSTRUCTIONS						
Cutter Blade Force Offset Speed						
Graphtec	45°	18-20	0	30 cm/s		





Pressure Chart			
LIGHT 1 - 3			
MEDIUM	4 - 6		
FIRM	7 - 9		





NEW CAD-CUT® Premium Plus™



Perfect for personalization on performance wear. With its soft, lightweight feel, high stretch and rebound properties, Premium Plus™ is one of the most versatile heat transfer materials available. This low-temp material with a soft, silky matte finish is the ideal choice when decorating heat-sensitive performance wear.

 Heat Press Temp:
 280°-300° F/138°-148° C
 Time:
 8-12 seconds

 Peel:
 Hot
 Pressure:
 Medium (4 - 6)

001 White	041 Texas Orange	418 Carolina Blue	513 Apple Green		050 Neon Orange
007 Gray	003 Red	012 Columbia	008 Kelly		048 Neon Pink
329 Charcoal	505 Burgundy	055 Cyan	015 Dark Green		132 Neon Blue
002 Black	010 Maroon	004 Royal	411 Camel		049 Neon Green
037 Maize	017 Pink	427 University Blue	210 Medium Brown		062 Metallic Silver
005 Gold	420 Medium Pink	006 Navy	068 Brown		061 Metallic Gold
018 Old Gold	043 Fuchisa	209 Bahama Blue	051 Neon Yellow		
009 Orange	011 Purple	013 Teal		CUTTING INSTRUCTIONS	

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex

Premium Plus			
Size			
20" x 5 yard			
20" x 10 yard			
20" x 25 yard			
20" x 50 yard			







NEW CAD-CUT® SportFilm Lite™



Best value material for lightweight garments. With a semi-matte finish, SportFilm Lite™ is thin, flexible and durable. It cuts and weeds easily. Not recommended for layered 2-color applications.

Heat Press Temp:302° F/150° CTime:10-12 secondsPeel:WarmPressure:Medium (4 - 6)



MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon

Sportsfilm Lite				
Size				
20" x 5 yard				
20" x 10 yard				
20" x 25 yard				
20" x 50 yard				

Inderstanding the		 7-5
Width	Material Width = 20	Length

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	9-11	0	30 cm/s

Pressure Chart			
LIGHT 1 - 3			
MEDIUM 4 - 6			
FIRM 7 - 9			







CAD-CUT® Silicone Dye-Block™



Eliminate dye migration – even on sublimated polyester sports jerseys. Trust the industry's first cuttable solution to fully block dye migration. With application temps as low as 290° F, this material has a matte finish and rubber-like feel. Finished apparel is stretchable with good recovery.

 Heat Press Temp:
 290°-302° F/143°-150° C
 Time:
 10-15 seconds

 Peel:
 Cold
 Pressure:
 Medium (4 - 6)

 001
 002
 506
 008

 White
 Black
 Sky Blue
 Kelly

 007
 003
 004
 Royal

MATERIAL COMPATIBILITY

Sublimated Polyester • Cotton • Polyester Cotton/Poly Blends • Uncoated Nylon

Silicone Dye-Block			
Size			
20" x 5 yard			
20" x 10 yard			
20" x 25 yard			
20" x 50 yard			



CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	11-13	0	20 cm/s

Pressure Chart				
LIGHT 1 - 3				
MEDIUM 4 - 6				
FIRM	7 - 9			



NEW CAD-CUT® GORILLA GRIP® II




Best choice for heat printing on nylon. Ideal for decorating equipment bags and jackets, GORILLA GRIP® vinyl adheres to difficult fabrics such as tightly woven nylons, oxfords, satin, crinkle, and rip stop nylon. Its finish is a soft matte.

Heat Press Temp:320° F/160° CTime:Tack 2 seconds, peel cold,Peel:Coldcover & seal 10 seconds

Pressure: Light (1 - 3)

Gold



MATERIAL COMPATIBILITY

Cotton • Cordura® • Nylon

Gorilla Grip II
Size
19" x 5 yard
19" x 10 yard
19" x 25 yard
19" x 50 yard

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-10	0	20 cm/s

Width Material Color Length Length = 5 (5 yd)

Pressure Chart				
LIGHT 1 - 3				
MEDIUM 4 - 6				
FIRM	7 - 9			






NEW CAD-CUT® Soft Foam



Upgrade apparel with this specialty dimensional material. Soft and pliable when heat is applied, CAD-CUT® Soft Foam offers all the benefits of traditional HTV with a unique, raised look and feel. Its ultra-matte finish, velvet-like texture and dimensional effect is perfect for creating premium designs for everyday fashion, spirit wear, athletics, and more.

Heat Press Temp: 300° F/150° C **Time:** 15 seconds

Peel: Cold Pressure: Light/Medium (3 - 4)




MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Soft Foam			
Size			
20" x 5 yard			
20" x 10 yard			
20" x 25 yard			

Pressure Chart		
LIGHT 1-3		
MEDIUM	4 - 6	
FIRM	7 - 9	

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	24-26	0	30 cm/s





NEW CAD-CUT® Soft Flock



Create textured designs with this vibrant, suede-like material. CAD-CUT® Soft Flock is a budget-friendly alternative to embroidery for left chest logos and more. Delivering a matte finish, it's made with high-density, high-quality fibers that produce vibrant and long-lasting colors.

Heat Press Temp:311° F/155° CTime:15 secondsPeel:WarmPressure:Medium (4 - 6)



MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Soft Flock		
Size	Size	
12" x 5 yard	15" x 5 yard	
12" x 10 yard	15" x 10 yard	
12" x 25 yard	15" x 25 yard	
12" x 50 yard	15" x 50 yard	

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12	0	25 cm/s







NEW CAD-CUT® Fashion-FILM® Electric



Offer a vivid color palette for fashionable looks with this thin, soft and durable material. Trust this bold and unique special effect material to add high-energy, fine-detail designs to apparel. Fashion-FILM® Electric colors have a bright jewel-like satin and metallic finish and are perfect for creating vivid looks your customers will love.

Heat Press Temp:320° F/160° CTime:15 secondsPeel:HotPressure:Medium (4 - 6)





MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex

Fashion-FILM Electric			
Size Size			
12" x 5 yard	15" x 5 yard		
12" x 10 yard	15" x 10 yard		
12" x 25 yard	15" x 25 yard		
12" x 50 yard	15" x 50 yard		







Pressure Chart		
LIGHT 1 - 3		
MEDIUM	4 - 6	
FIRM 7 - 9		

NEW CAD-CUT® Glitter Flake™



Ideal for cheer and spirit wear, Stahls' most popular special effect material will create looks that sparkle and shine! Highly durable with a textured finish, Glitter Flake stands out on the playground, on the sidelines, on campus, or anywhere else you'll find fan wear, cheer apparel, and fashion garments.

 Heat Press Temp:
 290°-302° F/143°-150° C
 Time:
 10-12 seconds

 Peel:
 Hot
 Pressure:
 Medium (4 - 6)



Green

See pages 216-229 for heat presses

MATERIAL COMPATIBILITY

Brown

Cotton • Polyester • Cotton/Poly Blends

Glitter Flake			
Size	Size		
12" x 5 yard	20" x 5 yard		
12" x 10 yard	20" x 10 yard		
12" x 25 yard	20" x 25 yard		
12" x 50 yard	20" x 50 yard		



CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	18-22	0	30 cm/s

Lavender





NEW CAD-CUT® Hologram



Bright lights and big impact - Hologram heat transfer vinyl has a shiny, high-gloss prism-like finish which creates a rainbow effect that shifts as the garment moves. Create a distinct and unique look with this prism-like material.

Heat Press Temp: 320° F/160° CTime:10-15 secondsPeel:ColdPressure:Firm (7 - 9)

002 043 022 091 241 Black Fuchsia Blue Multi Rainbow 009 011 006 256 064 Navy Crystal Orange Purple Silver 003 092 123 005 242 Light Blue Gold Crystal Red Aqua

017 Pink

Cutter Blade Force Offset Speed Graphtec 45° 15-17 0 30 cm/s


MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Hologram	
Size	
20" x 5 yard	
20" x 25 yard	

Pressure Chart		
LIGHT	1 - 3	
MEDIUM	4 - 6	
FIRM	7 - 9	





CAD-CUT® UV Shift NEW



Color changing HTV that transforms in sunlight! Give custom apparel a creative edge with this magical, color changing material that appears white until activated by sun or UV light. With a matte finish and a soft hand, UV Shift is ideal for T-shirts, hoodies, fashion and children's apparel.

Heat Press Temp: 302° F/150° C Time: 10-12 seconds Peel: Hot Pressure: Medium (4 - 6)



090 Yellow

207 Magenta





022 Blue



MATERIAL COMPATIBILITY Cotton • Polyester • Cotton/Poly Blends

UV Shift	
Size	
12" x 5 yard	
12" x 10 yard	
12" x 25 yard	
12" x 50 vard	

See pages 216-229 for heat presses

Pressure Chart			
LIGHT	1 - 3		
MEDIUM	4 - 6		
FIRM	7 - 9		



CUTTING INSTRUCTIONS





NEW CAD-CUT® Chroma Bling



Unique iridescent vinyl for eye-catching designs that change color based on lighting and garment. Chroma Bling combines a shiny, high-gloss metallic finish with an iridescent shimmer to create a truly unique visual effect. Blue Shift and Clear Shift are semi-transparent and will change depending on the color of the background fabric.

 Heat Press Temp:
 300° F/150° C
 Time:
 10 seconds

 Peel:
 Cold
 Pressure:
 Medium (4 - 6)

576



Clear Shift Pearl Shift See pages 216-229 for heat presses

MATERIAL COMPATIBILITY

575

Cotton • Polyester • Cotton/Poly Blends

Chroma Bling Blue Shift ONLY
Size
20" x 5 yard
20" x 10 yard
20" x 25 yard
20" x 50 yard









CAD-CUT® Chalkboard NEW



The power of instant personalization. Turn any shirt into a chalkboard with this innovative heat transfer vinyl. Using standard chalk, customers can write or draw anything they want on the unique surface, then wipe it clean with a damp cloth. Thin, with a soft hand, Chalkboard applies at a low temperature - making it great for heat-sensitive fabrics.

Heat Press Temp: 275°F/135° C Time: 15 seconds Peel: Warm Pressure: Medium (4 - 6)



002 Black

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-10	0	30 cm/s

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Chalkboard				
Part No.	Size			
MC120CHB002-5	12" x 5 yard			
MC120CHB002-10	12" x 10 yard			
MC120CHB002-25	12" x 25 yard			
MC120CHB002-50	12" x 50 yard			

See pages 216-229 for heat presses

Pressure Chart		
LIGHT	1 - 3	
MEDIUM 4 - 6		
FIRM 7 - 9		





CAD-CUT® Glow

Create glow-in-the-dark graphics to personalize Halloween costumes, spirit wear, promotional T-shirts and other apparel, bags and accessories. Thin, soft and extremely durable, Glow has a matte finish. The material appears white in normal lighting and emits a lime-colored glow when the lights are out.

Heat Press Temp: 305°F/152° C Peel:

Time: 10-15 seconds Medium (4 - 6) Warm Pressure:

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-10	0	30 cm/s



White/Lime

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Glow				
Part No.	Size			
MC200GLW135-5	20" x 5 yard			
MC200GLW135-25	20" x 25 yard			





NEW

CAD-CUT® Reflective Glitter



Offer your customers creative designs that dazzle and shine bright. This smooth glitter HTV that won't flake off features a glossy feel and unique reflective finish that shifts in the light. Only recommended for single layer applications.

Heat Press Temp:300° F/149° CTime:15 secondsPeel:WarmPressure:Medium (4 - 6)

121 003 022 Blue

009 043 123 Aqua

 009
 043
 123
 153

 Orange
 Fuchsia
 Aqua
 Rainbow

 196
 011
 006
 064

 Copper
 Purple
 Navy
 Silver

MATERIAL COMPATIBILITY Cotton • Polyester • Cotton/Poly Blends

Reflective Glitter		
Size		
20" x 5 yard		
20" x 10 yard		
20" x 25 yard		
20" x 50 yard		

See pages 216-229 for heat presses

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	13	0	35 cm/s

091

Green









The foil-like finish and soft feel of Metallic HTV lets you personalize apparel with a higher-perceived value. With a low temp 1-step application, Metallic is easy to cut and weed, thin and stretchable with the ability to hold fine detail.

 Heat Press Temp:
 285° F/140° C
 Time:
 8-10 seconds

 Peel:
 Cold
 Pressure:
 Medium (4 - 6)

069 003 059 064 092 Bronze Red Hot Pink Light Blue Silver 068 261 011 004 005 Brown Rose Purple Royal Gold

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Metallic		
Size		
20" x 5 yard		
20" x 10 yard		
20" x 25 yard		
20" x 50 yard		

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	8-10	0	30 cm/s



Pressure Chart		
LIGHT	1 - 3	
MEDIUM	4 - 6	
FIRM	7 - 9	





A Division of JDS Industries

CAD-CUT® Heat Transfer Foil NEW



Perfect for fashion-forward decoration, creating attention-grabbing designs and two-tone looks. With vibrant colors available, Heat Transfer Foil is the easy, no-mess alternative to screen printing metallic finishes on garments when used with CAD-CUT® Heat Press Adhesive. Create matte, distressed or multi-colored looks.

Heat Press Temp: 300° F/149° C 8-10 seconds Time Cold Pressure: Firm (7 - 9) Peel:

CP1

Pink



CEB Orange

*Available in 12" x 200'



CNE Kiwi

CSOKP12 Silver Pixie Dust





CH3AK01 Lepoard



MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends







CAD-CUT® Heat Press Adhesive

Trust for long-lasting foil embellishments. Heat transfer foils are known for being short-term embellishments when added to transfer papers and plastisol inks. This foil adhesive solves that problem by permanently binding the foil. May be cut in a laser.

Heat Press Temp: 300° F/149° C Peel: Hot

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Heat Press Adhesive MC118CCH000-5 11.8" x 5 yard MC118CCH000-10 | 11.8" x 10 yard MC118CCH000-25 | 11.8" x 25 yard MC118CCH000-50 | 11.8" x 50 yard

Heat Press Adhesive	
Part No.	Size
MC200CCH000-5	20" x 5 yard
MC200CCH000-10	20" x 10 yard
MC200CCH000-25	20" x 25 yard
MC200CCH000-50	20" x 50 yard

Time: 3-5 seconds Pressure: Light (2 - 3)

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	7-9	0	20 cm/s







Elevate your apparel with the perfect material to create popular cloud-like designs. With Puff, you can easily create a trendy dimensional look with just one layer of HTV. The material starts flat for easy cutting and puffs up after heat application. Available in a variety of colors with a textured matte finish, Puff is best for simple or larger designs.

 Heat Press Temp:
 280° F/138° C
 Time:
 8-10 seconds

 Peel:
 Hot
 Pressure:
 Medium/Firm (6 - 7)



MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Puff
Size
12" x 5 yard
12" x 10 yard
12" x 25 yard

Pressure Chart		
LIGHT 1 - 3		
MEDIUM	4 - 6	
FIRM	7 - 9	









NEW CAD-CUT® Chroma-Twill™



Create shimmering, colorful twill designs without embroidery equipment! This glossy heat transfer material features an iridescent finish with the look and feel of a traditional fabric twill. Chroma-Twill™ can be layered on top of itself.

Heat Press Temp: 302° F/150° C **Peel:** Cold

Time: 20 seconds Pressure: Medium (4 - 6)

001 White 064 Silver

MATERIAL COMPATIBILITY

090

Yellow


Cotton • Polyester • Cotton/Poly Blends

Chroma-Twill			
Size			
20" x 5 yard			
20" x 10 yard			
20" x 25 yard			
20" x 50 yard			

See pages 216-235 for heat presses

Jade

Pressure Chart		
LIGHT 1 - 3		
MEDIUM	4 - 6	
FIRM	7 - 9	







CAD-CUT® 3M™ Scotchlite™ 5807



Perfect for safety wear, this waterproof material brightly reflects vehicle headlights, making it perfect for high-visibility apparel used by emergency workers, joggers, bikers, and anyone else who needs to be seen at night. It meets performance standards such as ANSI/ISEA 107, CSA Z96, and EN 471.

Heat Press Temp: 325°-350° F/165°-177° C Time: 10-20 seconds Firm (7 - 9) Peel: Hot Pressure:




064 Silver

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Nylon • Cordura® • Lycra®/Spandex

3M Scotchlight 5870		
Size	Size	
16" x 5 yard	24" x 5 yard	
16" x 10 yard	24" x 10 yard	
16" x 25 yard	24" x 25 yard	
16" x 50 yard	24" x 50 yard	





CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	12-14	0	30 cm/s

See pages 216-229 for heat presses

Pressure Chart		
LIGHT 1 - 3		
MEDIUM 4 - 6		
FIRM 7 - 9		

CAD-CUT® Reflective II NEW

Add high-visibility reflective graphics that get noticed. Excellent for use as an accent on sports uniforms and accessories. Use for added visibility on backpacks, jackets, fashion apparel, and more. PVC-free with a lower application temp, Reflective II works well on synthetic materials.

Heat Press Temp: 290° F/143° C Time: 10-12 seconds Peel: Hot Pressure: Medium (4 - 6)



000 Silver



MATERIAL COMPATIBILITY

Cotton • Polyester Cotton/Poly Blends • Nylon

Reflectiove II		
Part No. Size		
MC200RII-5	20" x 5 yard	
MC200RII-10 20" x 10 yard		
MC200RII-25 20" x 25 yard		
MC200RII-50 20" x 50 ya		

CUTTING INSTRUCTIONS				
Cutter	Blade	Force	Offset	Speed
Graphtec	45°	11-13	0	30 cm/s



A Division of JDS Industries





Stahls' most popular and cost-effective printable media. Durable and lightweight with a semi-matte finish, Express Print is perfect for creating full color transfers with solvent or eco-solvent based printers. It's a production favorite with a fast dry time, easy weeding, and quick masking. Note - not compatible with laser cutters or inkjet/laser printers.

Polypropylene Only Heat Press Temp: 300° F/149° C Time: 15-20 seconds Heat Press Temp: 250° F/121° C Time: 15 seconds Peel: Warm Pressure: Medium (4 - 6) Peel: Pressure: Medium (4 - 6) Hot

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Polypropylene

Express Print		
Part No.	Size	
MC200XPT001-5	20" x 5 yard	
MC200XPT001-10	20" x 10 yard	
MC200XPT001-25	20" x 25 yard	
MC300XPT001-5	30" x 5 yard	
MC300XPT001-10	30" x 10 yard	
MC300XPT001-25	30" x 25 yard	
MC540XPT001-5	54" x 5 yard	
MC540XPT001-10	54" x 10 yard	
MC540XPT001-25	54" x 25 yard	

RECOMMENDED MASK:

Medium Tack Magic Mask®

See pages 216-229 for heat presses







CAD-COLOR® Soft Opaque II

New and improved printable material that is light and soft to the touch. Enjoy fast production with a low application temp of only 250° F. Thin and stretchable, Soft Opaque II is ideal for a variety of fabrics and will stretch along with them. Its superior opacity means the colors will stay bright and stand out on even the darkest garments.

Heat Press Temp: 250° F/121° C Peel: Hot

MATERIAL COMPATIBILITY

Cotton • Polyester Cotton/Poly Blends • Lycra®/Spandex

Soft Opaque II			
Part No.	Size		
MC200SO2001-5	20" x 5 yard		
MC200SO2001-10	20" x 10 yard		
MC200SO2001-25	20" x 25 yard		
MC300SO2001-5	30" x 5 yard		
MC300SO2001-10	30" x 10 yard		
MC300SO2001-25	30" x 25 yard		

RECOMMENDED MASK:

Medium Tack Magic Mas

Pressure Chart	
LIGHT	1 - 3
MEDIUM	4 - 6
FIRM	7 - 9

5-7 seconds Time: Pressure: Medium (4 - 6)







CAD-COLOR® SUPERTEK® Sublistop™



Inhibit bleed-through with a material designed to inhibit dye migration. A charcoal-based liner and patented STiX2™ adhesive keep transfers vibrant and true on sublimated and brightly colored polyester garments. Lightweight, with a soft hand, semi-matte finish, excellent stretch and rebound; this material has a low application temp of 280°F to 300°F to avoid scorching heat-sensitive performance fabrics.

Heat Press Temp: 280° F-300° F/138°-150° C Time: Tack 5 seconds, peel, cover & seal 5 seconds

Peel: Warm Pressure: Medium (4 - 6)

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon • Cordura® Leather • Neoprene

SuperTEK Sublistop		
Part No. Size		
MC200SSU001-5	20" x 5 yard	
MC200SSU001-10	20" x 10 yard	
MC200SSU001-25	20" x 25 yard	
MC400SSU001-25	40" x 25 yard	

RECOMMENDED MASK:

Solutions® Mask

See pages 216-229 for heat presses

Pressure Chart	
LIGHT	1 - 3
MEDIUM	4 - 6
FIRM	7 - 9







CAD-COLOR® SUPERTEK® Opaque

Create stunning full color transfers for dark garments. With excellent opacity, stretch and rebound plus a low application temperature, it's perfect for stretchy heat-sensitive performance fabrics. Patented STiX2™ adhesive applies to almost any fabric. SUPERTEK Opaque delivers a semi-matte finish and incredibly soft hand.

Heat Press Temp: 280° F-300° F/138°-150° C Time: Tack 5 seconds, peel, cover & seal 5 seconds

Pressure: Peel: Warm Medium (4 - 6)



MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon • Cordura®
Leather • Neoprene

SuperTEK Opaque		
Part No. Size		
MC200SOP120-5	20" x 5 yard	
MC200SOP120-10	20" x 10 yard	
MC200SOP120-25	20" x 25 yard	
MC400SOP120-25	40" x 25 yard	

RECOMMENDED MASK:

Solutions® Mask







CAD-COLOR® SUPERTEK® Matte/Gloss Clear



Superior finishes for white or light fabrics. Masks aren't needed when you use this print HTV. With exceptional stretch and rebound properties plus a low application temperature and the patented STiX2™ adhesive, this printable material is perfect for performance garments.

Heat Press Temp: 280° F-300° F/138°-150° C Time: Tack 5 seconds, peel, cover & seal 5 seconds

Peel: Cold, cover & Pressure: Medium (4 - 6)

seal 5 seconds Print Directions: Mirror

MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon

SuperTEK Clear		
Matte Part No.	Gloss Part No.	Size
MC200SMA000-5	MC200SGL000-5	20" x 5 yard
MC200SMA000-10	MC200SGL000-10	20" x 10 yard
MC200SMA000-25	MC200SGL000-25	20" x 25 yard



Pressure Chart	
LIGHT	1 - 3
MEDIUM	4 - 6
FIRM	7 - 9





Print full color bling designs with a unique glitter/shimmer finish that is ideal for decorating fashion, cheer and fan wear.

Heat Press Temp: 302° F/150° C Peel: Hot

Time: 12 seconds Pressure: Medium (4 - 6)



MATERIAL COMPATIBILITY

Cotton • Polyester • Cotton/Poly Blends

Glitter	
Part No.	Size
MC200GLR001-5	20" x 5 yard
MC200GLR001-10	20" x 10 yard
MC200GLR001-25	20" x 25 yard

RECOMMENDED MASK:

High Tack Magic Mask®

See pages 216-229 for heat presses





CAD-COLOR® Soft Foam

Create full color dimensional designs that add a raised effect to any item. With a smooth, velvet-like texture Soft Foam is perfect for creating premium looks for everyday fashion, spirit wear, athletics and more. Due to the porous texture of the material, printed designs will have a matte finish with soft, muted colors.

Heat Press Temp: 302° F/150° C Time: 15 seconds

Light/Medium (3 - 4) Peel: Hot Pressure:



MATERIAL COMPATIBILITY


Cotton • Polyester • Cotton/Poly Blends

Soft Foam		
Part No.	Size	
MC200SOM001-5	20" x 5 yard	
MC200SOM001-10	20" x 10 yard	
MC200SOM001-25	20" x 25 vard	

RECOMMENDED MASK:

Medium Tack Magic Mask®


Pressure Chart	
LIGHT	1 - 3
MEDIUM	4 - 6
FIRM	7 - 9











Easily pull printed transfers from the carrier with this mask and transfer them to the garment for application. Just peel the mask off the carrier, squeegee over weeded design, peel mask to remove printed design and place the design on your substrate or garment. Recommended for use with TEKTM printable materials.

Solutions	
Size	
23" x 10 meter	
23" x 20 meter	
40" x 25 yard	

MAGIC MASK® - Medium Tack

Recommended for CAD-COLOR Express Print, Soft Foam and Soft Opaque II. Transfer designs cut on your vinyl cutter from the HTV carrier to the substrate. Medium tack mask is designed for materials with medium thickness and weight.

Magic Mask - Medium Tack	
Part No.	Size
MC150STM000-10	15" x 10 yard
MC150STM000-25	15" x 25 yard
MC200STM000-5	20" x 5 yard
MC200STM000-10	20" x 10 yard
MC200STM000-25	20" x 25 yard
MC300STM000-10	30" x 10 yard
MC300STM000-25	30" x 25 yard

MAGIC MASK® - High Tack

Best used on fabrics like CAD-COLOR Glitter. High tack allows you to remove and transfer thicker materials.

Magic Mask - High Tack		
Part No. Size		
MC200M15000-10	20" x 10 yard	
MC200M15000-25	20" x 25 yard	

Heat Transfer Material

Sef FlexCut MAXX Heat Transfer Material

Ignite your business with the best performing line from Sef Americas. The Flexcut MAXX series is a polyurethane material that boasts an impressive array of high-quality colors. All of these colors will weed quickly and easily. The exceptionally thin profile feels even softer, yet durable enough to withstand multiple washings. Use this material with most fabrics including cotton and poly/cotton blends. CPSIA Compliant.

Heat Press Temp: 330° F/165° C
Peel: Hot/Warm

Time: 15-17 Seconds

Pressure: Medium: Cotton, Medium/High: Polyester

Cut Direction: Reverse

Washing: Warm 140° F/60° C

Thickness: 2.4 mil

001 White	039 Yellow Neon		041 Pink Neon	042 Green Neon		017 Sky Blue
002 Black	047 Dent-De-Lion Yellow		033 Passion Red	035 Vibrant Green		018 Atoll Blue
031 Silver Metallic	005 Lemon Yellow		010 Red	024 Apple Green		050 Sweet Blue
014 Cool Grey	006 Sunny Yellow		011 Fire Red	036 Light Green		019 Pacific Blue
015 Grey	007 Orange		012 Electric Red	025 Green		020 Reflex Blue
016 Dark Grey	040 Orange Neon		013 Burgundy	026 Military Green		021 Royal Blue
004 Brown	048 Soda Orange		049 Moon Berry	044 Mint Green		022 Navy Blue
032 Metallic Gold	008 Baby Pink		037 Lavender	034 Turquoise		023 Purple
003 Beige	043 Candy Pink		038 Plum			

FlexCut Maxx Colors, Metallic & Neon			
Size			
15" x 5 yard			
15" x 10 yard			
15" x 25 yard			
15" x 50 yard			
FlexCut Maxx 001 White & 002 Black			
Size			
19.7" x 5 yard			
19.7" x 10 yard			
19.7" x 25 yard			
19.7" x 50 yard			

045

Dune Beige

009

Fuchsia


Note: Some items may ship directly from manufacturer. Note: Colors shown are approximate.

See pages 216-229 for heat presses

046 Lavender Blue

Processing Tip:

- Reverse Cut on Dull Side
- No Application Tape Needed
- Testing is Recommended Before Moving Into Full Production





1503

1903

1508

1908

1515

1915

15"

19.7"

1502

1902



Sef FlexCut SBB

This material is essential when applying graphics to dyed materials. The sublimation-blocking barrier (SBB) is formulated to block any ink migration into the heat transfer material. Without this key feature, heat-applied graphics will take on a light hue of the color material it's applied to. The material also has great opacity when applied to patterned material.

Heat Press Temp: 265° F/129° C
Peel: Cold
Time: 10 Seconds

Pressure: Medium/High
Cut Direction: Mirror
Thickness: 4.7 mil

Part No.	Width	Length
5204050	19.7"	5 meter
5204055	19.7"	10 meter





See pages 216-229 for heat presses

Sef Tatoo SBB

Use this material when heat-applying printed graphics to dyed fabrics. The film has a sublimation-blocking barrier (SBB) formulated to block ink migration into the heat transfer material. Without this key feature, heat-applied graphics will take on a light hue of the color material its applied to. The material also has great opacity when applying to patterned material.

Heat Press Temp:275° F/135° CPeel:ColdTime:10 Seconds

Part No.	Width	Length
5208650	19.7"	5 meter
5208655	19.7"	10 meter

Pressure: Medium/High
Print Direction: Right Reading
Thickness: 3.9 mil









Sef FlexCut Atomic Heat Transfer Material

FlexCut Atomic is a semi-metallic film with a pearlescent finish. Easy to cut and weed, Atomic is 100% polyurethane and available in seven unique colors. Like other FlexCut products, Atomic offers an exceptionally thin profile for a softer feel yet it is durable to withstand multiple washings. Use on most fabrics including cotton and poly/cotton blends. CPSIA compliant.



Heat Press Temp: 330° F/165° C Medium: Cotton, Medium/High: Polyester Pressure: Peel:


Hot/Warm **Cut Direction:** 15-17 Seconds Time:

Warm 140° F/60° C Washing:

Thickness: 2.4 mil

005 001 003 007 Pink Blue Orange/Copper Cherry 002 004 006 Red Green Purple







Note: Some items may ship directly from manufacturer. Note: Colors shown are approximate

Processing Tip:


- Reverse Cut on Dull Side
- No Application Tape Needed
- Testing is Recommended Before Moving Into full production

Sef FlexCut Nylon Heat Transfer Material

Designed for use on nylon and coated materials, FlexCut Nylon sets at 240° F. Testing is recommended on nylon fabrics which may be color-sensitive. When using cotton and cotton/poly blends, results may vary depending on fabric composition and the production environment. CPSIA compliant.



FlexCut Nylon				
Size				
15" x 5 yard				
15" x 10 yard				
15" x 25 yard				
15" x 50 vard				



Processing Tip:

- Reverse Cut on Dull Side
- No Application Tape Needed
- Testing is Recommended Before Moving Into Full Production



Width and Length Part number codes for the second four (4) digits				
5 yard	10 yard	25 yard	50 yard	
1502	1503	1508	1515	
1902	1903	1908	1915	
	mber code 5 yard 1502	mber codes for the s 5 yard 10 yard 1502 1503	between the second four 5 yard 10 yard 25 yard 1502 1503 1508	



Time:

002

Gold

Sef FlexCut MetalFlex Heat Transfer Material

MetalFlex is a very thin, shiny and stretchable film, made with 100% polyurethane. Available in nine colors, it offers excellent washing durability. Use on most fabrics including cotton and poly/cotton blends. CPSIA compliant.



Heat Press Temp: 340° F/171° C Pressure: Medium: Cotton, Medium/High: Polyester

Peel: Warm **Cut Direction:** Mirror

> Washing: Warm 140° F/60° C

Thickness: 1.6 mil

001 Silve

003 005 Red Green





007

Gun Metal

004 006 Blue Orange/Copper

FlexCut MetalFlex

15" x 5 yard 15" x 10 yard 15" x 25 yard

20 Seconds






800 Rose



009 Rose Gold





Length = 150' (50 yard)



Processing Tip:

- Reverse Cut on Dull Side
- No Application Tape Needed
- Testing is Recommended Before Moving Into Full Production

Note: Colors shown are approximate.

Sef ReflexCut Reflective Heat Transfer Material

ReflexCut is reflective heat transfer film made with unique polyurethane and micro bead construction. ReflexCut is available in eight popular colors. Use on most fabrics including cotton, polyester and poly/cotton blends. Silver is safety grade and meets safety code EN ISO 20471. CPSIA compliant.

Heat Press Temp: 302° F/150° C

Peel: Cold

Time: 15-17 Seconds Pressure: Medium/High **Cut Direction:** Mirror

Washing: Warm 140° F/60° C

Thickness: 5.9 mil

006

Gold

001 Silver (Safety grade, meets EN471 Class-2) 002 004

003 Red






Neon Pink 800

Black

White Neon Yellow ReflexCut 19.7" x 5 meter

19.7" x 10 meter 19.7" x 25 meter



Width and Length Part number codes for the second four (4) digits					
Width	5 yard	10 yard	25 yard	50 yard	
15"	1502	1503	1508	1515	
19.7"	1902	1903	1908	1915	



Processing Tip:

- Reverse Cut on Dull Side
- No Application Tape Needed
- Testing is Recommended Before **Moving Into Full Production**



Sef Graffiti Print Heat Transfer Material

Graffiti is an intermediate high performance print & cut heat transfer material. It is a polyurethane film with a co-polyester adhesive. Use it with Latex, eco-solvent & solvent inks. Graffiti delivers excellent color retention, stretch and washing durability. Use on most fabrics including cotton and poly/cotton blends. It may be color sensitive on polyester. CPSIA compliant.



Heat Press Temp: 265° F/129° C
Peel: Hot/Warm
Time: 20 Seconds

Pressure: Medium/High
Print Direction: Right Reading
Washing: Warm 140° F/60° C
Thickness: 2.4 mil



Part No.	Width	Length
5207150	19.7"	5 yard
5207155	19.7"	10 yard
5207165	19.7"	25 yard
5207168	19.7"	50 yard
5207250	29.5"	5 yard
5207255	29.5"	10 yard
5207265	29.5"	25 yard
5207268	29.5"	50 yard
5207395-54	54"	25 yard
5207398-54	54"	50 yard
5207395-60	60"	25 yard
5207398-60	60"	50 yard




Processing Tip:

- Right Reading Cut on Dull Side
- Need Flex Tape to Apply Graphic
- Testing is Recommended Before Moving Into Full Production
- Print Side Out

See pages 216-229 for heat presses

Sef FlexTape Plus with Liner

FlexTape is a transparent polyester film, coated with an acylate adhesive on a silicone paper carrier with medium adhesion properties. The specially prepared adhesive is able to transfer heat-sealable scripts and motifs, Graffiti and other flex-films onto textiles. Be sure ink is dry when transferring printed films to ensure designs do not smudge. FlexTape has excellent resistance to temperature, aging and UV exposure. It can be removed completely without trace even after a longer adhesion period. CPSIA compliant.







Part No.	Width	Length
5212500	20"	10 yard
5212505	20"	25 yard
5212510	20"	50 yard
5212520	30"	10 yard
5212525	30"	25 yard
5212530	30"	50 yard





Tools & Tapes

if you're looking for:

ROTARY TRIMMERS

SAFETY RULERS & TABLE MATS

CUTTERS, KNIVES & REPLACEMENT BLADES

WEEDING TOOLS

INSTALLATION TOOLS

HEAT GUNS

MAGNETS

SQUEEGEES, BUFFERS & GLOVES

MEDIA RACKS, CLIPS & STRAPS

RAPID TAC & WRAP CARE PRODUCTS

MOUNTING TAPE

CXPlus Sa®ACXPlus tesa®ACX



Professional Rotary Trimmers



A precision trimmer that will cut most flexible materials up to a thickness of 3.0 mil.



JDS Sign Supply JDS

Safety Rulers

Heavy duty aluminum construction with curved finger guard for max protection.

Sooper Edge

The Sooper Edge is a premier safety ruler in the sign and graphics industry. Permanent black finish is chip resistant and easy to find in any shop. Stainless steel inserted edge eliminates cutting into the ruler, providing maximum performance and lifetime use.





Bottom non-slip grip & stainless steal edge

Big Blue

Big Blue Safety Ruler is the one choice for the finishing room. Permanent blue finish is chip resistant and easy to find in any shop.





Bottom Non-Slip Grip

FoamWerks Straight Cutter

FoamWerks Straight Cutter features adjustable blade depth, quick change blade clip, magnetic blade slot, on-board blade storage drawer and five blades. Cut perfect straight edges on any depth from 1/8" to 1/2". Works great for trimming banner material and self-adhesive vinyl.









Xtreme Cutting Mats

Xtreme mats are made from an extremely tough high impact polymer blend.

These mats are great for protecting your table top and extending the life of your cutting blades.



CM48

Cutting Mat Size: 4' x 8'

CM510

Cutting Mat Size: 5' x 10'




Xtreme Cutting Mats are Semi-Translucent.

Grids

Easily add an alignment grid under your semi-translucent non-printed cutting mat with this easy to use grid underlayment.

CM48G Grid Size: 4' x 8' CM510G

Grid Size: 4' x 6' (Consists of 3 pieces)



Coro Claws

Stop struggling to cut fluted plastic sheets and start using the uniquely designed Coro Claw! The tool's unique design fits directly into the flute. The tool is pulled through the sheet cutting cleanly through the entire board. The tool can also be used to cut out the backside of flutes to create clean perfect looking corners every time.





146

PROSERIES PROKNIFE

30 degree, 9mm snap blade is ideal for car wrap installations. The PROKNIFE is the premier choice among professionals in the graphics industry.



PSPKBR

PROKNIFE Lock Blade 30 Degree 9mm Snap Blade

PROSERIES

"Tools for Artists, by Artists"



30 degree, 9mm PROKNIFE Replacement blades 10 pack. Fits PSPKBR

AVERY DENNISON

Premium Cutter

A strong, durable, metal casing that holds 30° angled breakaway blades for accurate cutting.



Plastic applicator knife designed for graphic application. Holds 30° angled breakaway blade for accurate cutting.



Replacement Blades







EX22630 30° Snap Blade 100 Pack



No.

10 Pack, 30° Snap-Off Graphics Blades

Snitty Vinyl Cutter

Snitty Vinyl Cutter is a mini-slitting tool. Handy for cutting self-adhesive material.



Replacement Blades



10 Pack, Snitty Vinyl Cutter Tool Replacement Blades

WARNING CANCER AND REPRODUCTIVE HARM WWW.P65Warnings, ca. gov

Avery Dennison® Products

Avery Dennison® Products can **ONLY** be distributed to customers in the United States and US Territories.



Sign Tools

K850 Plastic Body Snap Blade Knife





EX20007

18mm, 59 Degree Replacement Snap Blades 5 Pack



made in the USA

EX22607

18mm, 59 Degree Replacement Snap Blades 100 Pack

K1 Aluminum Knife

The Excel K1 Knife is great for precision cutting, trimming, and stripping of paper, plastic, wood, cloth, and film. The light weight body fits with all standard craft knife blades. It includes 4 aluminum chuck jaws for a more secure blade positioning and hold than your standard light duty knife. The shatter resistant safety cap protects the blade during storage.



with Safety Cap

K18 Grip on Knife

The Excel K18 Knife has a light weight, aluminum body with a comfortable soft grip handle. It fits all standard knife blades. It includes 4 aluminum chuck jaws with rear blade release for a more secure blade and hold than your standard light duty knife. The shatter resistant safety cap protects the blade during storage.



K1, K18 & K26 Replacement Blades







EX22611

#11 Double Honed Blade 100 Pack

K26 Fit Grip Knife

The Excel K26 Knife includes a rubberized soft exterior that encases a strong aluminum body and four chuck jaws with rear blade release for a more secure blade placement. The handle fits all standard knife blades. It includes a shatter resistant safety cap to protect blade during storage.



Sign Tools

Dual Flex Cutter A

The Excel Dual Flex Cutter A is an aluminum knife with two parallel #59 blades with adjustable widths. The width is adjusted by tightening or loosening the screw. Width size adjusts from .12" - .63"



EX70031

Dual Flex Cutter A





K73 Snap Blade Knife

A colorfully sturdy snap blade handle housing a durable and sharp 30° blade. The handle has an updated rounded edge in order to make angle transition seamless. Perfect tool for graphic artists, designers and arts and crafts applications: wood carving, scrapbooking, model kits, paper crafts and more.



K73 Blue/Pink Snap Blade Knife with 30° Snap Blade

K73 & K70 Replacement Blades



10 Pack





EX22630 30° Snap Blade 100 Pack

K70 Slim Snap Blade Knife

Perfect light duty utility knife with 13 point snap blade that cuts through cardboard packages, ropes, canvas, paper, plastic, wood and more. Light weight, slim blade and metal frame with adjustable depth allows for versatility and comfort. 13 point snap blade acts as 13 separate blades for a long lasting perfect cut. Metal reinforced blade support for extra stability with locking screw that allows for precise blade positioning. Includes (1) slim metal frame body with (1) #3 13 point snap utility blade.



K11 Metal Safety Scraper

The Excel K11 Metal Safety Scraper is perfect for removing paint or stickers and decals from glass windows and doors. The blade is retractable to protect it during storage. The heavy duty metal frame makes sure your blade is sturdy and secure for safe, reliable use. A rust resistant coating allows for premium performance during extended periods of heavy usage. Fits all standard size razor blades.





Replacement **Blades**

EX20009

.009" Single Edge Razor Blade 10 Pack



Complete Weeding Kit



This high quality kit includes five different angled 6" stainless steel hand tools with chrome handles for picking and weeding. These tools are ideal for a variety of materials, such as Cast, Calendered, Heat Transfer materials and more.







Retractable Weeding & Bubble Popping Tools



Aluminum retractable weeding pen with pocket clip. Also works great as a marking point for leather, paper, wood, plastic, and more.





Weeding Tool

EX16049 .060" Gauge Retractable Weeding Tool

Kota Pro™ Liner Cutters

Designed specifically to only cut the liner on most self-adhesive films, this tool is something every installer needs. With a large graphic, the dual liner cutter can be used to create a hinge in one swipe. Longer handles help the installer keep a better grip on the knife. Use a Teflon pad on the guide of the knife when working with stubborn films.





Ergonomic design and teflon coated!







Multi-Blade Auto-Loading Auto-Lock **Utility Knife with Blade Storage**

This knife is ideal for sign materials and packages. Knife holds up to five snap-off blades and comes pre-loaded with two ABB black, ultra-sharp snap-off blades.

Uses standard duty blades AB, ABB and A-SOL10B.





Auto-Lock Utility Knife with Blade Snapper

This knife is ideal for sign materials and packages. Apply firm finger pressure to open and close the knife. Blades can easily be snapped off with the built-in snapper tool. Knife comes pre-loaded with two AB silver snap-off blades.

Uses standard duty blades AB, ABB and A-SOL10B.



Stainless Steel Slide-Lock Utility Knife

Slim design, features a slide lock and pocket clip/blade snapper. Knife comes pre-loaded with two AB silver snap-off blades. Uses standard duty blades AB, ABB and A-SOL10B.



OLFA Deluxe Stainless Steel Cutter

AB, ABB and A-SOL Replacement Blades AB-10B AB-50B 10 Pack, 9mm 50 Pack, 9mm 59° Snap-Off Blades 59° Snap-Off Blades ABB-10B ABB-50B 10 Pack, 9mm 50 Pack, 9mm 59° Ultra-Sharp 59° Ultra-9mm Snap-Off Black Blades Snap-Off Black Blades A-SOL10B 10 Pack, 9mm 59° Solid Blade A-SOL10B can be used with any OLFA 9MM knife.

Stainless Steel Body Auto-Lock Utility Knife with Blade Snapper

Designed for damp environments where rust is a concern, this knife provides an automatic lock for extra control and safety. Some other great features are a built-in pocket clip and blade snapper. This knife allows for right and left handed usage; it is ideal for sign making and graphic artists. Knife comes pre-loaded with two AB silver snap-off blades.

Uses standard duty blades AB, ABB and A-SOL10B.



Stainless Steel Snap-Off Graphics Knife

This cutter is ideal for sign making and graphic artists. It has an acute 30° angle allowing you to easily cut foam board, gator board, coroplast, plastics and more. **Uses standard duty blades A1160B.**





Top Sheet Cutter

Made from high-quality carbon tool steel. Auto-pressure control system adjusts cutting pressure. Used to cut only the liner and not the film. **Uses TSB-1 blades.**



TS-1 OLFA Top Sheet Cutter



90-Degree Cutting Base Ratchet-Lock Utility Knife

Designed with a ratchet-lock mechanism and high-impact ABS handle. It features a 90-degree flat cutting base with built-in adjustable stainless steel guide and staple remover. The snap-off blade has eight cutting edges to make every project quicker and more economical. Ideal for cutting cardboard, coroplast, foam board and gator board. **Uses heavy duty blades LB, LBB and LFB.**



CL9021 90-Degree Utility Knife with Ratchet-Lock



LB-10B LB-50B 10 Pack, 18mm 50 Pack, 18mm

LBB-10B

10 Pack, 18mm

59° Ultra-Sharp

LB and LFB Replacement Blades

59° Snap-Off Blades 59° Snap-Off Blades

LBB-50B

50 Pack, 18mm

59° Ultra-Sharp

Pistol Grip Ratchet-Lock Utility Knife

Designed with a double-honed blade for superior sharpness and edge retention. This knife provides a ratchet-lock mechanism to give you multiple blade positions. Some other great features are a built-in pocket clip and blade snapper. This knife is great for cutting heavier materials, such as cardboard and plastic.



L-1Utility Knife with Ratchet-Lock



Snap-Off Black Blades Snap-Off Black Blades

10 Pack, 18mm 59° Snap-Off Speed Blades



Plastic / Laminate Cutter

Designed with a wheel-lock mechanism and high-impact ABS handle. This cutter has an aluminum die cast blade slider and is designed to score materials in order to effectively cut sheet plastics, plexiglass and laminates. **Uses PB-800 blades.**



PC-L
Plastic / Laminate Cutter



Includes 1 reversible tungsten steel PB-800 blade inserted PLUS 2 replacement blades in the handle





PB-800

3 Pack, Plastic / Laminate Blades

Cushion Grip Knife

Designed with an anti-slip cushion grip, acetone-resistant handle, this knife is ideal for professionals. It also features an anti-roll design for added safety and is perfectly balanced for right and left hand users. **Uses KB4-S100 precision art blades.**



AK-4OLFA Cushion
Grip Knife

Replacement Blades

KB4-S100

100 Pack, Precision Art Replacement Blades

Blade Disposal Can

Handy pocket size can allows for quick and safe snap-off disposal of OLFA standard and heavy duty blades.



DC-3 Blade Disposal Can



Shown Closed



Blade Disposal

Disposes single-edge utility knife and snap-off blades, holds approximately (30) 2-sided utility blades and up to 200 snap-off blades.



Glass Scraper

This scraper features a durable, lightweight, multi-grip handle with a high quality stainless steel blade and safety blade cover. The low profile handle allows you to angle in close on a flat surface. Great for scraping adhesives, films, paint, dirt and much more.



GSR-13B

anyard not included

Multi-Grip Glass Scraper Includes Four Stainless Steel Blades

Detachable Safety Blade Cover Slides Over Handle for Added Grip.



GSB-1S

30 Pack, Multi-Grip Glass Scraper Replacement Blade 4.7" / 120mm





RollePro Vinyl Application Roller



Designed to quickly roll over vinyl covered rivets and contours. This vinyl applicator has an ergonomic design and heat resistant wheel that adds speed and comfort to the application process.





RP-RW-1002 RollePro Vinyl Application Roller Replacement Wheel



RP-RTW-1009
RollePro High Temp Vinyl
Application Roller
for Textured Surfaces





3M™ Knifeless Tape

3M Authorized Distributor

Install custom designs safely to the surface of a vehicle with this innovative product from 3M. Knifeless tape utilizes a thick filament embedded in a thin flexible tape to cut graphics cleanly without cutting on a car! Simply apply tape to the surface in the desired shape, pattern or design, and then apply your vinyl over the top. Pull the filament through the vinyl and remove the unwanted vinyl, leaving behind a perfectly cut edge, every time.

Design Line Knifeless Tape

- Size 3.5mm
- Patented design allows you to slightly stretch and easily turn in any direction.
- For faster application the tape can be broken with your hands.
- · Easily create highly contoured designs with a sharp, clean edge.
- Ideal for single layer vinyl applications.



KTS-DL1

3.5mm x 50m Design Line Knifeless Tape

Finish Line Knifeless Tape

- Size 3.5mm
- Patented design allows you to follow contours and curves in any direction.
- Use for wrap applications, cuts most vinyl wrap films easily.
- For faster application the tape can be broken with your hands.
- Great for finishing vehicle graphic installations without a blade.
- Ideal for use around door handles, bumpers, and mirrors.



KTS-FL1

3.5mm x 50m Finish Line Knifeless Tape

KTS-FL2

3.5mm x 10m Finish Line Knifeless Tape (Trial Size)



3M™ Products 3M Products

3M Products can *ONLY* be distributed to customers in the United States and US Territories.



Bernzomatic® High Heat Torch Nozzle

The optimized swirl flame burns hot and efficiently for maximum heat output. The auto start/stop ignition lights and extinguishes the flame with the push of a button. Run-lock button keeps the torch lit for continuous use. Propane not included.







TS4000T High Heat Torch Nozzle



4" Vinyl Removal Wheel

Rubber decal eraser wheel is designed to remove decals, pinstripes or bumper stickers from cars, trucks, boats and RVs.







NEW Weldy Heat Guns

Simple. Good. Affordable. That's what you'll enjoy when you pick up a Weldy heat gun. People in more than 80 countries work with Weldy, making it the hottest tool for cost-conscious installers.





SPECS

• Temp Range: Variable 176°F to 1202°F
• Length: 9.84"

Length: 9.84"Width: 3.14"Height: 9.05"

Handle Diameter: 1.77"

Weight: 1.65 lb



Kota Pro™ Magnets

Kota Pro™ Magnets allow for convenient vinyl installation on steel without the hassle of tape. The strong hold and the soft blue protective coating make the Kota Pro Magnet a safe and effective way to register your vinyl graphics.



1 3/4" Install Magnet with Ring

MP120
1 3/4" Install Magnet with Handle



Kota Pro™ Tool Sets

These tool sets are specific to vehicle wraps. The removal tools will assist pulling off badges and other trim components from a vehicle so you can wrap behind them. For areas that can't be removed, the tuck tools have several unique tips that help work vinyl behind trim and other unique challenges found when wrapping a vehicle.





KPT1014-Piece Plastic Small Emblem Removal Tool Set



3Lidco

JDS Sign Supply KOTA PRO

Kota Pro™ Squeegees

These value-priced tools are specifically designed with the most popular applications in mind. Choose between a soft squeegee when flexibility is needed and a firm squeegee



Big Blade Removal Tools

Soft Squeegee

Plastic razor blades are designed to help remove large pressure sensitive materials from an array of surfaces that scratch easily. They are safe, strong and reusable.

Firm Squeegee



LD7105

Rigid Pearl Chemically Resistant Plastic Razor Blade Size: 3" x 4"

Chemically Resistant

Firm Squeegee

LD7104

Flexible Blue Indigo Chemically Resistant Plastic Razor Blade Size: 3" x 4"

LD7100

Firm Green Plastic Razor Blade Size: 3" x 4"



Firm Squeegee

Firm Squeegee

Chizzler Removal Tool

This one-size polycarbonate tool is great for removing materials or applying it in tight corners. Rolled edges scrape without marring. This low profile design has one flat side and one side slightly beveled. The center thumb spot offers extra comfort and grip.



LD5003

Lightweight Removal Tool Size: 2.3125" x 3"



Lidco Squeegees





White 4" Squeegee

RC-4" rounded corner poly-flow blend, features high-stability twin ribs for easy handling and pressure control.

Medium flex and high glide.

Silver Nylon 4" Squeegee

RC-4" rounded corner nylon-flow blend, outlasts most other squeegees depending on application material. Low flex and high glide.

White Teflon™ 4" Squeegee

RC-4" rounded corner Teflon blend design. This squeegee is extremely rigid and helps eliminate cupping. Teflon is great when working with adhesives because they do not adhere to its blade.

White 12" Squeegee

RC-12" rounded corner poly-flow blend, features high-stability twin ribs for easy handling and pressure control. Medium flex and high glide.

White Teflon™ 6" Squeegee

RC-6" rounded corner Teflon blend design. This squeegee is extremely rigid and helps eliminate cupping. Teflon is great when working with adhesives because it does not adhere to its blade.

Blue 12" Squeegee

RC-12" rounded corner poly-flow blend, features high-stability twin ribs for easy handling and pressure control. Medium flex and high glide.

4" Soft Applicator

PAG-SSA rounded corner, low profile, indent style, poly-flow blend design with flat surface without reinforcing ribs. High flexibility and high glide.

Felt Edge Wrapped Squeegees

Rounded corners, stabilizing ribs and poly blended materials are combined with industrial grade felt creating two tools in one. Felt wrapped edge helps protect vinyl from scratches. Saves time and money by eliminating the need to wrap your squeegee or use premask.

Tools

Assorted Squeegees





PSPS
PROSQUEEGEE
4" Black
Squeegee

PROSQUEEGEE 4" Squeegee

This rigid squeegee will be sure to hold to its shape no matter what you throw at it. This 4" squeegee includes 1 wet PROBUFFER and 1 dry PROBUFFER.

"Tools for Artists, by Artists"



PSL
PROSQUEEGEE
LITE
4" Red
Squeegee



The most flexible PROSERIES squeegee. This 4" squeegee is super conformable and sure to help in the most complex installs.



"Tools for Artists, by Artists"



A013179 4" Blue Felt Squeegee

Avery Dennison® Blue 4" Felt Squeegee

Blue nylon reinforced squeegee with a blue felt edge that will not scratch or mar the surface of digital prints or specialty vinyl. The perfect tool for flat or lightly curved surfaces.







A013185 4" Red Pro Flex Squeegee

Avery Dennison® Red 4" Pro Flex Squeegee

A red, softer and more flexible squeegee with a felt edge that will not scratch or mar the surface of digital prints or specialty vinyl. Ideal for 3D applications, deep corrugations and curved applications like pillars or car bumpers.





3M™ Products

3M Products can **ONLY** be distributed to customers in the United States and US Territories.

Avery Dennison® Products

Avery Dennison® Products can **ONLY** be distributed to customers in the United States and US Territories.



Kota Pro™ PTFE Glass Cloth Tape and PTFE Film Tape



These tapes can be cut to size and applied to the edge of a squeegee. The tape keeps the squeegee moving smoothly over the surface of the vinyl, resisting heat and reducing the number of scratches left behind during installation. You won't choose another squeegee buffer after using these tapes!



SG3503

Non-stick PTFE Glass Cloth Tape Thickness: 5.3 mil Size: 1" x 36 yd roll



SG226502

Non-stick PTFE Film Tape Thickness: 3.7 mil Size: 1" x 36 yd roll



SG226505

Non-stick PTFE Film Tape Thickness: 6.7 mil Size: 1" x 36 yd roll



Example of glass cloth tape used on squeegee to create a non-stick surface.

Kota Pro™ Felt Squeegee Block

This applicator is ideal to use with digital print mounting or installing on glass. Designed for applying vinyl materials to avoid scratching.



FSB01

Felt Squeegee Block Size: 4" x 2 3/4" x 1/2'



Wet Edge Squeegee

This Teflon squeegee, with a unique microfiber edge, is ideal for wet applications. Applying water to the Wet Edge side allows the squeegee to glide over media without scratching while reducing friction.



WES

4" Wet Edge Squeegee



Avery Dennison's white squeegee with blue felt strip. It's extra stiff, very durable and fantastic on flat applications.



A009266

White Stiff Squeegee



Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.



Avery Dennison® FleXtreme

The Avery Dennison® FleXtreme squeegee's unique design helps work vinyl into vehicle channels and around difficult body lines where standard squeegees can't reach. The blue FleXtreme is harder since it is designed to seamlessly apply film to narrow curves and edges. The red FleXtreme is softer which is ideal for film application in narrow, concave parts of a vehicle.



Felt Squeegee Sleeves **Lidco**

Reusable felt sleeves fit "industry standard" Squeegees. Simply rotating the sleeve around your squeegee provides you with multiple clean edge surfaces, minimizing dirt and static. The sleeve helps prevent nicks in the squeegee edge from damaging your vinyl.



PROBUFFERS

PROBUFFERS are designed to help protect your wrap graphics and the vehicle from scratches that are common during installation. The wet and dry PROBUFFERS fit most standard 4" squeegees and are the perfect solution for wrap installers.

 Pre-cut adhesive backed squeegee buffers to improve installation speed and protect the vinyl at the same time

- Fits standard 4" squeegees
- Leaves little to no adhesive when removed
- Dry buffers are perfect for matte, satin and gloss applications
- Wet buffers are perfect for PPF and chrome applications





"Tools for Artists, by Artists"





Monkey Strips

Durable, replaceable, dry application pre-cut felt buffers fit a standard 4" squeegee. These self-adhesive squeegee buffers provide a soft side that does not scratch. Monkey Strips are ideal for standard signage (walls, floors and boards) and full print wraps.







Banana Buffers

Premium, replaceable, wet application buffers that make wrapping a breeze. These pre-cut, self-adhesive buffers fit a standard 4" squeegee, providing a soft side that does not scratch. Banana Buffers are ideal for chrome, windows and tint.





Avery Dennison® Application Tool Belt

Keep all your tools in this specially-designed waist belt. Designed by professional applicators.





Avery Dennison® Products

Avery Dennison® Products can **ONLY** be distributed to customers in the United States and US Territories.

A013182 Avery Dennison® Application Tool Belt



Avery Dennison® Magnets

Avery Dennison® magnets are a great way to hold and position graphics on a metal surface. These magnets replace the need for application tape.



Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.







NEW PROBELT

Versatile nylon belt, lined with Velcro. Fits waist sizes 32" - 48". Belt comes with one sliding, Paint is Dead, branded magnetic grip. Magnetic nylon bag can be detached and placed on any metal surface. Tool bag has opening for Airtag device as well as multiple storage areas for tools. Ships in branded PROSERIES box.

PROSERIES

"Tools for Artists, by Artists"





PROFINISHER Wrap Finishing Tools

PROFINISHER is a set of 2 finishers. Each is ergonomically designed to rest in your hand in a natural position. The black, hard finisher is designed to gently move and gap trim and rubber molding in tight areas and corners. The red, soft finisher is designed to tuck and finish films into tight areas and corners. Ships in branded PROSERIES box.



"Tools for Artists, by Artists"




PROSERIES

"Tools for Artists, by Artists"

PROSERIES

PROFORM

Designed and built to allow you to wrap any protrusion with ease. Keeps tension on all sides, allowing you to form vinyl without fumbling from all angles. This works great for wrapping mirrors, handles, antennas or any protruding surface.







PROGLOVE HD™ Wrap Gloves

Improve your install time with the latest in the PROGLOVE Series. The HD glove is constructed with the PROSLIDE thread coating, giving it the lowest coefficient of friction of any wrap glove.



PROGLOVE

PIDPGHDM

White **PROGLOVE HD** Wrap Gloves Size: Medium

PIDPGHDL

White **PROGLOVE HD** Wrap Gloves Size: Large



PSPGHDB-M Black PROGLOVE HD Wrap Gloves Size: Medium

PSPGHDB-L Black PROGLOVE HD


Wrap Gloves Size: Large



Heavy Duty Wall-Mount Rack

Square tube 5/16" heavy duty steel design with silver vein (black) powder coat finish.

- Holds 20 Vinyl Rolls
- Holds Up To 30" Rolls
- Designed for 3" Cores
- Great Space Saver
- Keeps Vinyl Off the Floor
- Heavy Duty Construction
- Mounting Hardware Not Included



Heavy Duty Wall-Mount Material Rack 26" H x 32" W x 14" D



Wall rack has 3 mounting holes on the top and bottom for a total of 6 holes.

Mounting hardware is not included.

Heavy Duty Mobile Floor Rack

Square tube heavy duty steel design with silver vein (black) finish.

- Neatly Holds 16, 3" Core Rolls
- Great Space Saver
- Keeps Vinyl Off the Floor
- Heavy Duty Nylon Casters
- Locking Wheels
- Holds up to 1,000 lbs.
- Heavy Duty Construction



MR16R

Heavy Duty Mobile Floor Material Rack 17" H x 24 1/2" W x 25" D

17" H x 24 1/2" W x 25" D

Heavy Duty Freestanding Floor Rack

Square tube 5/16" heavy duty steel design with silver vein (black) powder coat finish.

- Holds 44, 12" to 30" Vinyl Rolls
- Designed for 3" Cores
- Saves Material from Damage
- Great Space Organizer
- Heavy Duty Construction

FR44

Heavy Duty Freestanding Floor Rack 74 1/4" H x 32" W x 19" D



Auto Skins Wrap Installation Tools



The Bumper Pole makes it easy to install bumpers by keeping the vinyl tight like glass. Use your free hand to assist with tension as you lay the panel around the corners. Connect the Wrap Hook into the latches of hoods, doors and small trunks to hold them ajar while installing a vehicle wrap.



Auto Skins Wall Racks

Organize your shop and increase floor space with Auto Skins wall-mounted vinyl racks. These high-quality racks are laser cut and designed to store rolls with a 3" core. Two styles available: 4.5" for 25 yd partial rolls and 6.5" for 50 yd partial rolls. Includes two metal mounts. Mounting hardware and dowel rods not included.





ASR45 25 yd Wall Rack

ASR65 50 yd Wall Rack



Kota Pro™ Media Clips



Ideal for keeping vinyl and print media neatly wound. Durable plastic design is easy to use and does not leave marks on your material. Alleviates having to use tape that needs to be replaced or that damages your materials.



Z-Straps



Z-Straps are a great way to keep your vinyl clean and neatly stored. These adjustable and reusable high quality die cut hook and loop straps are specifically designed for the sign industry. Z-Straps provide an exceptional solution superior to tape, which can leave residue and cause damage to your valuable inventory.



ZS10BLK 10 Pack Black Die Cut Hook & Loop Straps Size: 1/2" x 23"



ZS10YLW 10 Pack Yellow Die Cut Hook & Loop Straps Size: 1/2" x 23"





ZS10BLU 10 Pack Blue Die Cut Hook & Loop Straps Size: 1/2" x 23"



ZS10RED 10 Pack Red Die Cut Hook & Loop Straps Size: 1/2" x 23"





Rapid Prep - Surface Prep

Rapid Prep is a water based solvent that is a safe and super effective deep cleaner, ideal for surface prep. It is designed to work in one minute to remove wax, silicone, grease, oil and other surface build-ups. For best vinyl adhesion results, apply Rapid Prep to substrate before application.





Rapid Tac **Application Fluid**

Rapid Tac allows installers more control over their applications; making it easier to apply vinyl without wrinkles or bubbles. This application fluid also cleans the vinyl without leaving residue, ensuring a contaminant free installation.





RT-11281-5 Rapid Tac Size: 1 Gallon

RT-10321-9 Rapid Tac with Spray Nozzle Size: 32 oz.

Rapid Tac II - Application Fluid

Rapid Tac II was designed for "Premium Cast" films and promotes faster bonding than the Original Rapid Tac product. This application fluid is ideal for cold weather and glass applications. In warmer conditions always pretest, because Rapid Tac II may bond too quickly with premium cast films.



Rapid Remover Adhesive Remover

Rapid Remover is a water based solvent that quickly and safely lifts most adhesives in 30 to 60 seconds without damage to most painted or bare metal surfaces. Simply spray it on, wait 30 to 60 seconds, and easily wipe away residue with a plastic squeegee and paper towel with no mess.

Rapid Remover can only be shipped by ground in the continental U.S.



855.661.2388



RR-31283-3 Rapid Remover Size: 1 Gallon

RR-30323-7 Rapid Remover with Spray Nozzle Size: 32 oz.

with Spray Nozzle Size: 32 oz.



Auto Sauce

Ceramic Wrap Sauce Kit

Protect your vehicle wrap with this ceramic coating specifically engineered for vinyl wraps. The coating will bond well to vinyl, provide scratch resistance and make it easier and safer to clean the vehicle.

CWS50

Ceramic Wrap Sauce Kit 1 50 ml. Ceramic Wrap Sauce 1 8 oz. Ceramic Booster 1 Applicator

Ceramic Wrap Sauce Kit can only be shipped by ground in the continental U.S.





Wrap Booster

Apply this specially formulated spray between washes to extend the life of the ceramic coating and give your wrap a fresh vibrant look.

CSS16

16 oz. Ceramic Sauce Booster

Spray Sauce

Use this spray solution for quick cleaning when you don't have time to do a full wash. Great for removing finger prints, water spots or a light coat of dust.

MAS16

16 oz. Matte Mango Spray Sauce for Matte & Satin Wraps



ASAUTO SAUCE TO MAN TO SAUCE 1 Mala Sauce Frank Marie Maria Sauce Frank Maria Maria Sauce Frank Maria

Bubble Wash

When you need to give the vehicle a good old-fashioned wash, pour a little of this in a bucket, add water and scrub. Wash by hand, DO NOT use with a pressure washer.

MMW16

16 oz. Matte Mango Bubble Wash for Matte & Satin Wraps





SRW16

16 oz. Sweet Wrap Bubble Wash for Gloss Wraps

SWS16

16 oz. Sweet Wrap Spray Sauce for Gloss Wraps

175

Auto Sauce Accessories

Use these items when applying or maintaining your ceramic coating.







AUTOSAUCEGUIDE 📆

Auto Sauce Wrap Care Guide Brochure



Avery Dennison® Wrap Care Products

The Avery Dennison Supreme Wrap™ Care range includes a Cleaner, Power Cleaner and Sealant. These professional grade products are simple for anyone to use. They help matte, satin and gloss vehicle wraps cope with all the challenges of the road after leaving the workshop.

coating for a superior

shine and finish.





Avery Dennison® Products

Avery Dennison® Products can ONLY be distributed to customers in the United States and US Territories.

Bubble Wash.



Tesa® High Bond Mounting Tapes





ACX Plus High Adhesion

Black Acrylic Foam Tape High bond tape designed for "hard-to-bond" surfaces including powder-coated material. Use indoors or outdoors.

7065-1

Thickness: 47 mil Size: 1/2" x 27yd

7065-2

Thickness: 47 mil Size: 3/4" x 27yd

7065-3

Thickness: 47 mil Size: 1" x 27yd



ACX Plus High Transparency

Clear Acrylic Foam Tape Heavy duty, transparent tape known for its bonding power, stress dissipation plus temperature & weather resistance. Use indoors or outdoors.

7055-1

Thickness: 40 mil Size: 1/2" x 27yd

7055-2

Thickness: 40 mil Size: 3/4" x 27yd

7055-3

Thickness: 40 mil Size: 1" x 27yd



Polypropylene Tape

Black Foam Tape Excellent long-term adhesive with less "gap" thanks to a smaller thickness. High ultimate adhesion. Use indoors or outdoors.

62932-

Thickness: 22 mil Size: 1/2" x 55yd

62932-2

Thickness: 22 mil Size: 3/4" x 55yd

62932-3

Thickness: 22 mil Size: 1" x 55yd

Double-Faced Tapes



Tesa® Gold-Line Premium Tape

White Tape


Thickness: 9 mil

Size	Part No.	Case Qty.
1/4" x 36 yd.	H117	6
3/8" x 36 yd.	H119	6
1/2" x 36 yd.	H120	6
5/8" x 36 yd.	H124	6
3/4" x 36 yd.	H121	6
1" x 36 yd.	H122	6
1 1/2" x 36 yd.	H125	6
2" x 36 yd.	H126	6



White Tape

Thickness: 9 mil



TAPE3 - Free Sample (limit 1 per customer)



JDS Sign Supply (JDS

Double-Faced Tapes



Hand Tearable Tape

White Tape

Thickness: 6 mil

Size	Part No.	Case Qty.
1/2" x 36 yd.	H181	6
3/4" x 36 yd.	H182	6
1" x 36 yd.	H183	6



Engravers Tape

Clear Tape

Thickness: 3 mil

Size	Part No.	Case Qty.
1/2" x 36 yd.	H161	6
3/4" x 36 yd.	H162	6
1" x 36 yd.	H163	6





Foam Tape

White Foam Tape

Thickness: 1/32"

Size	Part No.	Case Qty.
1/2" x 72 yd.	H170	6
3/4" x 72 yd.	H172	6
1" x 72 yd.	H174	6

Thickness: 1/16"

Size	Part No.	Case Qty.
1/2" x 36 yd.	H175	6
3/4" x 36 yd.	H176	6
1" x 36 yd.	H177	6





H102 Shown

White Tape Disks

Size	Description	Part No.	Case Qty:
1 3/4" Diameter x 500/Roll	Gold Standard Tape Disks with Tabs	H102	1
1 3/4" Diameter x 500/Roll	1/16" Foam Tape Disks with Tabs	H103*	1
1 3/4" Diameter x 500/Roll	1/32" Foam Tape Disks with Tabs	H108*	1









PLASTICADE® Sign Frames

made in the USA

These all plastic, heavy-duty stands have hinges that lock in the open position to prevent over-extending and have molded handles for easy portability.

PLASTICADE®

Signicade

- Attach poster material, self-adhesive vinyl or other sign material directly to the surface
- Indented sign area helps protect the sign face
- Dry sand can be added for ballast 10 lbs. recommended







Did you know



See pages 92-93 for Poster Material!



Signicade Deluxe

- Change signs in seconds with patented Quick-Change™ feature
- Stay Tabs[™] ensure sign stays securely in place
- Use rigid material with a thickness of 3/16" or less
- Dry sand can be added for ballast 10 lbs. recommended



White Sign Face Size: 24" x 36"



JDS Sign Supply JDS

PLASTICADE® Sign Frames

Change signs in seconds with the patented Quick-Change™ feature. Use corrugated plastic or other rigid material up to 3/16" thick and with the Stay Tabs™ your sign will stay securely in place.



Wind Sign II & Wind Sign Deluxe with Quick Change

- Coil Springs resist wind gusts and return sign to upright position
- Wide, stable base with factory-installed wheels, tilt back and roll
- Features a large fill hole to add dry sand for ballast
- Dry sand can be added for ballast up to 115 lbs. recommended





PC1833

Wind Sign Deluxe Gray Sign Face Size: 28" x 44"

Rust Discoloration

Signicade MDX

- · Lightweight and easy to move
- Dry sand can be added for ballast 4 lbs. recommended













PLASTICADE® Sign Frames

- Change signs in seconds with the patented Quick-Change™ feature
- Stay Tabs[™] ensures sign stays securely in place
- Use rigid material with a thickness of 3/16" or less
- Textured feet help secure the frame on smooth surfaces
- Grabber Hinges hold a sign rider and prevent the frame from opening too far
- Dry sand can be added for ballast 6 lbs. recommended

Simpo Sign II

• Medium-sized, versatile, frame



PC1225BK

Black Sign Face Size: 22" x 28"





PLASTICAD

White Sign Face Size: 22" x 28"







Simpo Square 24

- An economical A-frame for temporary signs
- Use rigid material with a thickness of 3/16" or less

PC1240W

White Sign Face Size: 24" x 24"









Roll-A-Post™

- Thick-walled plastic, sand-fillable bases won't chip, crack or crumble
- Square 1.75" plastic tubes with reinforcing internal crossbars
- More durable and stable than round posts
- Sturdy, factory-installed wheels make bases easy to move
- Posts include cap and pre-drilled holes for multiple sign sizes
- Sign-mounting hardware is included
- · Withstands strong winds without tipping over when bases are filled
- Dry sand up to 125 lbs. recommended
- DO NOT FILL WITH WATER ONLY









Roll-A-Post

Base Size	Post Length	Description	Part No.
18" x 12"	60"	Black Base/Black Pole	PC1860BK
18" x 12"	60"	Black Base/White Pole	PC1860W
24" x 16.5"	60"	Black Base/Black Pole	PC2460BK
24" x 16.5"	60"	Black Base/White Pole	PC2460W
24" x 16.5"	72"	Black Base/Black Pole	PC2472BK
24" x 16.5"	72"	Black Base/White Pole	PC2472W

Replacement bases & poles available. Call for details.



PLASTICADE® Sign Frames

Rubber Base

- Square 1.75" plastic post with a 30 or 60 lb. rubber base to withstand strong winds without tipping over
- Durable, recycled rubber bases can be stacked to increase weight
- Resistant to weather, oil, salt, moisture and UV light
- Bases won't warp, chip, crack or crumble
- Molded-in hand grips make moving bases easier. Durable wheels are optional
- Sign-mounting hardware is included



Rubber Base

Base Size	Post Length	Base Weight	Description	Part No.
18.5" x 18.5"	60"	30 lb.	Black Base/Black Pole	PC8360BK
18.5" x 18.5"	60"	30 lb.	Black Base/White Pole	PC8360W
18.5" x 22.85"	60"	30 lb.	Black Base with Wheels/Black Pole	PC8360BKWHL
18.5" x 22.85"	60"	30 lb.	Black Base with Wheels/White Pole	PC8360WWHL
18.5" x 18.5"	60"	60 lb.	Black Base/Black Pole	PC8660BK
18.5" x 18.5"	60"	60 lb.	Black Base/White Pole	PC8660W
18.5" x 22.85"	60"	60 lb.	Black Base with Wheels/Black Pole	PC8660BKWHL
18.5" x 22.85"	60"	60 lb.	Black Base with Wheels/White Pole	PC8660WWHL
18.5" x 18.5"	72"	60 lb.	Black Base/Black Pole	PC8672BK
18.5" x 18.5"	72"	60 lb.	Black Base/White Pole	PC8672W
18.5" x 22.85"	72"	60 lb.	Black Base with Wheels/Black Pole	PC8672BKWHL
18.5" x 22.85"	72"	60 lb.	Black Base with Wheels/White Pole	PC8672WWHL

Additional bases & replacement poles available. Call for details.



PLASTICADE

Sign Not Included



JDS Sign Supply JDS

PLASTICADE

PLASTICADE® Sign Frames

$\textbf{Rock-It}^{\text{TM}}$

- Square 1.75" plastic signpost with a durable, thick-walled plastic sand-fillable base
- Rock it back and roll it easily with durable plastic wheels
- Thick-walled plastic bases won't chip, crack or crumble
- Conveniently placed large fill hole and drain hole
- Withstands strong winds without tipping over when filled with dry sand
- Sign-mounting hardware is included
- Dry sand up to 125 lbs. recommended
- DO NOT FILL WITH WATER ONLY



Sign Not Included











Base Size	Post Length	Description	Part No.
18" x 19.5"	60"	Black Base/Black Pole	PCRB1860BK
18" x 19.5"	60"	Black Base/White Pole	PCRB1860W
24" x 25.5"	60"	Black Base/Black Pole	PCRB2460BK
24" x 25.5"	60"	Black Base/White Pole	PCRB2460W
24" x 25.5"	72"	Black Base/Black Pole	PCRB2472BK
24" x 25.5"	72"	Black Base/White Pole	PCRB2472W

Replacement bases & poles available. Call for details.





Kota Pro™ Solid Color LED Stand-Offs



Choose from Red, Green, Blue or White to illuminate your sign.

- Suitable for indoor use only
- Includes drywall screws and anchors for installation
- Sold in packs of 4 only
- Includes Power Supply
- For best results use cast acrylic, see page 186



Diameter	Barrel Length	Blue LED Part #	Red LED Part #	White LED Part #	Green LED Part #	Case Qty.
1"	1"	STFLED2525BL	STFLED2525RD	STFLED2525WT	STFLED2525GN	4




Diameter	Barrel Length	Blue LED Part #	Red LED Part #	White LED Part #	Green LED Part #	Case Qty.
1 1/4"	1"	STFLED3225BL	STFLED3225RD	STFLED3225WT	STFLED3225GN	4

Prices are per piece. Sold in full cases of 4 only.





STFLED2525BL or STFLED3225BL Illuminated



STFLED2525RD or STFLED3225RD Illuminated



STFLED2525WT or STFLED3225WT Illuminated



STFLED2525GN or STFLED3225GN Illuminated



Kota Pro™ RGB LED Color Changing Stand-Offs

Set the color and motion of the LED with an easy to use remote control. Choose from a variety of shades and colors to best match your application.


- Suitable for indoor use only
- Includes drywall screws and anchors for installation
- Sold in packs of 4 only
- Includes Power Supply



Diameter	Barrel Length	Red, Green & Blue LED Part #	Case Qty.
1 1/4"	1"	STFLED3525RGB	4







STFLED3525RGB Illuminated





Kota Pro™ Tamper-Resistant,

- Suitable for indoor applications
- Includes drywall screws and anchors for installation
- Sold in packs of 4 only
- Required holes for signage substrates: 0.40"

Square

Color	Size	Barrel Length	Part #	Case Qty.
Black	.63" x .63"	1"	STF0711BK	4
Satin Gold	.63" x .63"	1"	STF0711SG	4
Satin Silver	.63" x .63"	1"	STF0711ST	4

Low Profile Aluminum Stand-offs



Prices are per piece.
Sold in full cases of 4 only.









Round

Color	Diameter	Barrel Length	Part #	Case Qty.
Black	.51"	.83"	STF0751BK	4
Satin Gold	.51"	.83"	STF0751SG	4
Satin Silver	.51"	.83"	STF0751ST	4
Black	.75"	1"	STF0752BK	4
Satin Gold	.75"	1"	STF0752SG	4
Satin Silver	.75"	1"	STF0752ST	4

Kota Pro™ Aluminum Cap Stand-offs

Elevate the look of flush-mounted signs. Use replacement screws to mount extra caps left over after assembly of multi-layer stand-offs.

- Suitable for indoor applications
- Includes specialty drywall screws, anchors and washers for installation
- Sold in packs of 4 only
- Required holes for signage substrate: 0.1635"

Prices are per piece. Sold in full cases of 4 only.



Color	Diameter	Part #	Case Qty.
Black	.63"	STF0511BK	4
Bright Silver	.63"	STF0511NA	4
Satin Gold	.63"	STF0511SG	4
Satin Silver	.63"	STF0511ST	4
Black	.87"	STF0512BK	4
Bright Silver	.87"	STF0512NA	4
Satin Gold	.87"	STF0512SG	4
Satin Silver	.87"	STF0512ST	4



Replacement Screw for Cap Stand-offs




Part #
CA1622SCREW

Kota Pro™ Aluminum Multi-Layer Stand-offs

Create unique, eye-catching signs and displays with interchangeable stand-offs of varying lengths.

- Suitable for indoor applications
- Includes drywall screws, anchors and washers for installation
- Sold in packs of 4 only
- Required holes for signage substrate: see illustration below





How lo!




Color	Diameter	Barrel Length	Part #	Case Qty.
Black	.63"	.75"	STF0611BK	4
Bright Silver	.63"	.75"	STF0611NA	4
Satin Gold	.63"	.75"	STF0611SG	4
Satin Silver	.63"	.75"	STF0611ST	4
Black	.63"	.98"	STF0612BK	4
Bright Silver	.63"	.98"	STF0612NA	4
Satin Gold	.63"	.98"	STF0612SG	4
Satin Silver	.63"	.98"	STF0612ST	4
Black	.63"	1.96"	STF0613BK	4
Bright Silver	.63"	1.96"	STF0613NA	4
Satin Gold	.63"	1.96"	STF0613SG	4
Satin Silver	.63"	1.96"	STF0613ST	4
Black	.87"	.98"	STF0621BK	4
Bright Silver	.87"	.98"	STF0621NA	4
Satin Gold	.87"	.98"	STF0621SG	4
Satin Silver	.87"	.98"	STF0621ST	4
Black	.87"	2"	STF0622BK	4
Bright Silver	.87"	2"	STF0622NA	4
Satin Gold	.87"	2"	STF0622SG	4
Satin Silver	.87"	2"	STF0622ST	4



Required holes for signage substrate: 0.33" for barrel thread



Required holes for backing substrate or wall: 0.15" for screw





Kota Pro™ Stand-off Hole Locator




Completely attach the stand-offs to the substrate. Then insert the plastic locator into the bottom of each barrel. Align the sign against the wall in the desired location. Using a firm hand, gently press each stand-off into the wall while maintaining the sign's proper alignment. Next, set the sign aside and pre-drill holes where the indentations were left. Remove the plastic locator and install all stand-offs correctly.

- Suitable for indoor drywall applications.
- Sold in packs of 4 only
- Only suitable for stand-offs mounted with a traditional .123" diameter screw.





Color	Diameter	Part #	Case Qty.
White	.60"	SL-1510-WT	4
White	.83"	SL-2110-WT	4






Kota Pro™ Stainless Steel Tamper-proof Screws

- Suitable for indoor and outdoor applications
- Light Duty anti-theft torx screws and washers included
- 1 torx driver included
- Required hole for substrate: 0.125"

Color	Part#	Case Qty.
Silver	SS-FH15-NA	4



Kota Pro™ Aluminum Stand-Offs

Aluminum Stand-Offs:

- Suitable for indoor applications
- Include drywall screws and anchors for installation
- Sold in packs of 4 only
- Required holes in signage substrate: STF011XXX & STF012XXX: .31" STF013XXX & SFT014XXX: .39"











Diameter	barrei Lengui	Saum Silver Part#	Qty.
.51"	.51"	STF0111ST	4
.51"	.75"	STF0112ST	4
.51"	.98"	STF0113ST	4







Diameter	Barrel Length	Satin Silver Part #	Case Qty.
.75"	.75"	STF0132ST	4
.75"	.98"	STF0133ST	4




Diameter	Barrel Length	Satin Silver Part #	Case Qty.
.98"	.75"	STF0142ST	4
.98"	.98"	STF0143ST	4



Diameter	Barrel Length	Polished Chrome Part #	Case Qty.
.51"	.51"	STF0111CP	4
.51"	.75"	STF0112CP	4
.51"	.98"	STF0113CP	4









Diameter	Barrel Length	Polished Chrome Part #	Case Qty.
.75"	.75"	STF0132CP	4
.75"	.98"	STF0133CP	4



Diameter	Barrel Length	Polished Chrome Part #	Case Qty.
.98"	.75"	STF0142CP	4
.98"	.98"	STF0143CP	4

JDS Sign Supply KOTA PRO

Kota Pro™ Satin Gold Aluminum Stand-Offs

Aluminum Stand-Offs:

- Suitable for indoor applications
- Includes drywall screws and anchors for installation
- Sold in packs of 4 only
- Required holes in signage substrate: STF011XXX & STF012XXX: .31" STF013XXX & SFT014XXX: .39"







Diameter	Barrel Length	Satin Gold Part #	Case Qty.
.51"	.51"	STF0111SG	4
.51"	.75"	STF0112SG	4
.51"	.98"	STF0113SG	4



Diameter	Barrel Length	Satin Gold Part#	Case Qty.
.59"	.59"	STF0121SG	4
.59"	.78"	STF0122SG	4
.59"	.98"	STF0123SG	4



Diameter	Barrel Length	Satin Gold Part #	Case Qty.
.75"	.75"	STF0132SG	4
.75"	.98"	STF0133SG	4



Diameter	Barrel Length	Satin Gold Part #	Case Qty.
.98"	.75"	STF0142SG	4
.98"	.98"	STF0143SG	4

Prices are per piece. Sold in full cases of 4 only.



STFSET3

Stand-Offs Display Includes 1 each of Kota Pro Black, Gold, Silver, Red & Blue Stand-Offs & Screw Caps on Laserable Leatherette background. Size: 16" x 20"







Kota Pro™ Colored Aluminum Stand-Offs

Aluminum Stand-Offs:

- Suitable for indoor applications
- Include drywall screws and anchors for installation
- Sold in packs of 4 only
- Required holes in signage substrate: STF011XXX & STF012XXX: .31" STF013XXX & SFT014XXX: .39"









Diameter	Barrel Length	Black Part #	Gold Part #	Case Qty.
.51"	.51"	STF0111BK	STF0111GD	4
.51"	.75"	STF0112BK	STF0112GD	4
.51"	.98"	STF0113BK	STF0113GD	4



Diameter	Barrel Length	Black Part #	Gold Part #	Case Qty.
.59"	.59"	STF0121BK	STF0121GD	4
.59"	.78"	STF0122BK	STF0122GD	4
.59"	.98"	STF0123BK	STF0123GD	4



Diameter	Barrel Length	Black Part #	Gold Part #	Case Qty.
.75"	.75"	STF0132BK	STF0132GD	4
.75"	.98"	STF0133BK	STF0133GD	4



Diameter	Barrel Length	Black Part #	Gold Part #	Case Qty.
.98"	.75"	STF0142BK	STF0142GD	4
.98"	.98"	STF0143BK	STF0143GD	4

Prices are per piece. Sold in full cases of 4 only.



STFSET3

Stand-Offs Display Includes 1 each of Kota Pro Black, Gold, Silver, Red & Blue Stand-Offs & Screw Caps on Laserable Leatherette background. Size: 16" x 20"

Diameter

Barrel Length


JDS Sign Supply JDS KOTAPRO

Kota Pro™ Colored Aluminum Stand-Offs

Aluminum Stand-Offs:

- Suitable for indoor applications
- Includes drywall screws and anchors for installation
- Sold in packs of 4 only
- Required holes in signage substrate: STF011XXX & STF012XXX: .31" STF013XXX & SFT014XXX: .39"







Diameter	Barrel Length	Blue Part #	Red Part #	Case Qty.
.51"	.51"	STF0111BL	STF0111RD	4
.51"	.75"	STF0112BL	STF0112RD	4
.51"	.98"	STF0113BL	STF0113RD	4



Diameter	Barrel Length	Blue Part #	Red Part #	Case Qty.
.59"	.59"	STF0121BL	STF0121RD	4
.59"	.78"	STF0122BL	STF0122RD	4
.59"	.98"	STF0123BL	STF0123RD	4



Diameter	Barrel Length	Blue Part #	Red Part #	Case Qty.
.75"	.75"	STF0132BL	STF0132RD	4
.75"	.98"	STF0133BL	STF0133RD	4



Diameter	Barrel Length	Blue Part #	Red Part #	Case Qty.
.98"	.75"	STF0142BL	STF0142RD	4
.98"	.98"	STF0143BL	STF0143RD	4







Kota Pro™ Stand-Offs & Screw Caps

Stainless Steel Stand-Offs:

- Outdoor and indoor weatherable
- Include drywall screws and anchors for installation
- Sold in packs of 4 only
- Required holes in signage substrate: STF0212NA & STF0221NA: .31" STF0232NA & STF0233NA: .39"



Diameter	Barrel Length	Stainless Steel Part #	Case Qty.
.51"	.75"	STF0212NA	4
.63"	.63"	STF0221NA	4
.75"	.75"	STF0232NA	4
.75"	.98"	STF0233NA	4

Aluminum Side Clamps:

- Suitable for indoor applications
- Include drywall screws and anchors for installation
- Sold in packs of 4 only



Satin Silve	r Side Clamps		
Diameter	Barrel Length	Part#	Case Qty.
.63"	.75"	STF0311ST	4
.75"	.98"	STF0322ST	4
.98"	1.46"	STF0333ST	4

Aluminum Screw Caps:

- Suitable for indoor applications
- Include drywall screws, anchors & washers for installation
- Sold in packs of 4 only



.47" STF0411CP 4	Polished Cl	ne Aluminum Screw (Caps	
	Diameter	Polished Chrome Pa	art#	Case Qty.
75" STE0421CD 4	.47"	STF0411CP		4
.75 317042107 4	.75"	STF0421CP		4
.98" STF0431CP 4	.98"	STF0431CP		4



Satin Chro	me Aluminum Screw Caps	
Diameter	Satin Chrome Part #	Case Qty.
.47"	STF0411SC	4
.75"	STF0421SC	4
.98"	STF0431SC	4







Gold Alumi	num Screw Caps	
Diameter	Satin Chrome Part #	Case Qty.
.47"	STF0411GD	4
.75"	STF0421GD	4
.98"	STF0431GD	4



Sold in full cases of 4 only.



Prices are per piece. Sold in full cases of 4 only.



Prices are per piece. Sold in full cases of 4 only.



Sold in full cases of 4 only.

Kota Pro™ Screw Caps

Aluminum Screw Caps:

- Suitable for indoor applications
- Includes drywall screws, anchors & washers for installation
- Sold in packs of 4 only

	-	
	ME	
- 3365	Ca.	
 100		

Blue Aluminum Screw Caps					
Diameter	Blue Part #	Case Qty.			
.47"	STF0411BL	4			
.75"	STF0421BL	4			
.98"	STF0431BL	4			

Satin Gold Aluminum Screw Caps				
Diameter	Satin Gold Part #	Case Qty.		
.47"	STF0411SG	4		
.75"	STF0421SG	4		
.98"	STF0431SG	4		



Red Aluminum Screw Caps					
Diameter	Red Part #	Case Qty.			
.47"	STF0411RD	4			
.75"	STF0421RD	4			
.98"	STF0431RD	4			



Prices are per piece. Sold in full cases of 4 only.



STFSET3

Stand-Offs Display Includes 1 each of Kota Pro Black, Gold, Silver, Red & Blue Stand-Offs & Screw Caps on Laserable Leatherette background. Size: 16" x 20"

Size: 16" x 20



Kota Pro™ ADA Signs

Save time and money with these pre-made, ready-to-hang ADA signs.

Signs are 1/8" thick. Raised white text & graphics. Signs include raised braille text.









Description	Black/White Part #	Blue/White Part #	Case Qty.
6" x 9" MEN Accessible Restroom Sign	ADA101	ADA201	24
6" x 9" WOMEN Accessible Restroom Sign	ADA102	ADA202	24
6" x 9" Unisex Accessible Restroom Sign	ADA103	ADA203	24







Description	Black/White Part #	Blue/White Part #	Case Qty.
6" x 9" MEN Restroom Sign	ADA105	ADA205	24
6" x 9" WOMEN Restroom Sign	ADA106	ADA206	24
6" x 9" Unisex Restroom Sign	ADA104	ADA204	24

JDS Sign Supply JDS

Kota Pro™ ADA Signs



Signs are 1/8" thick. Raised white text & Blue graphics. Signs include raised braille text.

Black Sample Set #ADASET1 Includes 1 of each ADA101-109 & ADA69 Blue Sample Set #ADASET2 Includes 1 of each ADA201-209 & ADA69








Description	Black/White Part #	Blue/White Part #	Case Qty.
6" x 9" NO SMOKING Sign	ADA107	ADA207	24
6" x 9" STAIRS Sign	ADA108	ADA208	24
6" x 6" EXIT Sign	ADA109	ADA209	24

See pages 251-253 for Duets ADA & Applique Sheet Stock and Braille Beads









ADAPOPDISPLAY ADA POP Display Size: 11 5/8" x 22"



Pronto™ Changeable Copy



Gemini Pronto Changeable Copy is a cut above traditional saw-cut copy. Pieces are made from an injection molded precision blank and each panel is molded with a small raised edge on the back that prevents the ink from being scratched off. The molded-in feet keep debris and ice from interfering with the placement and because the inks used are UV inks, there are no harmful emissions during manufacturing.







Part# Abbreviation

AND

PERIOD COMMA

> **EXC** DASH

> **QUES**

COLON

SEMICOL

LQUOTE

RQUOTE

APOST

SLASH

DOLLAR

CENT

PERCENT

HALF

QUART

PLUS

LPAREN

Important Note: To order, you need both Letter Height and Panel Height

\ <u>\</u>	
00	
9	_
	_
<u> </u>	
12	_
C	_
Punctu	_
7	
4	_
9	_
6	
5	_
1	
	_

Each	100
E	7
ΑI	6
0 U	5
LNRSTP	4
FGHM	3
BCD	3
JKVWYZ	2
Q X \$ ¢	1
0123456789	1

Ampersand	&	2
Period		2
Comma	,	2
Exclamation	!	2
Dash	-	2
Question	?	2
Colon	:	2
Semi Colon	;	2
Left Quote	II	2
Right Quote	II	2
Apostrophe	ı	2
Slash	1	2
Dollar Sign	\$	2
Cent Sign	¢	2
Percent	%	1
One Half	1/2	2
One Quarter	1/4	2
Plus	+	1
Left Parenthesis	(2
Right Parenthesis)	2
At Sign	@	2
Hashtag	#	2
Facebook	f	2
Linkedin	in	2
Twitter	y	2
.com	.com	2

Each

50

Punctuation Ampersand & Period Comma **Exclamation** ! Dash Question ? Colon : Semi Colon **Left Quote** п **Right Quote Apostrophe** Slash / **Dollar Sign** \$ Cent Sign ¢ Percent % One Half 1/2 One Quarter 1/4

Plus

Left Parenthesis

(

Pronto Commercial Se

201

Pronto™ Changeable Copy



MODERN ABCDEFGHIJKLMNOPQRSTUVWXYZ

100 Piece Set

Letter Height	Panel Height	Avg. Panel Width	Part # Black	Part # Black/Red	Part # Red
3"	3 7/8"	2 3/8"	P03MODi100BK	P03MODi100BR	P03MODi100RD
4"	4 7/8"	3"	P04MODi100BK	P04MODi100BR	P04MODi100RD
6"	6 7/8"	4"	P06MODi100BK	P06MODi100BR	P06MODi100RD
8" on 9"	8 7/8"	5 1/2"	P89MODi100BK	P89MODi100BR	P89MODi100RD
8"	9 7/8"	5 1/2"	P08MODi100BK	P08MODi100BR	P08MODi100RD
10"	11 7/8"	6 3/4"	P10MODi100BK	P10MODi100BR	P10MODi100RD

50 Piece Set

MODERN **PUNCTUATION**

.,;:-&¢\$?!

'""¼½%/()+

@ # f in 9 .com

Letter Height	Panel Height	Avg. Panel Width	Part # Black	Part # Red
3"	3 7/8"	2 3/8"	P03MODi50PBK	P03MODi50PRD
4"	4 7/8"	3"	P04MODi50PBK	P04MODi50PRD
6"	6 7/8"	4"	P06MODi50PBK	P06MODi50PRD
8" on 9"	8 7/8"	5 1/2"	P89MODi50PBK	P89MODi50PRD
8"	9 7/8"	5 1/2"	P08MODi50PBK	P08MODi50PRD
10"	11 7/8"	6 3/4"	P10MODi50PBK	P10MODi50PRD

How to build an Individual Letter/Punctuation part number.

Letter, Number or Letter Height Punctuation character that you want to order.

punctuation abbreviation chart



Important Note: How to make sure your Individual Letter part number is built correctly.

- All Pronto part numbers start with "P" for Pronto.
- The next two digits indicate the Letter Height.
- The next three digits indicate the Letter Font. There are three fonts available: MOD, ADM or CON
- 4. The next digit indicates the Letter, Number or Punctuation Character you want to order.
- The last two digits "BK" indicate the letter color. All individual letters are only stocked in black.

MODERN **INDIVIDUAL LETTERS & PUNCTUATION**

Part#	Letter Height	Panel Height	Avg. Panel Width
P03MOD_BK	3"	3 7/8"	2 3/8"
P04MOD_BK	4"	4 7/8"	3"
P06MOD_BK	6"	6 7/8"	4"
P89MOD_BK	8" on 9"	8 7/8"	5 1/2"
P08MOD_BK	8"	9 7/8"	5 1/2"
P10MOD_BK	10"	11 7/8"	6 3/4"

NOTE: Pronto letters enclosed in a sealed vandal proof cover require venting or warping may occur.





Pronto™ Changeable Copy





ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890

100 Piece Set

Letter Height	Panel Height	Avg. Panel Width	Part # Black	Part # Black/Red	Part # Red
4"	4 7/8"	3 1/2"	P04ADMi100BK	P04ADMi100BR	P04ADMi100RD
6"	6 7/8"	4 5/8"	P06ADMi100BK	P06ADMi100BR	P06ADMi100RD
8" on 9"	8 7/8"	6 3/4"	P89ADMi100BK	P89ADMi100BR	P89ADMi100RD
8"	9 7/8"	6 3/4"	P08ADMi100BK	P08ADMi100BR	P08ADMi100RD
10"	11 7/8"	7 1/2"	P10ADMi100BK	P10ADMi100BR	P10ADMi100RD

50 Piece Set



Letter Height	Panel Height	Avg. Panel Width	Part # Black	Part # Red
4"	4 7/8"	3"	P04ADMi50PBK	P04ADMi50PRD
6"	6 7/8"	4"	P06ADMi50PBK	P06ADMi50PRD
8" on 9"	8 7/8"	5 1/2"	P89ADMi50PBK	P89ADMi50PRD
8"	9 7/8"	5 1/2"	P08ADMi50PBK	P08ADMi50PRD
10"	11 7/8"	6 3/4"	P10ADMi50PBK	P10ADMi50PRD

How to build an Individual Letter/Punctuation part number.



INDIVIDUAL LETTERS & PUNCTUATION

Important Note: How to make sure your Individual Letter part number is built correctly.

- 1. All Pronto part numbers start with "P" for Pronto.
- 2. The next two digits indicate the Letter Height.
- 3. The next three digits indicate the Letter Font. There are three fonts available: MOD, ADM or CON
- **4.** The next digit indicates the Letter, Number or Punctuation Character you want to order.
- The last two digits "BK" indicate the letter color. All individual letters are only stocked in black.

Part#	Letter Height	Panel Height	Avg. Panel Width
P04ADM_BK	4"	4 7/8"	3"
P06ADM_BK	6"	6 7/8"	4"
P89ADM_BK	8" on 9"	8 7/8"	5 1/2"
P08ADM_BK	8"	9 7/8"	5 1/2"
P10ADM_BK	10"	11 7/8"	6 3/4"

punctuation abbreviation chart on page 200

NOTE: Pronto letters enclosed in a sealed vandal proof cover require venting or warping may occur.



AP Customers get 100+ pricing when ordering 25 or more individual letters.

CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890

100 Piece Set

Letter Height	Panel Height	Avg. Panel Width	Part # Black	Part # Black/Red	Part # Red
4"	4 7/8"	2 3/8"	P04CONi100BK	P04CONi100BR	P04CONi100RD
6"	6 7/8"	3 1/4"	P06CONi100BK	P06CONi100BR	P06CONi100RD
8" on 9"	8 7/8"	4 7/8"	P89CONi100BK	P89CONi100BR	P89CONi100RD
8"	9 7/8"	4 3/8"	P08CONi100BK	P08CONi100BR	P08CONi100RD
10"	11 7/8"	5 1/2"	P10CONi100BK	P10CONi100BR	P10CONi100RD

50 Piece Set

Changeable Copy

CONDENSED

PUNCTUATION

::-& **6 S** ?!

""1/4 1/2 % / () +

@ # f in 9 .com

Letter Height	Panel Height	Avg. Panel Width	Part # Black	Part # Red
4"	4 7/8"	3"	P04CONi50PBK	P04CONi50PRD
6"	6 7/8"	4"	P06CONi50PBK	P06CONi50PRD
8" on 9"	8 7/8"	5 1/2"	P89CONi50PBK	P89CONi50PRD
8"	9 7/8"	5 1/2"	P08CONi50PBK	P08CONi50PRD
10"	11 7/8"	6 3/4"	P10CONi50PBK	P10CONi50PRD

How to build an Individual Letter/Punctuation part number.


Letter Height

Letter. Number or

Punctuation character that you want to order

Important Note: How to make sure your Individual Letter part number is built correctly.

- 1. All Pronto part numbers start with "P" for Pronto.
- The next two digits indicate the Letter Height.
- The next three digits indicate the Letter Font. There are three fonts available: MOD, ADM or CON
- The next digit indicates the Letter. Number or Punctuation Character you want to order.
- The last two digits "BK" indicate the letter color. All individual letters are only stocked in black.



punctuation abbreviation chart on page 200

NOTE: Pronto letters enclosed in a sealed vandal proof cover require venting or warping may occur.



AP Customers get 100+ pricing when ordering 25 or more individual letters.

CONDENSED **INDIVIDUAL LETTERS & PUNCTUATION**



Pronto™ Storage Cabinets





Letter	Cab	inet Dimens	ions	Part #	with Wheels Part #	
Size	Depth	Width	Height	Fall#		
4"- 6"	7 1/4"	23 3/4"	17 1/2"	P06iMSC	P06iMSCW	
8" - 10"	11 1/2"	23 3/4"	20 1/2"	P10iMSC	P10iMSCW	



Stores approximately 300 letters. Smaller cabinet comes in 2 sections.

Pronto™ Change Arms & Accessories

NOTE: All Gemini Change Arms are sent with aluminum ratchets & head assemblies.





*NOTE: Additional shipping charge applies on 24' arms. 24' arms cannot ship on truck shipments. Will call pickup available in Missouri, New Jersey, Visalia & Georgia warehouses. Call for details.

Pronto™ Change Arm Assembly and Cup Replacements



Part #	Description		
P02CUP	2" Change Arm Cup Only		
P03CUP	3 3/4" Change Arm Cup Only		
P00CRAT	Change Arm Ratchet & Receiver, Cast Aluminum		
P02HEAD	Change Arm Head Assembly with 2" D Cup		
P03HEAD	Change Arm Head Assembly with 3 3/4" D Cup		



Pronto™ Changeable Copy, Acrylic Track & Rivets

Track Length	Part # Bottom Profile	Part # Dual Profile	Part # Top Profile	
8'	T08ACRYB	T08ACRYD	T08ACRYT	
10'	T10ACRYB	T10ACRYD	T10ACRYT	
12'	T12ACRYB	T12ACRYD	T12ACRYT	



Track Length	Part # Dual Profile
8'	T08ACRYM
10'	T10ACRYM
12'	T12ACRYM



Track Rivets

Part #	Description	Total Thickness Range*	Rivet Diameter
P00PRL	100 Pack Large White Rivets (Acrylic Track)	.375500	0.18
P00PRM	100 Pack Medium White Rivets (Polycarbonate Track)	.290440	0.18

^{*}Includes track & panel thickness


Top to Bottom Height

_						
Lines of Copy	3" Letter	4" Letter	6" Letter	8" on 9" Letter	8" Letter	10" Letter
1	5 1/2"	6 1/2"	8 1/2"	10 1/2"	11 1/2"	13 1/2"
2	10 3/8"	12 3/8"	16 3/8"	20 3/8"	22 3/8"	26 3/8"
3	15 1/4"	18 1/4"	24 1/4"	30 1/4"	33 1/4"	39 1/4"
4	20 1/8"	24 1/8"	32 1/8"	40 1/8"	44 1/8"	52 1/8"
5	25"	30"	40"	50"	55"	65"

Visible Opening for Track Spacing

3"	4"	6"	8" on 9"	8"	10"
Letter	Letter	Letter	Letter	Letter	Letter
3 1/4"	4 1/4"	6 1/4"	8 1/4"	9 1/4"	








NEW

Kota Pro™ Desk Holders & Wall Brackets

KOTA_{PRO}*

made in the

Desk Holders & Wall Brackets are for 1/16" Plastic.



2" Aluminum Desk Holders

Part No.	Description	Case Qty.
DSK228BK	2" x 8" Black Desk Holder	5
DSK228G	2" x 8" Rose Gold Desk Holder	5
DSK228S	2" x 8" Shiny Silver Desk Holder	5
DSK2210BK	2" x 10" Black Desk Holder	5
DSK2210G	2" x 10" Rose Gold Desk Holder	5
DSK2210S	2" x 10" Shiny Silver Desk Holder	5
DSK2212BK	2" x 12" Black Desk Holder	5
DSK2212G	2" x 12" Rose Gold Desk Holder	5
DSK2212S	2" x 12" Shiny Silver Desk Holder	5

1" Aluminum Wall Bracket

Part No.	Description	Case Qty.
WLL214G	1" x 4" Rose Gold Desk Holder	10
WLL214S	1" x 4" Shiny Silver Desk Holder	10
WLL216G	1" x 6" Rose Gold Desk Holder	10
WLL216S	1" x 6" Shiny Silver Desk Holder	10
WLL218G	1" x 8" Rose Gold Desk Holder	10
WLL218S	1" x 8" Shiny Silver Desk Holder	10
WLL2110G	1" x 10" Rose Gold Desk Holder	10
WLL2110S	1" x 10" Shiny Silver Desk Holder	10
WLL2112G	1" x 12" Rose Gold Desk Holder	10
WLL2112S	1" x 12" Shiny Silver Desk Holder	10







2" Aluminum Wall Bracket

Part No.	Description	Case Qty.
WLL224G	2" x 4" Rose Gold Wall Bracket	10
WLL224S	2" x 4" Shiny Silver Wall Bracket	10
WLL226G	2" x 6" Rose Gold Wall Bracket	10
WLL226S	2" x 6" Shiny Silver Wall Bracket	10
WLL228BK	2" x 8" Black Wall Bracket	10
WLL228G	2" x 8" Rose Gold Wall Bracket	10
WLL228S	2" x 8" Shiny Silver Wall Bracket	10
WLL2210BK	2" x 10" Black Wall Bracket	10
WLL2210G	2" x 10" Rose Gold Wall Bracket	10
WLL2210S	2" x 10" Shiny Silver Wall Bracket	10
WLL2212BK	2" x 12" Black Wall Bracket	10
WLL2212G	2" x 12" Rose Gold Wall Bracket	10
WLL2212S	2" x 12" Shiny Silver Wall Bracket	10

Custom IntePro ® Corrugated Plastic Blanks

Production time is typically 3-5 days (upon receipt of artwork and depending on size of order). Certain parameters and requirements apply. Our Customer Order Specialists will help you in making this determination. Call for quote on custom graphics. FOB SD Only.

CONTACT
US TODAY!
855.537.2228
Custom Order
Specialists







IntePro® Corrugated Plastic Blanks & H Stakes




IntePro® is a tough, waterproof, corrugated plastic sign material. The hollow-fluted design of IntePro® makes the material extremely lightweight, easy to handle and simple to display in a number of ways. Blanks and Stakes sold separately. Case Qty: 50






Detail of IntePro®



CP042418W Flute Direction






Part No.	Case Qty.
CP042418W	50
CP041824W	50
*STK101	50
*STK102	100
*STK103	25

Note:

^{*}Stakes Sold in Full Cases Only.



NEW

Kota Pro™ H Stakes

JDS Sign Supply JDS KOTA PRO

Save money without sacrificing quality when you order Kota Pro yard stakes for corrugated plastic signs. Kota Pro stakes are made with standard 9 gauge galvanized steel. Available in two different lengths, they are guaranteed not to rust.


- Designed for use with 4mm corrugated plastic signs
- Prongs fit into vertical flutes
- Available in 24" and 30" lengths

Case Qty: 50

STK201

9 Gauge Smooth Galvanized Steel 10" x 30"





STK202

9 Gauge Smooth Galvanized Steel 10" x 24"





A Division of JDS Industries



Cast Aluminum Plagues with 24" Aluminum Rod



SAMPLE SET #CASSET6 1 of each Silver/Black Aluminum Sign with 24" Rods

Plaques have raised, double borders and 1/16" recessed area for an engraved plate. Plaques are 1/4" thick. Plaques come with 24" aluminum rod for mounting. Engraving sheet stock sold separately.

Case Qty: 1

Indoor/Outdoor

CAS6106

Silver/Black Size: 10" x 6"

Plate Area: 8 3/4" x 4 3/4"

CAS6127

Silver/Black Size: 12" x 7 1/2" Plate Area: 10 3/4" x 6 1/4"

CAS61510

Silver/Black

Size: 14 3/4" x 9 3/4" Plate Area: 13 3/8" x 8 3/8"





Back of Plaque with **Aluminum Rod**

Rayburn Heights Zoo Tiger Exhibit In Memory Of Bob Luther



Cast Aluminum Plaques with Mounting Screws

Plagues have raised, double borders and 1/16" recessed area for an engraved plate. Plaques come with 4 screws for mounting. Plaques are 1/4" thick.

Engraving sheet stock sold separately.

Case Qty: 1



SAMPLE SET #CASSET7

1 of each Silver/Black Aluminum Sign with 4 Mount Screws



CAS7106

Silver/Black Size: 10" x 6"

Plate Area: 8 3/4" x 4 3/4"

CAS7127

Silver/Black Size: 12" x 7 1/2"

Plate Area: 10 3/4" x 6 1/4"

CAS71510

Silver/Black

Size: 14 3/4" x 9 3/4" Plate Area: 13 3/8" x 8 3/8"





Comes with set of 4 **Mount Screws**





JDS Sign Supply (JDS



Cast Aluminum Plagues with 24" Aluminum Rod

Plaques have raised, double borders and 1/16" recessed area for an engraved plate. Plaques are 1/4" thick. Plaques come with 24" aluminum rod for mounting. Engraving sheet stock sold separately. 1 of each Silver/Black Aluminum Sign with 24" Rods Case Qty: 1

Indoor/Outdoor

CAS164

Silver/Black Size: 6" x 4' Plate Area: 5" x 3"

CAS186

Silver/Black Size: 8" x 6" Plate Area: 7" x 5"

CAS1108

Silver/Black Size: 10" x 8" Plate Area: 9" x 7"

Indoor

CAS264

Bronze/Brown Size: 6" x 4" Plate Area: 5" x 3"

CAS286

Bronze/Brown Size: 8" x 6" Plate Area: 7" x 5"

CAS2108

Bronze/Brown Size: 10" x 8" Plate Area: 9" x 7"









Engraving Sheet Stock Sold Separately.



SAMPLE SET #CASSET1

SAMPLE SET #CASSET2

1 of each Bronze/Brown Aluminum Sign with 24" Rods



Back of Plaque with Aluminum Rod



Cast Aluminum Plagues with Mounting Screws

Plaques have raised, double borders and 1/16" recessed area for an engraved plate. Plaques come with 4 screws for mounting. Plaques are 1/4" thick.

Engraving sheet stock sold separately.

Case Qty: 1

Indoor/Outdoor


CAS393 CAS386

Silver/Black Silver/Black Size: 9" x 3" Size: 8" x 6" Plate Area: 8" x 2" Plate Area: 7" x 5"

CAS364

CAS3108

Silver/Black Silver/Black Size: 6" x 4" Size: 10" x 8" Plate Area: 5" x 3" Plate Area: 9" x 7"



SAMPLE SET #CASSET3

1 of each Silver/Black Aluminum Sign with 4 Mount Screws

SAMPLE SET #CASSET4

1 of each Bronze/Brown Aluminum Sign with 4 Mount Screws

Indoor

CAS486 CAS493 Bronze/Brown

Bronze/Brown Size: 9" x 3"

Plate Area: 8" x 2"

CAS464 CAS4108 Bronze/Brown

Size: 6" x 4" Plate Area: 5" x 3"

Bronze/Brown Size: 10" x 8" Plate Area: 9" x 7"

Plate Area: 7" x 5"

Size: 8" x 6"











Graphtec FC9000 Series

GRAPHTEC Graphtec America, Inc.

All New, FC9000 Series, High-Performance Cutting Plotters. The Elite FC9000 Series Plotters can now load and cut via USB Flash Memory without a PC.



30" Graphtec Cutting Plotter



42" Graphtec Cutting Plotter

HIGH PERFORMANCE STRONG • FAST • PRECISE





64" Graphtec Cutting Plotter

Load and Cut Via USB Flash Memory without a PC!

Re-Engineered for Greatness

A re-engineered feeding system, tool head, and new ARMS sensor further contribute to the FC Series' class leading performance.

Print & Cut Perfected

New ARMS 8.0 features the introduction of the Datalink Barcode System in addition to other accuracy and efficiency boosting functions.

All-in-One System

Easily create and cut high quality designs with Cutting Master 4 and Graphtec Pro Studio software. Included Media Flanges and Blade Loupe ensure accurate tracking and blade setup.



Best In Class Ability

Wider range of compatible medias from thick to thin. Minimum cutting width of 1.96".

Max Cutting Force

Max Cutting Speed up to

Max Acceleration

543 in/s2

ISM Intelligent Scan Mode

Accurately cuts graphics printed on high intensity reflective, ultra-gloss and textured media.

Expanded Area Cutting

Cuts outside the registration marks. Yields up to 30% higher output.

3 Year Limited Warranty

Parts & Labor



JDS Sign Supply

Graphtec America, Inc.

Graphtec CE7000 Series



CE7000-40

15" Graphtec Cutting Plotter





Increased Max Cutting Force

ARMS 8.0

Graphtec's renowned Advanced Registration Mark Sensing system produces highly accurate print & cut results. Produce copies without a PC connection.

- Tangential Emulation
- Digital Servo Motors
- 2-Year Standard Warranty

Max Cutting Speed up to

24 in/s (40) 35 in/s (60) 39 in/s (130)

Intuitive Operation

User friendly 3.3" LCD Control Panel. EZ-to-use in simple operation mode.

Software Included



Max Cutting Area

15" x 164' (40) 24" x 164' (60) 50" x 164' (130)

Expanded Area Cutting

Cuts outside the registration marks. Yields up to 30% higher output.



CE7000 Plus/FC9000 Series Accessories

Accessories are for both the CE7000-Plus & FC9000 Series unless noted otherwise.



CE6-CM60-2

Graphtec Teflon Mat/Strip 2-Pack for CE7000 Plotter



2 Pack Supersteel Blade Angle: 45° Diameter: 1.5mm

CB15U-5

5 Pack Supersteel Blade Angle: 45° Diameter: 1.5mm

CB09UB-2

2 Pack Supersteel Blade Angle: 45° Diameter: 0.9mm

CB09UB-5

5 Pack Supersteel Blade Angle: 45° Diameter: 0.9mm



PG0103 CE7000-60 Media Basket



CE7000-130 Media Basket

PHP33-CB09N-HS 0.9MM Cutting Blade Holder




Part #	Description
GPP-CE7000	CE7000 Series 5 Year
	Warranty Protection Plan
GPP-FC9000	CE9000 Protection Plan
OGP4-FC9000	CE9000 On Site 4 Year
	Warranty Protection Plan
OGP5-FC9000	CE9000 On Site 5 Year
	Warranty Protection Plan



Geo Knight & Co, Inc. Heat Presses & Supplies







FEATURES

- Compact Portable Table-Top Design
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Super-portable light machine weight 62 lbs!
- · Extreme high pressure capability
- Solid Steel framework
- SuperCoil-Microwinding[™] heater technology
- · Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F can show °C or °F
- User selectable end-of-cycle alarms
- · Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5-year warranty on frame
- · 3-year warranty on controller
- 1 year warranty on parts

SPECS

- Weight: 76 Lbs
- Electrical: 1200W / 10A / 110V
- Shipping Dims: 24"L x 20"W x 21"H
- (add \$35 for 220V international)



FEATURES

- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- 70 Programmable presets
- Solid steel welded framework
- · Interchangeable tables
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 1" thick
- Temperature readout accuracy +-2°F can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done

WARRANTY

- FREE LIFETIME Tech Support!
- · Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

• Weight: 440 Lbs

Electrical: 4500W / 21A / 220V(only)
Dimensions: 36"D x 36"W x 48"H

JDS Sign Supply JDS

Geo Knight & Co, Inc. Heat Presses & Supplies







FEATURES

- All-Thread[™] table loading design
- Fully digital temperature control 32°-600°F range
- · Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- 70 Programmable presets
- Solid steel welded framework
- Instantly interchangeable & rotatable tables
- SuperCoil-Microwinding[™] heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Weight: 200 Lbs
- Electrical: 1800W / 15A / 120V
- Dimensions: 40"D x 18"W x 16"H
- (add \$35 for 220V international)

GKDKASTAND Universal Heat Press Stand for:

- GKDK20S
- GKDK20SP
- GKDC16 • GKDC16AP
- GKDK20
- GKDK16

SPECS:

- Solid steel welded framework
- Lockable rolling casters
- Weight: 77 Lbs
- Shipped Dimensions: 26"D x 16"W x 8"H
- Assembled Dimensions: 36"D x 24"W x 29"H



FEATURES

- Fully digital temperature control 32°-600°F range
- · Automatic digital timer & dual pre-press timer

GKDK20SP

Air regulator and gauge 20-100 PSI range (compressor req)

16" x 20" Digital Knight Air Automatic

- Total applied force of 3000 lbs max
- 70 Programmable presets
- Solid steel welded framework
- Interchangeable tables
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- · 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Air Compressor Required (min): 7gal, 1cfm, 100psi, 1/4" line
- Weight: 220 Lbs
- Electrical: 1800W / 15A / 120V
- Dimensions: 32"D x 27"W x 18"H
- (add \$35 for 220V international)



Geo Knight & Co, Inc. Heat Presses & Supplies







FEATURES

- Fully digital temperature control (32°-600°F range)
- · Automatic digital timer & dual pre-press timer
- 70 Programmable presets
- · Hardened high-strength pivot points
- · Solid steel framework
- 6" x 8", 3" x 5", 3" x 3" interchangeable tables included
- Self lifting gas-spring & wide opening
- \bullet Temperature readout accuracy of $\pm 2^{\circ}F$ -- Can show $^{\circ}C$ or $^{\circ}F$
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Non-stick-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Weight: 65 Lbs
- Electrical: 600W / 5A / 110V
- Shipping Dimensions: 19"L x 12"W x 18"H
- (add \$35 for 220V international)



FEATURES

- Fully digital temperature control 32°-600°F range
- · Automatic digital timer & dual pre-press timer
- 70 Programmable presets
- · Hardened high-strength pivot points
- Solid steel framework
- Both STANDARD *and* EURO (mid-sized) bottom forms included
- · Self lifting gas-spring, & wide opening
- Cap hold-down device
- Temperature readout accuracy +-2°F can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Weight: 50 Lbs
- Electrical: 450W / 4A / 110V
- Dimensions: 19"L x 12"W x 18"H
- (add \$35 for 220V international)

Interchangeable Tables for GKDK7



GKDKAYOUTHSmall Curved Cap Form

Small Curved Cap Form Size: 3" x 5" Case Qty: 1

JDS Sign Supply JDS

Geo Knight & Co, Inc. Heat Presses & Supplies







GKDK20 16" x 20" Clamshell Press

FEATURES

- All-Thread[™] table loading design
- Fully digital temperature control 32°-600°F range
- · Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- Super-portable light machine weight 103 lbs!
- Extreme high pressure capability
- Hardened high-strength pivot points
- Interchangeable tables
- Solid steel framework
- SuperCoil-Microwinding™ heater technology
- · Self lifting gas-spring & wide opening
- Temperature readout accuracy +-2°F can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Weight: 103 Lbs
- Electrical: 1800W / 15A / 110V
 Dimensions: 36"L x 17"W x 16"H
 (add \$35 for 220V international)

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.



14" x 16" Clamshell Press

FEATURES

- All-Thread™ table loading design
- Fully digital temperature control 32°-600°F range
- · Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- Super-portable light machine weight 83 lbs!
- Extreme high pressure capability
- Hardened high-strength pivot points
- Interchangeable tables
- Solid steel framework
- SuperCoil-Microwinding™ heater technology
- Self-lifting gas-spring & wide opening
- Temperature readout accuracy +-2°F can show °C or °F
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- · Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Weight: 83 Lbs
- Electrical: 1500W / 12A / 110V
 Dimensions: 32"L x 17"W x 16"H
 (add \$35 for 220V international)





Geo Knight Digital Combo Heat Presses







GKDC16 14" x 16" Manual Digital Combo Swing-Away Press

FEATURES

- Fully digital temperature control 32°-600°F range
- · Automatic digital timer & dual pre-press timer
- Digital Pressure Bar Graph
- Interchangeable Heat Platens & Tables
- Solid steel welded framework
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F can show °C or °F
- 70 Programmable presets
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen


WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Shirt & Tile attachments included
- Weight: 135 lbs
- Electrical: 1500W / 12A / 120V
 Dimensions: 22"W x 22"D x 22"H
- (add \$35 for 220V international)

All George Knight Heat Press Products will be drop shipped F.O.B. Massachusetts. No Free Freight Available. Visit www.heatpress.com for more detailed product information.



GKDC16AP

14" x 16" Automatic Digital Combo Swing-Away Press

FEATURES

- Automatic air operated pressing
- Fully digital temperature control 32°-600°F range
- Automatic digital timer & dual pre-press timer
- Air regulator and gauge 20-100 PSI range (compressor req)
- Total applied force of 800 lbs max
- Interchangeable Heat Platens & Tables
- Solid steel welded framework
- SuperCoil-Microwinding™ heater technology
- Accommodates materials up to 2" thick
- Temperature readout accuracy +-2°F can show °C or °F
- 70 Programmable presets
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen

WARRANTY

- FREE LIFETIME Tech Support!
- Lifetime warranty on heat platen
- 5 year warranty on frame
- 3 year warranty on controller
- 1 year warranty on parts

SPECS

- Air Compressor Required (min): 5gal, .5cfm, 100psi, 1/4" line
- Weight: 140 Lbs
- Electrical: 1500W / 12A / 120V
- Dimensions: 23"L x 23"W x 23"H
- (add \$35 for 220V international)

JDS Sign Supply

Geo Knight Digital Combo Press Attachments









GKDCMUGFULL Mug Attachment

The full wrap mug attachment for the Digital Combo uses the same exact super-robust heater band & pressure adjustment as the GKDK3. The Digital Combo press controls the temperature and serves as a timer for this instant plug-in attachment.



GKDCCAP 4" x 7" Cap Attachment

Caps are flawlessly printed with a curved heater block and curved bottom form with a special cap stretching device. Optional interchangeable bottom forms available.

Attachment shown installed on press. Press sold separately.

GKDCPLATE Plate Attachment

The plate die platens feature quickly inter-changeable components for allowing the circular heating element to press inside ceramic plates. Also included is a template tray and pad for centering the plate.

Attachment shown installed on press. Press sold separately.

Interchangeable Tables for GKDCCAP



GKDKAYOUTH Small Curved Cap Form Size: 3" x 5"

Case Qty: 1



GKDKAEURO Medium Curved Cap Form Size: 3 1/2" x 6 1/2" Case Qty: 1



Digital Combo Press easily transforms from a standard press into a Mug Press, Cap Press or Plate Press using available attachments. (Attachments sold separately)



SIGN SUPPLY A Division of JDS Industries

HIX® Heat Presses



HXSWNG20 16" x 20" Swing-Away Press

FEATURES

- Full color LCD touch screen
- Heavy duty, even heating, swing-away platen
- Digital pressure readout for consistent transfer pressure
- Digital timer (adjustable up to 99 minutes 59 seconds)
- Calibrated digital temperature control (up to 450°F)
- Full adjustable pressure control
- Self leveling lower platen
- Applies transfers to items up to 1 3/4" thick

WARRANTY

- · Lifetime warranty on heat platen
- 1 year warranty on components

SPECS

• Weight: 119 Lbs



FEATURES

- Metal enclosure
- Full color LCD touch screen
- Calibrated digital temperature control up to 450°F
- · Automatic digital timer
- · Open/Close handle has spring assist
- Full range pressure adjustment
- ETL-US and ETL-Canada certified

WARRANTY

- Lifetime warranty on heat platen
- 1 year warranty on components

SPECS

- Weight: 84 Lbs
- Dimensions: 33"D x 21"W x 18"H

All HIX® Heat Presses will be drop shipped F.O.B. Kansas. No Free Freight Available. ÜSÄ DBRLSSC





FEATURES

- Full color LCD touch screen
- Heavy duty, even heating, swing-away platen
- Digital pressure readout for consistent transfer pressure
- Digital timer (adjustable up to 99 minutes 59 seconds)
- Calibrated digital temperature control (up to 450°F)
- Full adjustable pressure control
- Self leveling lower platen
- Applies transfers to items up to 1 3/4" thick

WARRANTY

- · Lifetime warranty on heat platen
- 1 year warranty on components

SPECS

Weight: 190 Lbs



HXHT600C 16" x 20" Clamshell Press

FEATURES

- Metal enclosure
- Full color LCD touch screen
- Calibrated digital temperature control up to 450°F
- · Automatic digital timer
- Open/Close handle has spring assist
- Full range pressure adjustment
- ETL-US and ETL-Canada certified

WARRANTY

- Lifetime warranty on heat platen
- 1 year warranty on components

SPECS

- Weight: 95 Lbs
- Dimensions: 33"D x 21"W x 18"H

*Heat Presses are not combinable for free freight with standard stock orders under \$500.

INSTA Graphic Systems Manual Heat Presses





INSTA Presses feature interchangeable bottom platens.



INSTA256 16" x 20" Swing-Away Press

FEATURES

- Quick-Change™ Interchangable Accessory Platens
- Integrated digital controller which features controls for time, temperature (F or C) & auto-off
- Full dressability front and back
- One-piece ergonomic wrap-around stainless steel handle

WARRANTY

- Lifetime warranty on heat platen
- 1 year warranty on parts
- 90 days on labor

SPECS

• Weight: 121 Lbs

Dimensions: 40"D x 32"W x 22"H
Electrical: 1750W / 14.6A / 120V

All Insta Heat Presses will be drop shipped F.O.B. California. No Free Freight Available.



INSTA288 20" x 25" Swing-Away Press

FEATURES

- H-frame and lightweight construction
- Quick-Change[™] Interchangable Accessory Platens
- Integrated digital controller which features controls for time, temperature (F or C) & auto-off
- · Full dressability front and back
- One-piece ergonomic wrap-around stainless steel handle

WARRANTY

- · Lifetime warranty on heat platen
- 1 year warranty on parts
- 90 days on labor

SPECS

• Weight: 200 Lbs

Dimensions: 49"D x 39"W x 22"H
Electrical: 3300W / 14.4A / 230V









XF

Fusion IQ®

16" x 20

Functioning as either a swing-away or draw press, the 16" x 20" Fusion IQ offers a heat-free workspace, touch screen settings and live digital time, temperature and pressure readouts. Plus, with industry-exclusive Threadability™, you can position a garment once, rotate, and decorate any area.

FEATURES

- New Fusion IQ[™] controller features troubleshooting and self-diagnostic capabilities
- Optional quick-change lower platens, no tools required
- Touch Screen Technology: program an unlimited number of frequently used application settings
- · Production cycle counter, auto on/off settings, and eight optional language settings
- Program up to four different pressure and time settings
- Track performance and print productivity reports from anywhere with the new Hotronix online portal
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- Must have dedicated circuit breaker

WARRANTY

- · Heating Element Lifetime
- Framework 5 years
- Circuit Board 2 years
- Parts & Labor 1 year

SPECS

- · Actual weight: 137 lbs
- Ship weight: 150 lbs
- Ship dim. 37" x 25" x 24"



STXCP

360 IQ® Hat Press

6" x 5

The innovative 360° print area lets you print the front, back, and sides of a cap without removing it from the press.

FEATURES

- Molded platen to reduce creasing and scorching
- One-size-fits-all platen transition between cap sizes without having to change platens
- Independently controlled upper and lower heated platens
- Heated lower platen makes it easy to apply patches and emblems
- Wide opening offers a heat-free workspace
- Opens automatically, reducing risk of over-application
- · Digital time, temperature, and pressure display
- Electrical Options: 120 v; 10 amps; 800 w / 240 v; 5 amps; 800 w
- Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- Framework 5 years
- Circuit Board 2 years
- Parts & Labor 1 year

SPECS

- · Actual weight: 44 lbs
- Ship weight: 50 lbs
- Ship dim. 26" x 15" x 24"







Dual Air Fusion IQ® 16" x 20" Dual Platen Press

With two heat platen stations, this heat press increases efficiency by allowing threading and layout on one station while the other is being pressed. It's perfect for high-volume operations and for DTG applications.

- New Fusion IQ™ controller with larger, higher-resolution screen, plus troubleshooting and self-diagnostic capabilities
- Program each station to work independently or in unison with Position-Based Recipe printing
- Full Threadability™ on lower platens: position the garment, rotate, and decorate any area
- Auto Adjust Pressure™: Set four different time and pressure settings that adjust automatically for your recipe
- Exclusive Auto-Adjust Pressure™ automatically adjusts to the thickness of the item being printed
- Digital time, temperature, and pressure readouts
- Operates in full-auto, semi-auto, or manual modes
- Touchscreen stores frequently used settings, production cycle counter, and auto on/off capability
- 120 PSI for heavy-pressure application
- · Requires air compressor (not included) with minimum: 1 horsepower and 8-gallon hold tank. Uses 3.8 CFM
- 240 v; 15 amps; 3500 w
- Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- · Framework 5 years
- · Circuit Board 2 years
- · Parts & Labor 1 year

SPECS

- · Actual weight: 260 lbs
- Ship weight: 410 lbs
- Ship dim. 45" x 45" x 35"



XRF

Air Fusion IQ®

16" x 20" Swing-Away Press

Perfect for high-volume shops, specialty decorators, and Direct-to-Garment applications, the air-powered Air Fusion IQ heat press features a 16" x 20" heated upper platen and swing motion, for a heat-free workspace. Available in tabletop or adjustable-height pedestal stand models.

FEATURES

- New Fusion IQ[™] controller features troubleshooting and self-diagnostic capabilities
- Track performance and print productivity reports from anywhere with the new Hotronix Online Portal
- New larger, higher resolution screen with improved touchscreen response
- Exclusive Auto-Adjust Pressure™ automatically adjusts to the thickness of the item being printed
- Full Threadability™ on the lower platen: position the garment, rotate, and decorate any area
- Auto open, auto swing design, with a foot pedal reduces fatigue
- Touchscreen stores frequently used settings, production cycle counter, and auto on/off capability
- . 120 PSI for high-pressure applications
- Optional quick-change platens; no tools required
- Optional Platens: 7" Round, 6" x 10", 8" x 10" & 11" x 15"
- Program up to four different pressure and time settings
- Requires air compressor (not included) with minimum: 1/2 horsepower and 2.5-gallon hold tank. Uses 2.3 CFM
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- · Must have dedicated circuit breaker

WARRANTY

- · Heating Element Lifetime
- Framework 5 years
- · Circuit Board 2 years
- · Parts & Labor 1 year

- · Actual weight: 152 lbs
- Ship weight: 245 lbs
- Ship dim. 40" x 48" x 58"



Table Top Air Fusion IQ®

16" x 20" Swing-Away Press

For Features & Warranty, refer to information listed above.

SPECS

- · Actual weight: 126 lbs
- . Ship weight: 180 lbs
- Ship dim. 37" x 24" x 24"





A Division of JDS Industries

NEW

HOTRONIX® Heat Presses

Auto Open Clam

The Auto Clam opens automatically when time is up, preventing over-application and scorching, and allowing you to focus on more than one job at once.

FEATURES

- Easy-to read digital time, temperature, and pressure display for accurate, consistent printing
- Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure, regardless of substrate thickness
- · Wide opening for easy layout
- · Space-saving clamshell design
- Patented magnetic auto-open feature prevents over-application
- · Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- Optional interchangeable lower platens available
- 11" x 15" Electrical Options: 120 v; 8.3 amps; 1000 w / 240 v; 4.5 amps; 1000 w
- 16" x 16", 16" x 20" Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- · Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- Framework 5 years
- · Circuit Board 2 years
- Parts & Labor 1 year

SPECS

- Actual weight: 59-87 lbs
- Ship weight: 72-100 lbs
- Ship dim. 36" x 25" x 21"





STX20

16" x 20'

Assembled in the USA DBRLSSC

Hotronix IIIIIIII.



With two modes — hover for curing or press for application — the 16" x 20" Hotronix Hover heat press is great for DTG and screen printing operations, as well as heat transfer applications.

FFATURES

- Hover mode cures DTG designs without smearing ink
- Opens automatically to prevent over-application
- · Space-saving clamshell design
- · Easy-to read digital time, temperature, and pressure readouts
- 3/4" flotation upper heat platen
- Optional Platens: 7" Round, 6" x 10", 8" x 10" & 11" x 15"
- Interchangeable lower platens available in a variety of sizes (sold separately)
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- · Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure regardless of substrate thickness
- Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- Framework 5 years
- Circuit Board 2 years
- Parts & Labor 1 year

SPECS

- · Actual weight: 87 lbs
- . Ship weight 100 lbs
- Ship dim. 36" x 25" x 21"







JDS Sign Supply (JDS



STXC Auto Cap 3 1/2" x 6"

Spur add-on sales and decorate the whole uniform with this easy-to-use cap heat press, designed to decorate caps of all sizes.

- · Patented magnetic auto-open feature prevents over-application
- · Hold-down device secures cap and creates a smooth surface
- Decorate head wear of all shapes, styles, and sizes with available optional platens
- · Easy-to-read digital time, temperature, and pressure display for consistent printing
- Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- Under-the-Center Pressure Adjustment ensures even, edge-to-edge heat and pressure
- Optional Platens: 2 3/4" x 6 1/2", 3" x 5 3/4", 4" x 6 1/2" & 4" x 8"
- Space saving clam shell design
- Electrical Options: 120 v; 4 amps; 500 w / 240 v; 2 amps; 500 w
- · Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- Framework 5 years
- · Circuit Board 2 years
- · Parts & Labor 1 year

SPECS

- · Actual weight: 30 lbs
- Ship weight: 41 lbs
- Ship dim. 26" x 15" x 21"



STX6L LowRider

Heat apply collar labels, small patches, and other small designs with this compact heat press. Lightweight and portable for mobile heat-application opportunities.

FEATURES

- Patented magnetic auto-open feature prevents over-application
- Easy-to-read digital time, temperature, and pressure display for consistent printing
- Space-saving clam shell design
- · Locks down easily with patented magnetic assist, causing less fatigue on wrists and shoulders
- Twin Timer™ allows user to pre-set individual time settings for two-step application or for pre-heating and application
- · Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure regardless of the substrate thickness
- Platens included: 6" x 6", 4" round, 6" x 1 7/8" x 5 7/8" (Y shaped)
- Electrical Options: 120 v; 3 amps; 360 w / 240 v; 1.5 amps; 360 w
- · Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- Framework 5 years
- · Circuit Board 2 years
- · Parts & Labor 1 year

SPECS

- · Actual weight: 28 lbs
- . Ship weight: 41 lbs
- Ship dim. 26" x 15" x 21"





A Division of JDS Industries



MAXX® Heat Presses

Maxx Clam

This affordable, easy-to-use heat press is perfect for start-ups or home-based businesses. It's also an excellent choice as a second heat press, and portable for on-site heat applications.

FEATURES

- Three sizes available 16" x 20", 15" x 15", 11" x 15"
- Easy-to-read digital time and temperature display for consistent printing
- · Wide opening for easy layout
- · Space saving clam shell design
- Patented Over-the-Center Pressure Adjustment for even, edge-to-edge heat and pressure regardless of substrate thickness
- Smooth-shock opening
- Coated non-stick heat platen
- Optional interchangeable lower platens available
- 11" x 15" Electrical Options: 120 v; 8.3 amps; 1000 w / 240 v; 4.5 amps; 1000 w
- 15" x 15", 16" x 20" Electrical Options: 120 v; 15 amps; 1800 w / 240 v; 7.5 amps; 1800 w
- Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- Parts & Labor 1 year

SPECS

- Actual weight: 59-87 lbs
- Ship weight: 72-104 lbs
- Ship dim. 36" x 25" x 21"

маххс махх Сар

This affordable, easy-to-use cap heat press is great for decorators getting into heat pressing caps and hats. With a 3.5" x 6" platen, it can be used with a wide variety of caps and is lightweight and portable. Great for mobile heat assisted operations.

FEATURES

- Hold down device secures cap and creates a smooth surface
- Easy-to-read digital time and temperature display for consistent printing
- Optional interchangeable platens available to help print headwear of any shape, style, and size
- Optional Platens: 3" x 5 3/4", 2 3/4" x 6 1/2", 4" x 6 1/2" & 4" x 8"
- Under-the-Center Pressure Adjustment ensures even, edge-to-edge heat and pressure
- · Coated non-stick heat platen
- Smooth-shock opening
- Electrical Options: 120 v; 4 amps; 500 w / 240 v; 2 amps; 500 w
- · Must have dedicated circuit breaker

WARRANTY

- Heating Element Lifetime
- Parts & Labor 1 year

SPECS

- · Actual weight: 30 lbs
- Ship weight: 40 lbs
- Ship dim. 26" x 15" x 21"





STAHLS' **Hotroni**x'









Power Platens & Accessories

Reduce the risk of scorching on heat-sensitive fabrics with this innovative heated lower platen.

Power Platens & Accessories	Part Number
16" x 20" Power Platen	LHP20
11" x 15" Power Platen	LHP11
6" x 6" Power Platen	LHP6
6" x 20" Power Platen Sleeve/Leg	LHPLS

Requires the Power Platen Controller (sold separately) Not compatible with the Hotronix Fusion IQTM or draw presses.

LHPF Power Platen Family

Includes all the above individual products. The Power Controller Housing, 16" x 20" Power Platen, 11" x 15" Power Platen, 6" x 6" Power Platen, 6" x 20" Power Platen Sleeve/Leg.

LHPC **Power Platen Control Housing**

Power Platen Control Housing is needed for any of the individual platens to work. You only need one controller, any of the individual platens can plug into it.



PLTAGA Tag Along™ HP Platen

The Tag Along™ HP Platen, a patented design of Livingston Systems, allows you to thread your garment onto the platen and apply a full front and tagless label in one simple step. Works with select 16" x 20" heat presses.

FEATURES

- · Design helps load shirts straight
- 16" x 15" full front print area
- 3 1/4" x 3 1/4" tag print area

SPECS

- · Actual weight: 20 lbs
- Ship weight: 23 lbs
- Ship dim. 26" x 20" x 5"

Must be used with a threadable heat press.









Quick Change Platens

Description	Part Number
4" x 4" - for small garments & accessories	PL4X4
7" Round - for duffle bags	PL7R
8" x 10" - for tote bags	PL8X10
6" x 10" - for left chest & hoodie pockets	PL6X10
11" x 15" - for women & children's apparel	PL11X15
Best Value - Set of 3 (7" round, 8" x 10", 6" x 10")	PLSET3
16" x 20" Double Sleeve/Leg Platen - for long slender items	PLDLS
6" x 20" Fusion Sleeve/Leg Platen - for long slender items	PLLS
6" x 15" Shoe Platen - for athletic footware	PLSHOE
Can Cooler Platen - for 8 collapsible coolers	PLCAN
Hat Bill Platen - for underside or top	PLHBILL
Baby Cap Platen - Size: 2 1/2" x 3"	PLCAP2X3
Standard Cap Platen - Size: 3 1/2" x 6"	PLCAP3X6
A2Z - for left chest & hoodie pockets, Size: 6" x 10"	PL6X10-A2Z
6" x 6" Lower Platen	PL6X6

CHOOSING THE RIGHT PLATEN FOR YOUR JOB

	_					XEE					
	4" x 4"	7"	6" x 10"	8" x 10"	11" x 15"	Hat Bill	Shoe	Can Cooler	Sleeve/Leg	Double Sleeve/Leg	Tag Along™ HP Platen
DUAL AIR FUSION IQ®	~	~	~	~	~	~	~	~	~	~	~
AIR FUSION IQ°	~	~	~	~	~	~	~	~	~	~	~
FUSION IQ°	~	~	~	~	~	~	~	~	~	~	~
HOVER PRESS™ (16" x 20")	~	~	~	~	~	~	~	~		~	~
AUTO OPEN CLAM (16" x 20")	~	~	~	~	~	~	~	~		~	>
AUTO OPEN CLAM (16" x 16")	~	~	~	~	~	~	~				
AUTO OPEN CLAM (11" x 15")	~	~	~	~	~		~				
THE MAXX® CLAM (16" x 20")	~	~	~	~	~	~	~	~		~	>
THE MAXX® CLAM (15" x 15")	~	~	~	~	~	~	~				
THE MAXX® CLAM (11" x 15")	~	~	~	~	~		~				
BEST FOR:	Youth apparel and accessories with seams, zippers and buttons.	Gym bags and items requiring a round print surface.	Youth apparel and smaller items.	Items that require a smaller surface.	Youth or smaller women's apparel. Also great for longer names and designs.	Underside or top of a hat bill.	Shoes with a printable area of 2" x 4".	Up to eight can coolers.	Sleeves, legs, and other long, slender items. Also used for oversized billboard prints.	Faster decoration of two sleeves or legs at a time.	Quickly applying shirt fronts and tagless labels at the same time.













Interchangeable Cap Platens	Part Number	Size
All Star	PLCAP2X6	2 3/4" x 6 1/2"
Rookie	PLCAP3X5	3" x 5 3/4"
Slugger	PLCAP4X6	4" x 6 1/2"
Champ	PLCAP4X8	4" x 8"
Best Value - Set of 4 (1 each)	PLCAPS4	1 of each size

Only to be used with Auto Cap and Maxx Cap heat presses, not the 360 IQ Hat press

Platen Covers

Increase the life and productivity of your heat press. Our Quick Slip pad protectors reduce wear and tear on the lower platen of your heat press and make garment placement quicker and easier.

Quick Slip Lower Platen Protectors

Part Number	Size
1-2375	6" x 10"
1-2374	8" x 10"
1-2153	11" x 15"
1-2154	15" x 15"
1-2155	16" x 16"
1-2156	16" x 20"
1-2465	7" round
1-2378	6" x 20"





Upper Platen Covers

Part Number	Size
1-2180	16" x 20"

Silicone Upper Platen Cover

Part Number	Size
1-2334	16" x 20"











KIT3-1298 Laser Alignment System

The Laser alignment system is designed to increase efficiency when decorating apparel. Use the 4 lasers to show exactly where the logo or design needs to be placed. Set up is easy with the Layout Alignment Wizard™. Turn on the lasers, place the wizard on the lower platen and manually adjust the lasers to match the lines. Perfect placement every time.

- · 4 individual lasers are flexible and can be aligned manually.
- . Compatible with any heat press, including Hotronix or MAXX.
- · Layout Alignment Wizard is included.
- 3 Ft. electrical cord with A/C adaptor is included.
- Requires 18-inch table space.



1-2310-2 Heat Press Caddie Stand

Heat Press Caddie gives the ability to add industry-exclusive Threadability™ to any Hotronix® Auto Open Clam, Hover press, or MAXX® Clam heat press. This stand is not compatible with the Fusion IQ.

SPECS

- Size: 32" x 32" x 34" 39"
- Weight: 61 lbs

1-2410-1 Heat Press Counter Caddie

This countertop version of our Heat Press Caddie sits on a flat work surface. It adds industry-exclusive Threadability $^{\text{TM}}$ to any Hotronix® Auto Open Clam, Hover press, or MAXX® Clam heat press. This stand is not compatible with the Fusion IQ.

SPECS

- Size: 22" x 12" x 6"
- Table Height: 30" Recommended
- Weight: 26 lbs



1-2364 Printing Equipment Cart

Adjustable, portable cart for a heat press, vinyl cutter, laser cutter, or DTG. It can also double as an extra layout table.

- Heavy duty steel cart.
- Crank raises the cart to a maximum height of 35" or lowers to 17".
- · Comes fully assembled.
- · Holds up to 600 lbs.
- · Casters allow the cart to be moved

SPECS

- Table top: 37.6"L x 24"W x 17.3"H
- Adjustable Height from: 17" to 35"
- Actual weight: 122 lbs.
- Ship weight: 126lbs.
- Ship dim. 38.2" x 24.8" x 18.11"









WT-1000-110 Stahls' EZ Weeding Table

The Stahls' EZ Weeding $^{\rm TM}$ Table warms heat transfer vinyl, saving an average of 60% weeding time.

DIMENSIONS

- 39"L x 27 1/2"W x 4"H (Closed)
- 39"L x 27 1/2"W x 17"H (Open)
- Shipping dimensions: 31" x 43" x 8"
- Weight: 27 lbs




CLWP-STAHLS CAD-CUT Weeding Panel

This lightweight, portable panel heats to 130° F to soften your heat transfer vinyl's adhesive and make weeding easier. Its low cost and sturdy construction make it a valuable tool for any shop. Includes mini adhesive pads to keep panel stable.

SPECS

- Size: 16" x 22"
- Weight: 9 lbs



TK-STAHLS Heat Seal Machine Test Kit

The leading cause for ruined garments is a heat press with cold spots. This test kit makes sure your heat press has accurate temperature.

- Includes 5 strips
- Designed to check temperature accuracy of your heat press machine











Cover Sheets TSL-STAHLS Reusable Cover Sheet

Size: 18" x 20" x 6 mil

This reusable cover sheet leaves a smooth semi-gloss finish on heat transfer materials.

KP1620 Kraft Paper

(25 pack) Size: 16" x 20"

Protect the upper platen of your heat press and leave a matte finish on heat transfer material.



Heat Press Pillows

The right heat press accessories allow you to offer more hard-to-decorate items. Heat Press Pillows raise the print area around thick seams, zippers, and pockets to ensure even pressure and perfect application every time.

Made with a 3/4" foam pad inside a non-stick Teflon cover for easily sliding in and out of items, Heat Press Pillows are the perfect alternative if ThreadabilityTM isn't an option. They come in a variety of sizes great for heat pressing sleeves, legs, hoodies, youth, and women's apparel.

Part Number	Size
TPS-STAHLS	6" x 8"
TPY-STAHLS	10" x 10"
TPL-STAHLS	5" x 18"
TPD-STAHLS	12" x 14"
TP-STAHLS	16" x 20"



Print Perfect Pads*

Print perfect pads have a similar purpose as heat printing pillows but work differently. While heat printing pillows allow the zippers and seams to depress into the pillow, print perfect pads actually raise the printing area to work around these elements. They are also the recommended accessory for screen printed or digital transfers because they maintain even pressure.

Part Number	Size
KIT3-1315	8" x 10"
KIT3-1316	5" x 6"
KIT3-1319	3 1/2" x 15"



RP22-STAHLS Flexible Application Pad

Size: 18" x 22"



Foam Cover Pads*

Part Number	Size
1-2581	4" x 8" x 1/8"
1-2583	4" x 8" x 1/4"
1-2657	16" x 20" x 1/8"









EZW-STAHLS Easy Weeder

The EZ Weeder® makes it easy to weed detailed design cavities from heat transfer materials and printable heat transfer materials.



HE-STAHLS Heat Eraser

Cool your designs faster with a heat eraser. Great tool to use when you're working with cold peel materials.



T-STAHLS Thermo Tape™

Size: 3/8" x 72 yd

Use this heat resistant tape to keep graphics and lettering in place before and during heat press application.



TH-STAHLS Thermo Tape™ Dispenser

Slip resistant dispenser with a rubber base.



Heat Press Supplies

Case Qty: 1



JDSTEF1416 Non-Stick Sheet Size: 14" x 16"



JDSTEF1620 Non-Stick Sheet Size: 16" x 20"



D B R L S SC

Sheets to protect your heat press.



GKTEF1416 Teflon® Sheet Size: 14" x 16"





GKTEF1620 Teflon® Sheet Size: 16" x 20"



Teflon® Bottom Table Wrap Size: 14" x 16"



GKTEFW1620 Teflon® Bottom Table Wrap Size: 16" x 20"

Heat Press Supplies

Case Qty: 1





GKHCR18510 Heat Conductive Pad Size: 1/8" x 5" x 9 7/8"



GKHCR181416 Heat Conductive Pad Size: 1/8" x 14" x 16"





THERM1620 Heat Conductive Pad Size: 1/16" x 16" x 20"

Heat-Conductive Pads

Also called thermal pads or heating pads, heat-conductive pads help aid in the even contact between the transfer and the substrate. When cut to the appropriate size, this material can also be used as a wrap for water bottles and other unconventional shaped items sublimated in a convection oven.



GKNOM1416 White Nomex Pad Size: 1/2" x 14" x 16"





GKNOM1620 White Nomex Pad Size: 1/2" x 16" x 20"



FELT1620Felt Pad
Size: 1/8" x 16" x 20"



Corner Shaper & Dies

Can be used on metal and plastic engraving stock.

Case Qty: 1





Dimensions: Weight: Material: Max. Stock

Thickness:

9% " L x 6" W x 4% " H 4 lbs.

Aluminum

Brass - 0.030" Aluminum - 0.045" Steel - 0.015" Plastic - 0.063"



CS500

Corner Shaper Platform. (Dies sold separately)

Die Shapes and Sizes













Radius Dies	Notch Dies	Decorative Dies	Scallop Dies	Slot Punch	Hole Punch
DR18	DN18			SP20	HP20
1/8" Radius	1/8" Notch			Slot is 1/8" x 9/16"	Hole diameter is 3/32"
DR316					HP20A
3/16" Radius					Hole diameter is 1/8"
DR14	DN14		DSC14		
1/4" Radius	1/4" Notch		1/4" Scallop		
DR38	DN38	DD38	DSC38		
3/8" Radius	3/8" Notch	3/8" Decorative	3/8" Scallop		
DR12		DD12			
1/2" Radius		1/2" Decorative			

Switching between plastic & metal blades on shear is not recommended due to the time it takes to change & re-square blades.

Cutter Resharpening Service (allow 2-3 weeks)

For standard cutters, burnishers and profiler tools. JDS cannot resharpen diamond tools. Send tools to: JDS Industries, 1800 E 57th St N., Sioux Falls, SD 57104

Plastic 12" Shear/Metal 12" Shear



12" Table Shear available for either plastic or metal. Blades are specifically designed to cut metal only or plastic only.

Case Qty: 1



BLADEM

Metal cutting blade

BLADEP

Plastic cutting blade

S1200SCALE

12" Replacement Scale/Ruler

Switching between plastic & metal blades on shear is not recommended due to the time it takes to change & re-square blades.

Cutter Resharpening Service (allow 2-3 weeks)

For standard cutters, burnishers and profiler tools. JDS cannot resharpen diamond tools. Send tools to: JDS Industries, 1800 E 57th St N., Sioux Falls, SD 57104







Use:

JDS Laserable Plastic

Engraving Depth: .003" UV-Resistant acrylic based laminate for both indoor and outdoor use. Benefiting from a thin top layer, **Full Sheet:** 24" x 49"

it enables detailed engraving at high production Interior/ speeds. Superior composition minimizes residue

Exterior and reduces the need for cleaning.


D B R L S SC FREE SAMPLE SET #LPLSET1

D B R L S SC

FREE SAMPLE SET #SEPSET1

Includes a 4" x 4" piece of each. 13 pieces total.

1/16" Thick: Gloss & Matte Non-Glare



JDS Satin Rotary Engravable Plastic


.012" **Engraving Depth:** for internal signage, nameplates, key tags and personal **Full Sheet:** 24" x 48" identification. The solid cap offers a durable and scratch

Use: Interior resistant surface.

Includes a 4" x 4" piece of each. 12 pieces total. Interior laminate with an extensive color range. Suited

1/16" Thick: Gloss-Brushed





IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.

JDS Print Receptive Plastic

Engraving Depth: .003" (except PRP101 & PRP102)

Full Sheet: 24" x 49" Use: Interior Impact modified acrylic pretreated for superior ink adhesion. Developed for printing with UV & LED curing inks. The core material is made of impact modified acrylic which makes it printable and laserable.

DBRLSSC

FREE SAMPLE SET #PRPSET1 Includes a 4" x 4" piece of each. 8 pieces total.

1/16" Thick: Gloss, Matte & Mirrored

PRP101 Gloss White ABS core PRP102 Matte White ABS core PRP103 Matte White/Black PRP104 Gloss White/Black

PRP105 Brushed Aluminum/ Black PRP106 Satin Brass/Black PRP107 Mirrored Silver/Black PRP108 Mirrored Gold/ Black









IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets® Selects Laser Sheet Stock Single Pass Laser









Engraving Depth: Full Sheet:

Use:

Material:

.003" 24" x 49"

Interior/Exterior

Microsurfaced Impact

Modified Acrylic

The sheet quality and superior flatness of Duets® Selects offers improved productivity with the advantage of single pass lasering or rotary engraving. A go-to solution for applications ranging from highly-detailed signage and wayfinding applications, to name badges, industrial applications and awards. Available in both non-glare matte or satin/brushed finishes to deliver the look you want with the speed you need.



Applications:

Architectural Signage Egress / Exit Signage **Exterior Signage** Interior Signage **Industrial Signage** Personal Identification Safety Signage

Trophies, Awards, & Plaques

Wayfinding

Characteristics:

Front engravable Outdoor/indoor UV stable outdoor/indoor **UV-LED Printable**

Capabilities:

Scores Shears Saws Drills Laser Vector Cuts **Bevels** Heat Bendable **Screen Prints Hot Stamps**

Fine Engraving Bonds **UV Stable CNC Routes**

1/16" Brushed Satin






1/16" Matte (Non-Glare)



IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER

Contact us for **FREE** binder swatch replacements.



JDS Sign Supply







BRLSSC

Duets® Textures Laser Sheet Stock High Traffic

Engraving Depth: .012 **Full Sheet:** 24" x 49" Use: Interior/Exterior

Material: Microsurfaced Impact

Modified Acrylic

Designed especially for the durability demands of high-touch environments, the lightly textured finish of Duets® Textures is engineered to resist the appearance of fingerprints, offer detailed engraving and extreme durability. Ideal for public spaces, high-traffic retail and industrial environments, Duets Textures is the perfect material for rugged outdoor or indoor signage and tagging applications.



Applications:

Wayfinding

Architectural Signage Egress / Exit Signage **Exterior Signage** Interior Signage **Industrial Signage Personal Identification** Safety Signage Trophies, Awards, & Plaques

Characteristics:

Front engravable Outdoor/indoor UV stable outdoor/indoor **UV-LED Printable**

Capabilities:

Scores Shears Saws **Drills** Laser Vector Cuts **Bevels** Heat Bendable Screen Prints Hot Stamps Fine Engraving **Bonds UV Stable CNC Routes**

1/16" Textures





1/8" Textures



Fabrication Services


- sublimation
- engraving
- lasering
- sandcarving
- color printing
- cnc routing
- signage

855.537.2228

art@jdsindustries.com ee pages 9-10 for more info

IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER

Contact us for FREE binder swatch replacements.





Duets Ultimates® Sheet Stock Maximum Durability



Engraving Depth: .012" **Full Sheet:**

24" x 49"

Use: Material: Interior/Exterior

Microsurfaced Impact Modified Acrylic

A beautiful touch in the toughest of environments. Duets Ultimates is a co-extruded impact modified acrylic which is UV stable and suitable for interior and exterior applications. The heavyduty top layer offers increased abrasion resistance and damage protection making Duets Ultimates the material of choice for harsh environments.



Applications:

Wayfinding

ADA Signage Architectural Signage Egress / Exit Signage **Exterior Signage** Interior Signage **Industrial Signage** Personal Identification Safety Signage Trophies, Awards, & Plaques

Characteristics:

ADA Compliant Reverse engravable Outdoor/indoor UV stable outdoor/indoor **UV-LED Printable**

Capabilities:

Scores Shears Saws Drills **Laser Vector Cuts Bevels Heat Bendable Screen Prints Hot Stamps Fine Engraving Bonds UV Stable**

CNC Routes

1/16" Ultimates



1/8" Ultimates





IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for **FREE** binder swatch replacements.



JDS Sign Supply



WSA DBRLS SC

Duets Ultimates® Sheet Stock Maximum Durability

Engraving Depth: .012"
Full Sheet: 24" x 49"

Use: Interior/Exterior

Material: Microsurfaced Impact
Modified Acrylic

A beautiful touch in the toughest of environments. Duets Ultimates is a co-extruded impact modified acrylic which is UV stable and suitable for interior and exterior applications. The heavy-duty top layer offers increased abrasion resistance and damage protection making Duets Ultimates the material of choice for harsh environments.



Applications:

ADA Signage Architectural Signage Egress / Exit Signage Exterior Signage Interior Signage Industrial Signage Personal Identification

Safety Signage Trophies, Awards, & Plaques

Wayfinding

Characteristics:


ADA Compliant
Reverse engravable
Outdoor/indoor
UV stable outdoor/indoor
UV-LED Printable

Capabilities:

Scores
Shears
Saws
Drills
Laser Vector Cuts
Bevels
Heat Bendable
Screen Prints
Hot Stamps
Fine Engraving
Bonds
UV Stable

CNC Routes

1/8" 3 Ply Ultimates



X-011-108-T White/Black/White



X-015-118-T Blue/White/Blue



X-017-118-T Spring Green/White/ Spring Green









IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder.
Item #DBINDER
Contact us for FREE binder swatch
replacements.





Duets Ultimates® Reverse Sheet Stock Reverse with Durability

D B R L S SC

Engraving Depth: .012" **Full Sheet:** 24" x 49"

Use: Interior/Exterior Material: Microsurfaced Impact

Modified Acrylic

With its clear, matte-finish top layer, Duets Ultimates® Reverse is the UV stable reverse engraving material for smooth-finish, non-glare signage, ADA and labeling solutions that stand up to punishment of any environment. Expand the applications for your signage with the added value of multi-color paint fills or backlighting effects. Base colors correspond with our Duets Ultimates substrate for a complete solution.



STOCKING PARTNER

Applications:

Architectural Signage Egress / Exit Signage **Exterior Signage** Interior Signage **Industrial Signage** Personal Identification Safety Signage Trophies, Awards, & Plaques Wayfinding

Characteristics:

Front engravable Outdoor/indoor UV stable outdoor/indoor **UV-LED Printable**

Capabilities:

Scores Shears Saws Drills **Laser Vector Cuts** Bevels **Heat Bendable Screen Prints Hot Stamps** Fine Engraving **Bonds UV Stable CNC Routes**

1/16" Matte (Non-Glare)



X-000-116 Clear/White



X-000-146 Clear/Yellow











*1/8" Matte (Non-Glare)



X-000-118 Clear/White



X-000-148 Clear/Yellow








X-000-168 Clear/Chocolate Brown

X-000-178 Clear/Spring Green X-000-228 Clear/Blueberry

IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for FREE binder swatch replacements.



JDS Sign Supply

Duets® Laser XT Reverse Sheet Stock

D B R L S SC

Engraving Depth: Full Sheet:

Use:

Material:

.003" 24" x 49"

Interior/ Exterior

Microsurfaced Impact **Modified Acrylic**

Make a statement with this sturdy 2-ply engraving substrate. The clear top layer has a matte finish, and the vividly-colored back layer is reverse engraved. Backlight or back paint this outdoor-grade material to give a whole new dimension to wayfinding, branding or displays.



Applications:

ADA Signage Architectural Signage Egress / Exit Signage **Exterior Signage** Interior Signage **Industrial Signage** Personal Identification Safety Signage

Trophies, Awards, & Plaques

Wavfinding

Characteristics:

ADA Compliant Reverse engravable Outdoor/indoor

UV stable (*except Gold & Silver)

UV-LED Printable

Capabilities:

Saws **Laser Vector Cuts** Bevels Screen Prints **Hot Stamps** Fine Engraving **Bonds** UV Stable*

CNC Routes



1/16" Thick Matte (Non-Glare) - For interior & exterior use.

L-000-116 Clear Matte/White L-000-246 Clear Matte/Orange

L-000-216 Clear Matte/Maroon

L-000-156 Clear Matte/Blue

L-000-256 Clear Matte/Sapphire

L-000-226 Clear Matte/Navy

L-000-276 Clear Matte/Beige L-000-266 Clear Matte/Khaki

L-000-286 Clear Matte/ Cool Grey

L-000-106 Clear Matte/Black L-000-BA6 Clear Matte/ **Brushed Aluminum**

1/16" Thick Matte (Non-Glare) - For interior use only.

L-000-236 Clear Matte/ Dove Grey

L-000-146 Clear Matte/ Yellow

L-000-196 Clear Matte/ Silver*

L-000-126 Clear Matte/Gold*

(*Gold and Silver are not UV stable)

Fabrication Services

- sublimation
- engraving
- lasering
- sandcarving
- color printing
- cnc routing
- signage

855.537.2228 art@jdsindustries.com


see pages 9-10 for more info

SPECIAL ORDER

1/8" Also available by special order.

IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for **FREE** binder swatch replacements.





SIGN SUPPLY

A Division of JDS Industries

Duets® Accents TM **Acrylic Sheet Stock** Enhanced Style

Transparent, translucent and solid color substrates for aesthetic decor. Duets Accents® is single-ply, cell-cast acrylic sheet material offered in both a range of transparent, translucent and opaque colors. Duets Accents offer a wide range of versatility, with contemporary architectural colors, a combination of gloss and matte finishes, and can be easily paired with Duets® Tactiles™ to create a tactile sign with the look you want.







STOCKING



ADA Signage Architectural Signage **Exterior Signage** Interior Signage **Industrial Signage** Trophies, Awards, & Plaques Wayfinding

Characteristics:

ADA Compliant Front engravable Reverse engravable Outdoor/indoor UV stable outdoor/indoor **UV Printable (Direct Color** Systems Endorsed)

Capabilities:

Saws Drills **Laser Vector Cuts** Bevels Heat Bendable **Screen Prints Hot Stamps Bonds Laser Engraves CNC Routes**

Did you know!



Transparent colors: gloss finish on both sides

L-020-028 1/8" L-020-029 1/4" Clear Glass Transparent

L-020-058 1/8" Green Glass Transparent

L-020-068 1/8" Topaz Glass Transparent

Translucent colors: matte (non-gloss) finish one side / gloss finish one side

L-020-008 1/8" 1/4" L-020-009 Matte Glass Translucent

L-020-808 1/8" Ice Translucent

L-020-848 1/8" French Blue Translucent

L-020-818 1/8" Citrine Translucent

L-020-878 **Amethyst Translucent**

L-020-888 1/8" Poppy Translucent

L-020-838 1/8" Turquoise Translucent

L-020-898 **Smoke Translucent**



Solid colors: matte (non-gloss) finish one side / gloss finish one side

L-020-118 1/8" 1/4" L-020-119 Polar White Solid Color

L-020-108 L-020-109 1/4" Jet Black Solid Color

_-020-138 1/8" **Crimson Solid Color**

L-020-158 1/8" Royal Blue Solid Color

L-020-478 1/8" Everest Grey Solid Color

IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.

Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for **FREE** binder swatch replacements.



JDS Sign Supply JDS

Braille Beads

Braille Beads for ADA signage. For use with Accent software and braille pen or universal tool. Contact Accent for more information.

Case Qty: 1







DBB03J10K Clear Qty: 10,000



DBB10J10K Black Qty: 10,000



OBB65J10K Grey Qty: 10,000



DBB11J10K White Qty: 10,000



DBB90J05K Stainless Steel Qty: 5,000











Duets Tactiles® ADA & Applique Sheet Stock



Full Sheet: 24" x 49"

Use: Interior/Exterior

Material: Impact Modified Acrylic

ADA wayfinding and appliqué engraving is a vital segment of any sign making business. Choose from dozens of modern colors to match any interior or exterior décor for your ADA, appliqué and braille signs.



STOCKING PARTNER

Matte (Non-Glare)

L-010-033-A* L-010-033	1/32" 1/32"
L-010-036	1/16"
L-010-038	1/8"
Clear/Matte	

L-010-303-A* 1/32" L-010-306 1/16" L-010-308 1/8" Bright White L-010-583-A* 1/32" L-010-586 1/16" L-010-588 1/8" Frost L-010-113-A* 1/32" L-010-116 1/16" L-010-118 1/8" White

L-010-563-A* 1/32" L-010-566 1/16" L-010-568 1/8" Warm White L-010-143-A* 1/32" L-010-146 1/16" L-010-148 1/8" Yellow

L-010-673-A* 1/32" L-010-676 1/16" L-010-678 1/8" Metallic Gold L-010-123-A* 1/32" L-010-126 1/16" L-010-128 1/8" Gold

L-010-623-A* 1/32' L-010-626 1/16' L-010-628 1/8" Orange

L-010-423-A* 1/32" L-010-426 1/16" L-010-428 1/8" Medieval Copper L-010-533-A* 1/32" L-010-536 1/16" L-010-538 1/8" Pipestone L-010-133-A* 1/32' L-010-136 1/16' L-010-138 1/8" Red

L-010-543-A* 1/32" L-010-546 1/16" L-010-548 1/8" Burgundy L-010-523-A* 1/32" L-010-526 1/16" L-010-528 1/8" Merlot L-010-513-A* 1/32" L-010-516 1/16" L-010-518 1/8" Pink L-010-373-A* 1/32' L-010-376 1/16' L-010-378 1/8" Light Blue L-010-363-A* 1/32" L-010-366 1/16" L-010-368 1/8" Periwinkle L-010-493-A* 1/32' L-010-496 1/16' L-010-498 1/8" Slate Blue

L-010-153-A* 1/32" L-010-156 1/16" L-010-158 1/8" Blue L-010-573-A* 1/32" L-010-576 1/16" L-010-578 1/8" Cobalt Blue L-010-403-A* 1/32" L-010-406 1/16" L-010-408 1/8" Majestic Blue L-010-353-A* 1/32" L-010-356 1/16" L-010-358 1/8" Denim Blue L-010-433-A* 1/32" L-010-436 1/16" L-010-438 1/8" Spruce L-010-463-A* 1/32" L-010-466 1/16" L-010-468 1/8" Lagoon

L-010-453-A* 1/32" L-010-456 1/16" L-010-458 1/8" Intense Teal L-010-443-A* 1/32" L-010-446 1/16" L-010-448 1/8" Mint L-010-173-A* 1/32" L-010-176 1/16" L-010-178 1/8" Spring Green L-010-183-A* 1/32" L-010-186 1/16" L-010-188 1/8" Evergreen L-010-323-A* 1/32" L-010-326 1/16" L-010-328 1/8" Bisque

L-010-203-A* 1/32" L-010-206 1/16" L-010-208 1/8" Almond

L-010-313-A* 1/32" L-010-316 1/16" L-010-318 1/8" Bone L-010-263-A* 1/32" L-010-266 1/16" L-010-268 1/8" Khaki

L-010-343-A* 1/32" L-010-346 1/16" L-010-348 1/8" French Vanilla L-010-383-A* 1/32" L-010-386 1/16" L-010-388 1/8" Desert Sand L-010-603-A* 1/32" L-010-606 1/16" L-010-608 1/8" Putty L-010-333-A* 1/32" L-010-336 1/16" L-010-338 1/8" Latte

L-010-393-A* 1/32" L-010-396 1/16" L-010-398 1/8" Taupe L-010-593-A* 1/32" L-010-596 1/16" L-010-598 1/8" Aged Bronze L-010-613-A* 1/32" L-010-616 1/16" L-010-618 1/8" Chestnut


L-010-163-A* 1/32" L-010-166 1/16" L-010-168 1/8" Chocolate Brown L-010-653-A* 1/32" L-010-656 1/16" L-010-658 1/8" Grey

L-010-473-A* 1/32" L-010-476 1/16" L-010-478 1/8" Light Grey

L-010-193-A* 1/32" L-010-196 1/16" L-010-198 1/8" Silver L-010-483-A* 1/32" L-010-486 1/16" L-010-488 1/8" Oyster Shell

L-010-503-A* 1/32" L-010-506 1/16" L-010-508 1/8" River Clay L-010-413-A* 1/32" L-010-416 1/16" L-010-418 1/8" Frosted Plum L-010-293-A* 1/32" L-010-296 1/16" L-010-298 1/8" Charcoal Grey L-010-553-A* 1/32" L-010-556 1/16" L-010-558 1/8" Graphite

L-010-103-A* 1/32" L-010-106 1/16" L-010-108 1/8" Black



IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



AP Customers get best price when ordering any 10 quarter sheets, 10 half sheets or 5 full sheets of plastic sheet stock.

JDS Sign Supply









Duets



Duets Tactiles® ADA & Applique Sheet Stock

Applications:

ADA Signage Architectural Signage Egress / Exit Signage **Exterior Signage** Interior Signage Industrial Signage **Personal Indentification** Safety Signage Wayfinding

Characteristics:

ADA Compliant Outdoor/indoor UV stable outdoor/indoor **UV Printable (Direct Color** Systems Endorsed)

Capabilities:

Scores** Shears** Saws Drills **Laser Vector Cuts Bevels Heat Bendable Screen Prints Hot Stamps Bonds** UV stable' **Laser Engraves CNC Routes**

Matte (Non-Glare) - Value Adhesive (With Orafol® adhesive backing)



L-010-113-A2 1/32" White

L-010-303-A2 1/32" **Bright White**

L-010-133-A2 1/32" Red




L-010-153-A2 1/32" Blue

L-010-293-A2 1/32" **Charcoal Grey**

L-010-163-A2 1/32" Chocolate Brown

L-010-473-A2 1/32" **Light Grey**













Duets Tactiles are made from a multi-layer impactmodified acrylic sheet. This new Duets Tactiles material uses photoluminescent acrylic to glow in the dark, making wayfinding and directional signage highly visible regardless of light conditions.

Glow

L-010-993-A* 1/32" L-010-993 1/32" L-010-996 1/16" L-010-998 1/8" Glow

- ADA-compliant for sign-making applications
- UL-1994 Certified for emergency exits and directional markings
- Visible during power outages and other low-light conditions
- Charges via ambient light no batteries or electricity required
- Ships with protective masking and UL Compliance guidelines for sign making
- Assists in LEED® qualification

- Indicates item with 3M adhesive backing.

Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for **FREE** binder swatch replacements.







UL: 1994:2015 Ed. 4, Clauses 33 and 34

New York City (NYC) Local Law 141

1/32" is also available without adhesive by special order. 1/16" & 1/8" are available with adhesive by special order.

Try it FREE

- FREE swatch chips and test samples
- FREE ADA test sample kit Item# FLY0617



1/8" not recommended for shearing and scoring.



A Division of JDS Industries

Duets® Laser Indoor Sheet Stock

.003" **Engraving Depth:** 24" x 49" **Full Sheet:** Use: Interior

Material: **Microsurfaced Impact**

Modified Acrylic

Perfect for interior wayfinding, branding or recognition, Gemini makes consistent laser engraving substrates. They come in three thicknesses, and several finishes that

model real wood, marble and metallic surfaces.



Applications:

Architectural Signage Egress / Exit Signage Interior Signage **Industrial Signage** Personal Identification Safety Signage

Trophies, Awards, & Plaques

Wayfinding

Characteristics:

Front engravable

Indoor

LIV-I FD Printable

Capabilities:

Scores** Shears** Saws Drills

Laser Vector Cuts Bevels Heat Bendable **Screen Prints**

Hot Stamps **Bonds**

Fine Engraving **Laser Engraves CNC Routes**



1/16" Thick Metals

L-802-106 L-802-106-CG* Brushed Silver/Black

L-801-106 L-801-106-CG* Brushed Aluminum/Black

L-809-106 L-809-106-CG* Silver/Black


L-805-106 L-805-106-CG* Brushed Satin Gold/Black

L-804-106 L-804-106-CG* Brushed Gold/Black

L-810-106 L-810-106-CG*









1/16" Thick Woods & Marbles

L-W52-166 Birch/Chocolate Brown











L-W11-116 Black Walnut/White†











L-112-116 Dove Grey/White

*CG - Indicates Clear-Guard® option for smudge resistance in high traffic areas

† May be slightly under 24"

SPECIAL ORDER


Custom combinations of colors available (Set up fee may apply.) 2-Ply, 1/16" & 1/8" by special order.

1/8" Metals are also available by special order.

SPECIAL ORDER

IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for **FREE** binder swatch replacements.



JDS Sign Supply











DuetsContours® Flexible Sheet Stock

Engraving Depth: .003" **Full Sheet:** 24" x 49" Use: Interior

Material: **Microsurfaced Impact Modified Acrylic**

Thin but durable, the DuetsContours microsurfaced flexible engraving stock is designed to deliver the prominent look of engraved signage applied to curved surfaces. Engravable substrates are available with or without adhesive and in a number of color and finish combinations.



Applications:

Awards & Recognition Interior Branding **Retail Display** Interior Signage

Trophies, Awards, & Plaques

Characteristics:

Indoor Front engravable Adhesive back options Indoor Use

Capabilities:

Scores Shears Saws Drills Silk Screen Hot Stamp **Bondable** Vector cut **UV-LED Printable**

.020" Thick Matte (Non-Glare) - unless otherwise noted.











.020" Thick Metals

L-812-102-A1* L-812-102 Trophy Gold/Black†





L-811-102-A1* L-811-102 Trophy Silver/Black

L-802-102-A1* L-802-102 Brushed Silver/Black L-801-102-A1* L-801-102 Brushed Aluminum/Black

† May be slightly under 24"





Custom combinations of colors available (Set up fee may apply.) (1/8" available in 2-ply & 3-ply with black or white base color.)

IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.

Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for **FREE** binder swatch replacements.



A Division of JDS Industries



Duets® Laser XT Outdoor/Indoor Sheet Stock

Engraving Depth: .003" **Full Sheet:** 24" x 49"

Use: Interior/Exterior

Material: Microsurfaced Impact **Modified Acrylic**

Make a powerful impression with design-forward interior or exterior signage. Quality substrates for fine engraving, yet durable enough to resist the ravages of weather and sun. Duets Laser XT is available in three thicknesses. Several colors come in a two-sided, 3-ply option.



STOCKING PARTNER

Applications:

Architectural Signage Egress / Exit Signage **Exterior Signage** Interior Signage **Industrial Signage** Personal Identification Safety Signage

Trophies, Awards, & Plaques

Wayfinding

Characteristics: Capabilities:

Front engravable Outdoor/indoor UV stable outdoor/indoor **UV-LED Printable**

Scores Shears

Saws Drills

Laser Vector Cuts Bevels Heat Bendable Screen Prints Hot Stamps

Fine Engraving **Bonds** UV Stable

CNC Routes

SPECIAL ORDER

All colors available in 1/8" by special order.

Only L-100-113, L-103-113, L-111-103, L-116-103, L-104-113 available in 1/32" by special order.

Custom combinations of colors available (Set up fee may apply.)

1/8" Thick Matte (Non-Glare)



L-102-118 Red/White

L-111-108 White/Black L-116-108 Yellow/Black

L-104-118 Blue/White

> 1/8" available in 2-ply & 3-ply with black or white base color.

1/16" Thick Matte (Non-Glare) - unless otherwise noted.



L-102-116 Red/White

L-111-106 White/Black

















L-117-116 Maroon/White L-119-116 Pink/White

L-119-1<u>06</u> Pink/Black

L-121-116 Light Blue/White

L-104-146 Blue/Yellow




L-105-116 Sapphire/White

L-107-116 Spring Green/White

L-109-116

L-122-116 Light Green/White

L-108-116 Evergreen/White L-114-166 Beige/Chocolate Brown



L-110-116 Brown/White

> L-100-126 Black/Gold

Chocolate Brown/White

L-113-106 Cool Grey/Black L-118-116 Grey/White L-101-116 Gloss Black/White



L-101-126 Gloss Black/Gold

L-100-196 Black/Silver

L-100-626 Black/Orange

JDS Sign Supply









1/16" Thick Brushed Metal



Brushed Stainless/Red

L-901-136



Brushed Stainless/Blue

L-901-156

Duets® Laser XT Outdoor/Indoor Sheet Stock



L-901-106

Black

Brushed Stainless/









Duets

BY GEMI

All metals are also available in 1/32" & 1/8" by special order.



Duets[®] Dura-Guard ™ Laser XT Sheet Stock



Use: Interior/Exterior - UV Stable

Microsurfaced Impact Material:

Modified Acrylic

Dura-Guard provides additional abrasion and wear resistance to the most demanding applications. It is ideal for wayfinding, exterior branding, industrial labeling and awards and recognition.



D B R L S SC





1/16" Thick Matte (Non-Glare)









L-104-116-DG Blue/White



TOUGH Material that Lasers EASY!



Other Laser XT colors are also available with Dura-Guard & 1/8" by Special Order.

SPECIAL **ORDER**

All colors available in 1/32" & 1/8" by special order.

Custom combinations of colors available (Set up fee may apply.) (1/8" available in 2-ply & 3-ply with black or white base color.)

Capabilities:

Scores Shears Saws Drills **Laser Vector Cuts Bevels Heat Bendable Screen Prints Hot Stamps** Fine Engraving **Bonds UV Stable**

CNC Routes



Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for **FREE** binder swatch replacements.



IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



AP Customers get best price when ordering any 10 quarter sheets, 10 half sheets or 5 full sheets of plastic sheet stock.



Duets® Rotary Indoor Sheet Stock

D B R L S SC

.003" **Engraving Depth: Full Sheet:** 24" x 49" Use: Interior

Material: **Microsurfaced ABS**

Applications: Architectural Signage Egress / Exit Signage Interior Signage Industrial Signage Personal Identification Safety Signage

Trophies, Awards, & Plaques

Wayfinding

For indoor wayfinding and labeling, Duets Rotary Indoor offers a wide variety of high contrast colors and metallic finishes for your indoor rotary engraving projects.

Characteristics: Capabilities:

Front engravable Indoor **UV-LED Printable**

Scores **Shears** Saws **Drills Bevels Heat Bendable Screen Prints Hot Stamps Fine Engraving Bonds CNC Routes**







1/16" Thick Matte (Non-Glare)



JDS Sign Supply JDS

Duets® Rotary Indoor Sheet Stock - (Continued)



1/16" Thick Woods







Satin Gold/Black

Coffee Shop



1/16" Thick Metals

R-805-106 Brushed











R-806-116 Brushed Medium Bronze/White













Duets Sample Swatch Binder:

Purchase a Duets® Swatch Binder. Item #DBINDER Contact us for FREE binder swatch replacements.





Metals are also available with Clear-Guard® coating by special order.

Custom combinations of colors available (Set up fee may apply.) (1/8" available in 2-ply & 3-ply with black or white base color.)



AP Customers get best price when ordering any 10 quarter sheets, 10 half sheets or 5 full sheets of plastic sheet stock.

IMPORTANT:

Add "Q" for quarter sheet (12" x 24") or "H" for half sheet (24" x 24") to the end of the part number when ordering. Part number as listed indicates "Full" sheet.



Magnetic Badge Attachments

D B R L S SC

Eliminate holes in clothing. All Magnetic Badge Attachments are self-adhesive.



MP101 - Set* Magnet - 1 Post



MP300 - Set Magna Power - 2 Post



MP301 - Set Large Power Mag - 2 Post



MP304 - Set Large Power Mag - 3 Post



MP305 - Set Small Power Mag - 2 Post





MP311 - Set Small Black Plastic Covered - 2 Post





MP313 - Set Large Black Plastic Covered - 3 Post

Easy Peel Pull Tabs for Quick Assembly



* MP101 does not include easy peel tabs.

Part No.	Size	Weight	Case Qty.
MP101	11/16" Diameter	5 g	250
MP300	1 3/4" x 1/2"	11 g	50
MP301	1 3/4" x 1/2"	12 g	50
MP304	1 3/4" x 1/2"	13 g	50
MP305	1 1/2" x 3/8"	9 g	50
MP311	1 1/4" x 1/2"	6 g	50
MP313	1 3/4" x 1/2"	11 g	50
MP321	1 3/4" x 1/2"	10 g	50
MP323	1 3/4" x 1/2"	11 g	50
MP324	1 3/4" x 1/2"	11 g	50



MP321 - Set Large Black Plastic Covered - 2 Post



MP323 - Set Blue Plastic Covered - 3 Post



MP324 - Set

Green Plastic Covered - 3 Post





Metal Badge Blanks

Heavy Gauge Name Badge Blanks with fused posts. Badges are .040" thick and have radius corners of 1/8". Includes clutches.

Case Qty: 100



Satin Leaded Brass







D B R L S SC

Bright Leaded Brass

Bright Nickel Silver

Satin Nickel Silver



Part #	Description
565-9110FP	2 3/8" x 1/2" Satin Leaded Brass
565-9120FP	2 3/8" x 1/2" Bright Leaded Brass
565-9136FP	2 3/8" x 1/2" Bright Nickel Silver
565-9137FP	2 3/8" x 1/2" Satin Nickel Silver
566-9110FP	2 1/2" x 5/8" Satin Leaded Brass
566-9120FP	2 1/2" x 5/8" Bright Leaded Brass
566-9136FP	2 1/2" x 5/8" Bright Nickel Silver
566-9137FP	2 1/2" x 5/8" Satin Nickel Silver

Plastic Badge Frames

Plastic Badge Frames have flat backs to attach findings.

See pages 260 & 262 for magnets & badge findings. See below for pre-cut badge blanks to fit these frames.








Description	Gold	Silver	Black
3" x 1" Square Corner Badge Frame	RP82931	RP82931S	RP82931BK
3" x 1 1/2" Square Corner Badge Frame	RP82932	RP82932S	RP82932BK
3" x 1 1/2" Oval Badge Frame	RP83851	RP83851S	RP83851BK
3" x 1" Round Corner Badge Frame	RP83852	RP83852S	RP83852BK
3" x 1 1/2" Round Corner Badge Frame	RP83853	RP83853S	RP83853BK

Plastic Blanks

Plastic Badge Blanks are 1/16" Duets Laser XT plastic. Plastic Badge Blanks can be lasered, engraved or printed on. Badge Blanks are designed to fit the frames above or can be used as stand alone badges.

Case Qty: 50



Surface		3" x 1"	3" x 1 1/2"	3" x 1 1/2"	3" x 1"	3" x 1 1/2"
Color	Engraves Square Corner Bad		Square Corner Badge	Oval Badge	Round Corner Badge	Round Corner Badge
White	Black	BB100	BB200	BB300	BB400	BB500
Black	White	BB103	BB203	BB303	BB403	BB503
Brushed Silver	Black	BB108	BB208	BB308	BB408	BB508
Brushed Gold	Black	BB109	BB209	BB309	BB409	BB509

Material Specifications:		Material Specifications:	
Scores	~	Ink Prints	
Saws	J	Thermal Prints	
Drills	J	Permits Fine Engraving	~
Shears	J	Bonds	~
Laser Vector Cuts	,	UV Stable	~
Bevels	,	Back-Filling	
Heat Bendable	,	Back-Lighting	
Screen Prints	,	Braille-Engravable	
Hot Stamps	•		

Badge	Blanks	are	Not	Bevel	ed

Description
3" x 1" Square Corner Badge Blank
3" x 1 1/2" Square Corner Badge Blank
3" x 1 1/2" Oval Badge Blank
3" x 1" Round Corner Badge Blank
3" x 1 1/2" Round Corner Badge Blank



Badge Findings

Case Qty: 100





JD130D Self-Adhesive Bulldog Clip



JD132D Self-Adhesive Plastic **Bulldog Clip**



JD133D Self-Adhesive Plastic Bulldog Clip with Pin



JD134D Bulldog Clip with Plastic Strap

Self-Adhesive and Glue On Bar Pins

Case Qty: 100



JD101D

White Rounded Plastic Bar Pin Size: 1 1/2"



JD102D

White Rounded Self-Adhesive Plastic Bar Pin Size: 1 1/2"



JD103D

White Square Self-Adhesive Plastic Bar Pin Size: 1 1/2"



JD110D

Clear Top Opening Vinyl Backed Bar Pin Size: 1 1/2"



JD120D

Clear Top Opening Self-Adhesive Bar Pin Size: 1 1/2"



JD155D

Black Side Opening Vinyl Backed Bar Pin Size: 1 1/2"



JD156D

Black Side Opening Self-Adhesive Bar Pin Size: 1 1/2"



JD140D

Clear Double Post Bar Pin with Clutches



JD154D

Black Self-Adhesive Double Post Bar Pin with Clutches



JD150D

Butterfly Clutch



JD152D

Clear Single Post Pin with Clutch



Black Single Post Pin with Clutch







PBS₁

1 quart (fast drying, clear liquid solvent for welding plastic or acrylic)

PBS1 can only be shipped by ground in the contiguous U.S.

D B R L S SC

Badge Clips, Holders & Lanyards

Case Qty: 100



JD170A

Clear Plastic Pocket Badge Overall Size: 2 7/8" x 2 1/16"



JD205D

Convention Badge with Bulldog & Pin Overall Size: 3 5/8" x 2 1/4" Holds: 3 1/2" x 2 1/8" Insert



JD208D

ID Holder/Convention Badge with Holes and Slot Overall Size: 3 13/16" x 3 1/16" Holds: 3 5/8" x 2 1/2" Insert



JD209D

ID Holder/Convention Badge with Bulldog on Strap
Overall Size: 3 15/16" x 3 1/4" Holds: 3 11/16" x 2 3/8" Insert



JD251D

Black Retractable Badge Reel with Belt Clip & Strap



JD210D

1/4" x 5" Leather Strap



JD220D

6" Clear Plastic Strap



(Lanyard is 3/8" x 36" long. Neck hole is 32")

R110BK

Black Lanyard with Hook and Adjustable Ball

R110BU

Blue Lanyard with Hook and Adjustable Ball

R110RD

Red Lanyard with Hook and Adjustable Ball

R110WT

White Lanyard with Hook and Adjustable Ball









if you're looking for:

VINYL ORDERING INFORMATION

HOW TO BUILD A CUT VINYL NUMBER

VINYL APPLICATION CHARTS

HEAT TRANSFER APPLICATION CHARTS

PROCESS ICON EXPLANATIONS

HOW TO LOCATE ICC PROFILES

INDEX

FABRICATION & WHOLESALE SIGN PRINTING SERVICES

SUBLIMATION • ENGRAVING • LASERING • SANDCARVING UV PRINTING • CNC ROUTING • CUSTOM CUTTING

Quote Requests and Ordering Information:

All artwork and quote requests should be emailed to: art@jdsindustries.com

Artwork can also be uploaded directly to JDS Industries via the "Art Upload" feature located at *jdsindustries.com* Once logged in, locate the "Art Upload" button located in the "Site Features" section. Click on the button and follow the instructions to quickly and easily upload your artwork.

Please follow the art requirements to ensure that your custom order is processed quickly and accurately.

Art charges will apply if art is not in an acceptable format.

F.O.B Sioux Falls, SD only. \$99 Free Freight applies to fabrication orders.

Production time does not include transit time and will vary with type of artwork and quantity needed. Production time begins when order is confirmed and artwork and purchase order are received. Most fabrication orders are 3-5 days. Rush Service may be available for an additional charge.

See Price List for custom cut metal, plastic and plexi.

We reserve the option to refuse any order which we consider impossible to reproduce within industry standards.

When ordering fabrication services please specify:

- Size and type of material (part number if possible)
- Quantity
- If holes, specify if rounded or notched corners or beveling are required (if applicable)
- If you need adhesive on the back (if applicable)
- Imprint colors (if applicable)
- Orientation
- Any special instructions

JDS CNC Router Services

JDS can cut shapes from any metal, plastic, hardboard or FRP Sheetstock in this catalog. This allows you to custom order unique shapes using our CNC router service. Send your quote request and artwork to:

art@idsindustries.com

Production time is typically 3-5 days (upon receipt of artwork and depending on size of order).

Certain parameters and requirements apply. Our Custom Order Specialists will help you in making this determination. Ask for details.



Direct Color Print

JDS can print full color images on many flat substrates & drinkware including Polar Camels, Laserable Leatherette, glass, crystal, acrylic, wood or plastic. Send your quote request and artwork to: art@jdsindustries.com

Production time is typically 3-5 days (upon receipt of artwork and depending on size of order).

Large quantities may be more cost effective to produce using screen printing. Certain parameters and requirements apply. Our Customer Order Specialists will help you in making this determination. Ask for details.

Artwork Requirements:

Artwork is PREFERRED in the following PC formats: CorelDraw (.cdr) or Adobe Illustrator (saved as .eps or .pdf file format).

All digital artwork should be supplied as line art (vector art). For color artwork please specify the exact PMS colors used. All type must be converted to outlines (curves). Hard copy artwork should be as large as possible within an 8.5" x 11" for scanning purposes. Digital images should be vector artwork (not bitmapped/raster) and saved in either CorelDraw or Adobe Illustrator as an EPS (encapsulated PostScript) file WITHOUT COMPRESSION.

DO NOT send raster images that are embedded within another file, such as within Microsoft Word, PowerPoint, Publisher, etc.

Images that contain halftones, tints, grayscales or are intended for process color separation should have a bitmap resolution of at least 300 pixels-per-inch and supplied at finished size or larger. All artwork files should also be emailed in a PDF format for reference.

Word documents, faxes, photocopies, business cards & letterhead are NOT considered acceptable artwork and CANNOT BE USED FOR ARTWORK.

JPEGs, GIFFs, TIFFs and all other bitmap files (not vector based) can be submitted for use at a resolution of NO LESS than 300 pixels-per-inch and supplied at finished size or larger.


What if I don't have artwork or my artwork is not acceptable?

Layout of copy and art will be at JDS Industries' discretion unless specifications are clearly marked on the order or finished art is supplied. Finished products are only as good as the artwork supplied. Please make sure your artwork is acceptable before submission. JDS Graphics Staff can help you with your artwork for a charge of \$60 per hour.

What if I need a PMS Match?

Due to inherent technical differences in color monitors, the colors depicted in the electronic proof may not exactly match those in the final product. Please specify required PMS colors. We make every effort to match requested colors, but cannot guarantee a 100% exact match. Colors are matched as close as possible to the requested color but may vary slightly. For this reason an exact PMS match cannot be guaranteed.





Fabrication Services:

Phone: 855.537.2228

Email: art@jdsindustries.com

Mailing Address:

JDS Industries
Attn: Fabrication

1800 E 57th St N

Sioux Falls, SD 57104

VINYL ORDERING INFORMATION

Vinyl Products Stocking:

JDS stocks several series of 24" vinyl rolls. All popular colors are stocked in all 14 warehouses with less popular colors stocked in select warehouses. We've partnered with leading industry providers to ensure our direct shipped products ship quickly! See each series for more details.

1 yard (cut vinyl only):

We know that certain jobs require unique colors in less than full roll quantities. JDS Sign Supply is prepared to process your "by the yard" order so you get exactly what you need for your next job! "By the yard" orders will be treated like a custom product and are not returnable. See each line for availability.



3M™ Products

3M Products can **ONLY** be distributed to customers in the United States and US Territories.



Avery Dennison® Products

Avery Dennison® Products can **ONLY** be distributed to customers in the United States and US Territories.

For all your sign supply questions, call us at 855.661.2388



HOW TO BUILD A CUT VINYL PART NUMBER

When ordering punched product

refer to the notes for each series to identify the correct number to order. These will be the first (4) digits of your part number for punched product.

1

Note: Punched film is only available in 15" & 30" - use part number 6851.

The first four (4) digits

in our part number identify
the series of product.
(These four digit numbers can be
located at the top of the info charts
within each series. They may not always
be the same as the series number. Refer

to the chart for each series to ensure you

The second four (4) digits

have the correct number.)


identify the material converted size.

The first two digits indicate the width and the last two digits indicate the length.

Note: See chart below for width and length codes.

The final three (3) digits

identify the color, and all colors contain three digits.



(The 0 in 30 is hidden)

680CR Series - Premium Film

10 yard

158.50

252.05

Note: This series is Gerber punched.

Note: See price list in back for pricing.

Note: See page 10 for how to build a part number.

Use 6801 for Part Number

15"

Notes:

Standard punch is slot pattern. IBM and 3-hole punch patterns are available. Except for 3M Reflective Series which is Gerber punched.

Width and Length Part number codes for the second four (4) digits												
Width	5 yard*	10 yard	25 yard**	50 yard	55 yard*							
15"	1502	1503	1508	1515	1517							
24"	2402	2403	2408	2415	2417							
30"	3002	3003	3008	3015	3017							
48"	4802	4803	4808	4815	4817							

- * Heat Transfer Only
- ** Select Materials

Kota Pro™ Heat Transfer Material

Width and Length Part number codes for the second four (4) digits											
Width	54 yard	27 yard									
15"	1554*										
20"		2027**									
30"		3027**									
60"		6027**									

- * Heat Transfer Only
- ** Select Materials



					CON	/IPATI	BILITY					APF	LICAT	IONS				
	Print Media	PAGE NUMBER	Face Finish	Adhesive	Eco-Solvent	UV-Curable	Latex Inks	Fleet/Vehicles	Transit/Bus	Textured Walls	Vehicle Windows	Marine/Watercraft	Backlit Signs	Smooth Interior Walls	POP/Tradeshow	Window Graphics (Flat)	Outdoor Signage	Indoor Floor Graphics
£	MPI 1105 Easy Apply RS	9	Gloss	LTR	•	•	•	•	•					•	•		•	
SUPERCAST 7-10 Years Durability	MPI 1105 Easy Apply™	9	Gloss	LTR	•	•	•	•	•			•		•	•		•	
SUPEF O Years	MPI 1106 High Tack Easy Apply™	10	Gloss	Perm	•	•	•					•		•			•	
7-1	MPI 1405 PVC Free Easy Apply™ RS	10	Gloss	LTR	•	•	•			•				•	•		•	
	MPI 2050 Translucent	12	Matte	Perm	•	•	•						•		•			
E E	MPI 2105 Easy Apply RS™	12	684Gloss	LTR	•	•	•	•	•					•	•		•	•
RMAN ERED urabilii	MPI 2105 Easy Apply™	12	Gloss	LTR	•	•	•	•	•					•	•		•	•
HIGH PERFORMANCE Calendered 4-6 Years Durability	MPI 2126 High Tack Easy Apply™	12	Matte	Perm	•	•	•					•		•			•	
CA 6A 4-6 Y	MPI 2611 Wall Film	19	Luster	Rem	•	•	•							•	•			
_	MPI 2630 Textured Wall Film	19	Textured	Perm	•	•	•							•	•			
	MPI 2903 Easy Apply™	16	Gloss	Perm	•	•	•			•				•	•		•	•
	MPI 2903	16	Gloss	Perm	•	•	•			•				•	•		•	•
INTERMEDIATE CALENDERED 2-5 Years Durability	MPI 2902	13	Gloss	Rem	•	•	•	•	•	•				•	•		•	•
INTERMEDIATE CALENDERED -5 Years Durabilit	MPI 2920	15	Matte	Perm	•	•	•			•				•	•		•	•
CAL 2-5 Ye	MPI 2923 Easy Apply™	16	Matte	Perm	•	•	•								•		•	•
	MPI 2921 Easy Apply™	13	Matte	Rem	•	•	•	•	•						•		•	•
	MPI 2921 StaFlat™	13	Matte	Rem	•	•	•	•	•						•		•	•
PROMOTIONAL Calendered -3 Years Durability	MPI 3300 & MPI 3303	28	Gloss	Perm	•	•	•			•				•	•		•	•
PROMO CALEN 1-3 Years	MPI 3320 & MPI 3323	29	Matte	Perm	•	•	•			•				•	•		•	•
REFLECTIVE 7 Years Durability	V4000 Reflective	71	Gloss	LTR	•	•	•	•							•		•	

Application Chart

		(OUTD00	R VERT	ICAL E	URABI	LITY (U	P TO X	YEARS)		DHESIV IOVABII			CONF	ORMAB	ILITY	
	Print Media	Unprinted	DOL 1000Z Series	DOL 1300Z	DOL 1460Z	DOL 2000Z Series	DOL 3000Z Series	DOL 6460	DOL 1060 Max	DOL 1360 Max	Clean	Clean with Heat	Permanent	Flat with Rivets	Compound Curves	Rivets/Coorugation	Flat/Simple Curves	Flat
25	MPI 1105 Easy Apply RS	7	5	4	4	-	-	2	7	7		•		•	•	•	•	•
AST Durabili	MPI 1105 Easy Apply™	7	5	4	4	-	-	2	7	7		•		•	•	•	•	•
SUPERCAST 7-10 Years Durability	MPI 1106 High Tack Easy Apply™	7	5	4	4	-	-	2	7	7			•	•	•	•	•	•
7-10	MPI 1405 PVC Free Easy Apply™ RS	12	-	-	-	-	-	-	7	7		•		•	•	•	•	•
	MPI 2050 Translucent	6	5	4	4	3	2	2	5	4			•				•	•
E	MPI 2105 Easy Apply RS™	6	5	4	4	3	2	2	5	4		•					•	•
HIGH PERFORMANCE Calendered 4-6 Years Durability	MPI 2105 Easy Apply™	6	5	4	4	3	2	2	5	4		•					•	•
ERFO LENDI ears D	MPI 2126 High Tack Easy Apply™	6	5	4	4	3	2	2	5	4			•				•	•
CA l	MPI 2611 Wall Film	4	3	3	3	3	2	2	3	3	•						•	•
-	MPI 2630 Textured Wall Film	3	-	-	-	-	-	-	-	-			•				•	•
	MPI 2903 Easy Apply™	5	5	4	4	3	2	3	5	4			•				•	•
	MPI 2903	5	5	4	4	3	2	3	5	4			•				•	•
INTERMEDIATE CALENDERED 2-5 Years Durability	MPI 2902	5	5	4	4	3	2	3	5	4	•						•	•
INTERMEDIATE CALENDERED -5 Years Durabilit	MPI 2920	5	5	4	4	3	2	3	5	4			•				•	•
CAL CAL 2-5 Ye	MPI 2923 Easy Apply™	5	5	4	4	3	2	4	5	4			•				•	•
	MPI 2921 Easy Apply™	1	1	1	1	1	1	1	1	1	•						•	•
	MPI 2921 StaFlat™	1	1	1	1	1	1	1	1	1	•						•	•
ONAL RED rability	MPI 3300 & MPI 3303	3	3	3	3	3	2	3	3	3			•				•	•
PROMOTIONAL CALENDERED 1-3 Years Durability	MPI 3320 & MPI 3323	3	3	3	3	3	2	3	3	3			•				•	•
REFLECTIVE 7 Years Durability	V4000 Reflective	7	5	4	4	-	-	6	5	4	•			•		•	•	•



GENERAL Digital Print Vinyl FORMULATIONS Application Chart

							APPL	ICATIO	INS					PLICAT JRFACE			
	Series	PAGE NUMBER	General Signage, Displays, P.O.P.	Decals & Stickers	Vehicle Wraps	Fleet & Vehicle Graphics	Windows Removalbe	Windows Permanent	Walls (Smooth Dry Wall-Removable)	Walls (Moderately Textured Surfaces/ Brick & Block Removable)	Floors (Tile & Smooth Sealed Cement)	Carpet (short loop commercial)	Clear (Transparent)	Low Surface Energy	Semi Rigids	Outdoor	Indoor
	830 AutoMark	8	•		•	•										•	•
	230 AutoMark	11	•		•	•										•	•
	333 AutoMark	11	•		•	•										•	•
	202 Matte	14	•				•									•	•
	204 Gloss	14	•				•									•	•
	221 Gloss	14	•				•								•	•	•
	223 Matte	14	•				•								•	•	•
	201 Matte	14	•													•	•
	203 Gloss	17	•													•	•
	201 OAPAE	16	•													•	•
	203 OAPAE	16	•													•	•
	220 Gloss	17	•												•	•	•
<u>_</u>	222 Matte	17	•												•	•	•
CALENDERED	201-HTAP/AE	16	•											•		•	•
CALE	234	20	•						•								•
	235	18			•												•
	226	20	•						•						•		•
	285	21								•				•			•
	255	22	•				•						•			•	•
	232	23	•		•	•	•									•	•
	270	23	•				•									•	•
	280	24	•				•									•	•
	790AE	24						•								•	•
	210	27	•								•						•
	212	26	•								•						•
	765 Rainbow Holographic	31	•	•			•									•	•



Cut Vinyl Application Chart

				FIL	M CHAI	RACTER	RISTICS			CON	ЛРАТІ	BILITY				APP	LICAT	IONS				APPL	ICATIO.	N SURF	ACES	PROCE PRIN	
	Print Media	PAGE NUMBER	Expected Performance Life	Film Thickness (mils)	Warranty	Permanent	Removable	Pressure-Activated	Non-Visible Air Release Channnels	Solvent	UV-Curable	Latex Inks	Fleet/Vehicles	Transit/Bus	Railroad	OEM Graphics	Label (warning, information)	Signage (non-backlit)	Cut Letters/Shapes	Backlit Signage	Window Graphics	Flat, Simple Curves	Flat with Rivets	Compound Curves	Corrugated	Thermal Transfer	Screen Printable
	3M Controltac 180mC	60	10	2	•		•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•	•		•
	3M Scotchcal 3630	62	10	2		•											•	•			•					•	•
CAST	3M Scotchcal 7125	56	8	2	•	•				•	•		•	•			•	•	•		•	•	•			•	•
	3M Scotchcal 7725	58	8	2	•	•				•	•		•	•	•		•	•	•		•	•	•			•	•
	3M Scotchcal 7725SE	77	1	2-3.8	•	•				•	•						•	•	•	•		•	•				•
CALENDERED	3M Scotchcal 50	64	5	3			•			•	•		•				•	•	•		•	•				•	
TIVE	3M Scotchlite 5100R	74	7	6			•			•	•						•	•	•			•					•
RETRO-REFLECTIVE	3M Scotchlite 680	72	9	7		•				•	•						•	•	•			•				•	•
RETRO-	3M Scotchlite 680CR	73	9	7			•			•	•						•	•	•			•					•



RETRO-REFLECTIVE	Avery Dennison V4000 Printable (White Only)	71	7	7.9						•	•		•	•	•			•				•	•	•	•			
------------------	---	----	---	-----	--	--	--	--	--	---	---	--	---	---	---	--	--	---	--	--	--	---	---	---	---	--	--	--



Lumina Cut Vinyl R VINLETX* Application Chart

	Įį į į į	Calcol C	intoor Ci	diked 2	C. Astraction of the street of	Act of Act of the state of the	Translation of the second	s Supplied to the supplied to	hyeri kirikiri kirikiri kirikiri kirikiri kirikiri	st die state of the state of th	Aming	Barre	Julit.	lehide .	oogs of the state	s sir	de distriction of the second	Sortion C	s d count curves
PRODUCT TITLE	FILM CH						SSING/I	PRINTI	NG		APF	LICAT	IONS		APPI	ICATIO	N SURF	ACES	PAGE #
Lumina 4200 Series	Cal	5	2.8	Р	•			•			•	•		•	•				66
Lumina 4301 Series	Cal	1	3	R				•				•		•	•				67
VinylEfx 2824-2831	М	-	3	Р		•	•	•			•	•			•				78
VinylEfx 4826-4827	М	3	3	Р	•	•	•	•		•		•	•	•	•				79
VinylEfx 4310	N	-	4-6	Р			•					•			•				80

NOTE: The above products are not recommeded for Backlit Signs and Vehicle Wraps.







SW 9200 & SW 900X Durability

	ZOI	VE 1	ZON	IE 2	ZON	NE 3	PAGE #
Months	Vertical	Non Vertical/ Horizontal	Vertical	Non Vertical/ Horizontal	Vertical	Non Vertical/ Horizontal	
SW900 Black & White	12 Years	3 Years	9.6 Years	6 Months	5.8 Years	4 Months	48
SW900 Colors	10 Years	2 Years	8 Years	6 Months	4.8 Years	4 Months	48
SW900 Metallics & Pearlescents	5 Years	2 Years	18 Months	6 Months	2.4 Years	4 Months	48
SW900 Metallics (with gold flake)*	36 Months	12 Months	30 Months	6 Months	18 Months	4 Months	48
SW900X Textured Films	48 Months	12 Months	36 Months	6 Months	24 Months	4 Months	52
SW900 Diamond Line	36 Months	12 Months	30 Months	6 Months	18 Months	4 Months	52
SW900 Color Flow Series	48 Months	12 Months	36 Months	6 Months	24 Months	4 Months	51

NOTE: Non-vertical: The face of the graphic is between 10° to 45° from vertical. Specifically for Supreme Wrapping Film (SW900) Non-vertical exposure performance will be calculated using the Horizontal exposure value.

Horizontal: The face of the graphic is between 45° and 90° from vertical, for Supreme Wrapping Film (SW900) Horizontal applications will be warranted as stated in this ICS Performance Guarantee Bulletin.

Vertical: The face of the graphic is between 0 and 10 degrees from vertical.





	Series	PAGE NUMBER	Safety	Mii Thickness	Film Type	Finish	Out	Blade
	Cut	108	Oeko-Tex Standard 100	3.1	PU	Matte	Reverse	45°
KOTA _{PRO}	Clear Print	110	Oeko-Tex Standard 100	3.1	PU	Clear	Reverse	45°
	Print	109	Oeko-Tex Standard 101	3.1	PU	Matte	Right Read	45°
	FlexCut Maxx	137	CPSIA Compliant	2.4	PU	Matte	Reverse	45°
	FlexCut Atomic	139	CPSIA Compliant	2.4	PU	Pearlescent	Reverse	45°
	FlexCut Nylon	139	CPSIA Compliant	2.8	PU	Matte	Reverse	45°
Sef	Flexcut SBB	138	CPSIA Compliant	4.1	PU	Semi-gloss	Reverse	45°
Heat Transfer Material for Testiles	Tatoo SBB	138	CPSIA Compliant	3.9	PU	Satin	Right Read	45°
	MetalFlex	140	CPSIA Compliant	1.6	PU	Foil	Reverse	45°
	ReflectCut	140	CPSIA Compliant	5.9	PU	Reflective	Reverse	45°
	Graffiti	141	CPSIA Compliant	2.4	PU	Matte	Right Read	45°



Series	Compatibility	Temp	Pressure	Time	Peel	Transfer Tape Required
Cut	Most Fabrics	285°F	Medium	4 sec	Hot	No
Clear	Most Fabrics	350°F	Medium	10 sec	Hot	No
Print	Most Fabrics	285°F	Medium	4 sec	Hot	Yes
FlexCut Maxx	Most Fabrics	330°F	Cotton: Medium Poly: high	15-17 sec	Hot/Warm	No
FlexCut Atomic	Most Fabrics	330°F	Cotton: Medium Poly: high	15-17 sec	Hot/Warm	No
FlexCut Nylon	Most Fabrics	240°F	Cotton: Medium Poly: high	15 sec	Hot/Warm	No
Flexcut SBB	Most Fabrics	265°F	Medium/High	10 sec	Cold	No
Tatoo SBB	Most Fabrics	275°F	Medium/High	10 sec	Cold	No
MetalFlex	Most Fabrics	340°F	Cotton: Medium Poly: high	20 sec	Warm	No
ReflectCut	Most Fabrics	302°F	Medium/High	15-17 sec	Cold	No
Graffiti	Most Fabrics	265°F	Medium/High	20 sec	Hot/Warm	Yes



•		•					
STALLS: MASTER OISTRIBUTOR Series	PAGE NUMBER	Safety	Thickness (Microns)	Finish	Graphtec Force	Blade	Cutter Speed
CAD-CUT UltraWeed	112	CPSIA Certified	90-100	Matte	7-9	45°	20 cm/s
CAD-CUT Thermo-FILM	113	CPSIA Certified	190	Semi-Gloss	18-20	45°	30 cm/s
CAD-CUT Thermo-GRIP	113	CPSIA Certified	190	Semi-Gloss	18-20	45°	30 cm/s
CAD-CUT Premium Plus	114	CPSIA Certified	80-108	Matte	9-11	45°	20 cm/s
CAD-CUT Sportsfilm Lite	115	CPSIA Certified	100	Semi-Matte	9-11	45°	30 cm/s
CAD-CUT Silicone Dye-Block	116	CPSIA Certified	200	Matte	11-13	45°	20 cm/s
CAD-CUT GORILLA GRIP II	117	CPSIA Certified	80	Matte	8-10	45°	30 cm/s
CAD-CUT Soft Foam	118	CPSIA Certified	560-600	Matte	24-26	45°	20 cm/s
CAD-CUT Soft Flock	119	CPSIA Certified	485	Velvet	11-13	45°	25 cm/s
CAD-CUT Fashion-FILM Electric	120	CPSIA Certified	88	Matte	8-10	45°	30 cm/s
CAD-CUT Glitter Flake	121	CPSIA Certified	325	Textured Glitter	18-22	45°	30 cm/s
CAD-CUT Hologram	122	CPSIA Certified	100-115	Gloss	15-17	45°	30 cm/s
CAD-CUT UV Shift	123	CPSIA Certified	110	Matte	7-9	45°	30 cm/s
CAD-CUT Chroma Bling	124	CPSIA Certified	150	Gloss	10-16	45°	30 cm/s
CAD-CUT Chalkboard	125	CPSIA Certified	95	Matte	8-10	45°	30 cm/s
CAD-CUT Glow	125	CPSIA Certified	100	Matte	8-10	45°	30 cm/s
CAD-CUT Reflective Glitter	126	CPSIA Certified	225	Gloss	13	45°	35 cm/s
CAD-CUT Metallic	127	CPSIA Certified	63	Gloss	8-10	45°	30 cm/s
CAD-CUT Heat Transfer Foil	128	CPSIA Certified	_	Foil	7-9	45°	20 cm/s
CAD-CUT Heat Press Adhesive	128	CPSIA Certified	_	Clear	7-9	45°	20 cm/s
CAD-CUT Puff	129	CPSIA Certified	Puffed 140	Frosted Matte	8-9	45°	30 cm/s
CAD-CUT Chroma-Twill	130	CPSIA Certified	180-200	Gloss	12	45°	20 cm/s
CAD-CUT 3M Scotchlite 5807	131	CPSIA Certified, ANSI/ISEA 107, CSA Z96, EN 471	145	Reflective	12-14	45°	30 cm/s
CAD-CUT Reflective II	131	CPSIA Certified	142	Reflective	11-13	45°	30 cm/s
CAD-COLOR Express Print	132	CPSIA Certified	88	Semi-Matte	_	_	_
CAD-COLOR Soft Opaque II	132	CPSIA Certified	80	Semi-Matte	_	_	_
SUPERTEK Sublistop	133	CPSIA Certified	120	Semi-Matte	_	_	_
SUPERTEK Opaque	133	CPSIA Certified	100	Semi-Matte	_	_	-
SUPERTEK Matte/Gloss Clear	134	CPSIA Certified	37/50	Matte/Gloss	_	-	_
CAD-COLOR Glitter	135	CPSIA Certified	392	Glitter	_	_	_
CAD-COLOR Soft Foam	135	CPSIA Certified	560-600	Ultra Matte	14	45°	25 cm/s

5	Compatibility	Temp	Pressure	Time	Peel	Washes
STRHLS: MASTER DISTRIBUTOR Series	Сощ	<u> </u>	Pre	F	<u> </u>	Wa
	Cotton • Polyester • Cotton/Poly Blends	Cotton: 280-300°F				
CAD-CUT UltraWeed	Lycra®/Spandex	Synthetics: 260°F	Medium	12 sec	Hot	50
CAD-CUT Thermo-FILM	Cotton • Polyester • Cotton/Poly Blends	330°F	Medium	6-8 sec	Hot	50
CAD-CUT Thermo-GRIP	Cotton • Polyester Cotton/Poly Blends • Nylon Mesh	330°F	Medium	6-8 sec	Warm	50
CAD-CUT Premium Plus	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex	280-300°F	Medium	8-12 sec	Hot	50
CAD-CUT Sportsfilm Lite	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon	302°F	Medium	10-12 sec	Warm	50
CAD-CUT Silicone Dye-Block	Sublimated Polyester • Cotton • Polyester Cotton/Poly Blends • Uncoated Nylon	Cotton: 302°F Synthetics: 290°F	Medium	10-15 sec	Cold	50
CAD-CUT GORILLA GRIP II	Cotton ◆ Cordura® ◆ Nylon	320°F	Light	10 sec	Cold	50
CAD-CUT Soft Foam	Cotton • Polyester • Cotton/Poly Blends	300°F	Light/Med	15 sec	Cold	50
CAD-CUT Soft Flock	Cotton • Polyester • Cotton/Poly Blends	311°F	Medium	15 sec	Warm	50
CAD-CUT Fashion-Film Electric	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex	320°F	Medium	15 sec	Hot	50
CAD-CUT Glitter Flake	Cotton • Polyester • Cotton/Poly Blends	290°-302°F	Medium	10-12 sec	Hot	50
CAD-CUT Hologram	Cotton • Polyester • Cotton/Poly Blends	320°F	Firm	10-15 sec	Cold	25
CAD-CUT UV Shift	Cotton • Polyester • Cotton/Poly Blends	302°F	Medium	10-12 sec	Hot	50
CAD-CUT Chroma Bling	Cotton • Polyester • Cotton/Poly Blends	300°F	Medium	10 sec	Cold	25
CAD-CUT Chalkboard	Cotton • Polyester • Cotton/Poly Blends	275°F	Medium	15 sec	Warm	50
CAD-CUT Glow	Cotton • Polyester • Cotton/Poly Blends	305°F	Medium	10-15 sec	Warm	10
CAD-CUT Reflective Glitter	Cotton • Polyester • Cotton/Poly Blends	300°F	Medium	15 sec	Warm	50
CAD-CUT Metallic	Cotton • Polyester • Cotton/Poly Blends	285°F	Medium	8-10 sec	Cold	50
CAD-CUT Heat Transfer Foil	Cotton • Polyester • Cotton/Poly Blends	300°F	Firm	8-10 sec	Cold	_
CAD-CUT Heat Press Adhesive	Cotton • Polyester • Cotton/Poly Blends	300°F	Light	3-5 sec	Hot	_
CAD-CUT Puff	Cotton • Polyester • Cotton/Poly Blends	280°F	Medium	8-10 sec	Hot	25
CAD-CUT Chroma-Twill	Cotton ◆ Polyester ◆ Cotton/Poly Blends	302°F	Medium	20 sec	Cold	50
CAD-CUT 3M Scotchlite 5807	Cotton • Polyester • Cotton/Poly Blends Nylon • Cordura® Lycra®/Spandex	325°F	Firm	10-20 sec	Hot	50
CAD-CUT Reflective II	Cotton • Polyester • Cotton/Poly Blends • Nylon	290°F	Medium	10-12 sec	Hot	50
CAD-COLOR Express Print	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex	300°F	Medium	15-20 sec	Warm	50
CAD-COLOR Soft Opaque II	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex	250°F	Medium	5-7 sec	Hot	50
SUPERTEK Sublistop	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon • Cordura® Leather • Neoprene	280°F-300°F	Medium	Tack 5 Sec	Warm	50
SUPERTEK Opaque	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon • Cordura® Leather • Neoprene	280°F-300°F	Medium	Tack 5 Sec	Warm	50
SUPERTEK Matte/Gloss Clear	Cotton • Polyester • Cotton/Poly Blends Lycra®/Spandex • Nylon	280°F-300°F	Medium	Tack 5 Sec	Cold	50
CAD-COLOR Glitter	Cotton • Polyester • Cotton/Poly Blends	302°F	Medium	12 sec	Hot	50
CAD-COLOR Soft Foam	Cotton • Polyester • Cotton/Poly Blends	302°F	Medium	15 sec	Hot	50

Duets® by Gemini

by benimu					
CHARACTERISTICS	Duets ® Laser XT o∪тDooR/NDOOR	Duets ® Laser XT REVERSE	Duets® Laser INDOOR	Duets Contours" FLEXIBLE	
Laser	•	•	•	•	
Rotary	•	•	•	•	
Indoor	•	•	•	•	
Outdoor	•	•			
UV Stable In/Out	•	•			
Matte/non-glare Finish	•	•	•	•	
Gloss Finish	•		•	•	
Gloss Metal Finish			•		
Brushed Metal Finish	•			•	
Brushed/Satin	•		•	•	
Wood Finish			•		
Patterned Finish			•	•	
Textured Finish					
Front Engravable	•		•	•	
Reverse Engravable		•			
Adhesive Back Options	•		•	•	
Heat Bendable	•	•	•	•	
Vector Cut	•			•	
Shears, Scores, Drills	•	•	•	•	
Saws	•	•	•	•	
UV Printable	•	•	•	•	
Hot Stamp, Silk Screen	•	•	•	•	
Bondable	•	•	•	•	
.020" (0.5mm)				•	
1/32" Thickness	•		•		
1/16" Thickness	•	•	•		
1/8" Thickness	•		•		
1/4" Thickness					

Application Chart



Duets ® Rotary INDOOR	Duets Ultimates" MAXIMUM DURABILTY	Duets Ultimates" REVERSE	Duets ® Textures HIGH TRAFFIC	Duets ® Selects" ULTRA FLAT/SINGLE PASS	Duets Accents [*] ENHANCED STYLE	Duets Tactiles" ADA & APPLIQUE
				•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
	•	•	•	•	•	•
	•	•	•	•	•	•
•	•	•		•	•	•
					•	
•						
•						
•				•		
•						
•						
			•			
•	•	_	•	•	•	•
		•			•	_
				_		•
•	•	•	•	•	•	•
			_	_		
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•		•			•
•	•	•	•			
•	•	•				•
					•	

Duets® by Gemini

CHARACTERISTICS	Duets ® Laser XT outboor/INDoor	Duets ® Laser XT REVERSE	Duets ® Laser INDOOR	Duets Contours [™] REXIBLE	
CHARACTERISTICS Clear-Guard™					
Dura-Guard TM			•		
ADA Compliant	•				
ADA & Applique					
Fluorescent		•			
Architectural Signage					
Awards & Recognition					
Egress / Exit Signage	•	•	•		
Exterior Branding	•				
Exterior Signage	•	•			
Industrial Labeling	•				
Industrial Signage	•	•	•		
Interior Branding				•	
Interior Signage	•	•	•	•	
Labels			•		
Personal Identification	•	•	•		
Retail Displays				•	
Safety Signage	•	•	•		
Signage Substrate					
Trophies, Awards, Plaques	•	•	•	•	
Wayfinding	•		•		
Colors	41	15	23	10	
Page Numbers	256	249	254	255	



Application Chart



Duets ® Rotary	Duets Ultimates" MAXIMUM DURABILITY	Duets Ultimates ["] REVERSE	Duets® Textures HIGH TRAFFIC	Duets® Selects" ULTRA FLAT/SINGLE PASS	Duets Accents" ENHANCED STYLÉ	Duets Tactiles" ADA & APPLIQUE
•						
					•	•
	•				•	•
_	_					•
•	•	•	•	•	•	•
•	•	•	•	•	•	
•	•	•	•	•		•
	•		•	•	•	•
•	•	•	•	•	•	•
_		_		-	<u> </u>	_
•	•	•	•	•	•	•
•	•	•	•	•		•
•	•	•	•	•		•
					•	
•	•	•	•	•	•	
•	•	•	•	•	•	•
43	17	8	6	16	16	50
258	246	248	245	244	250	252

ICONS

JDS Sign Supply Print Process Icons



ECO Solvent Ink - Low-solvent ink requires a longer drying period than Solvent ink, and Lifespan of two to three years.



Solvent Ink - Oil based ink that maintains pigment while bonding more effectively to the substrate. Widely used for outdoor applications.



Thermal Printing - Produces an image by heating coated thermochromic material when it passes over the thermal print head.



Latex Ink - Water based pigmented inks are VOC free and require no venting.



UV-Curable Ink - Non-Solvent based inks that are "cured" by a UV light system.



Screen Printing - Versatile and durable printing process that can be done on any surface.



Kota Pro™ is a brand of expanding products found exclusively through JDS Sign Supply. These items range from tools, sign frames, banner material & stands to standoffs.



CONTACT US

CUSTOMER SERVICE

855.661.2388

SPANISH SPEAKING LINE LINEA DE ESPAÑOL DIRECTA

855.661.2387

QUALITY ASSURANCE LINE

855.537.8478

FAX: 605.339.1467

JDS Process Icons

D

Diamond Drag Engraving

Recommended for engraving with a bullet-point diamond graver to "scratch" lines into a substrate.



Burnishing

Recommended when spinning burnishing tools to remove the cap sheet of a metal substrate.



Rotary Engraving

Recommended for engraving through spinning with a rotary tool.



Laser Engraving

Recommended for engraving with a laser.



Sublimation

Recommended for sublimation.



Sandcarving

Recommended for sandcarving.



JDS Informational Icons

Another JDS Innovation!



Made in the United States of America.

OUR ARTWORK

The artwork that is shown on a majority of our products is, unfortunately, not available for distribution. They are purchased or created using parts of a purchased image, and the license or rights of use agreements do not allow JDS to distribute the artwork. We purchase most of the artwork you see on our product images due to the amount of time that is required to create everything from scratch.

On that note, we can tell you that we purchased the artwork from www.bigstock.com. If you search their site using keywords related to the image you are looking for, it will pull up a large variety of similar artwork

Make sure to check the licensing agreements for each image you want to use to make sure you are purchasing the correct agreement for your intended usage.



Where to find printer profiles













Start Shopping













JDS Online Resources & Tools

Select an option below



This will bring you to our Online Resources & Tools page. Click on Printer Profiles - Download Center link. Then click the manufacturers logo to search for industry leading printer profiles.

JDS Fabrication Resources





Laser Settings

Duets™ Information Page

Find color conversion charts, technical and safety data.

Printer Profile - Download Center

ICC Profiles for Optimized Digital Printing Directly to Vinyl

1 Select Logo for ICC Profile(s)















A Division of JDS Industries

3M Controltac 180mC	60-61, 68	Badge Findings	260-263
3M 7725SE Dusted Cut Vinyl	77	Banana Buffers	166
3M 7725SE Frosted Cut Vinyl	77	Banner Hemming Tape	103-105
3M Knifeless Tape	157	Banner Material	90-91
3M Scotchcal™ Translucent™ Series 3630	62-63	Banner Stands	94-99
3M Scotchcal™ ElectroCut™ Series 7125	56-57, 69	Banner Ups® Adhesive Grommets and Banner Tape	101-105
3M Scotchcal™ ElectroCut™ Series 7725	58-59, 70	Bernzomatic High Heat Torch Nozzle	158
3M Scotchcal™ Series 50	64-65	Big Blue Safety Ruler	145
3M Scotchlite™ Reflective Series 5100R	74	Blade Disposal Cans	154
3M Scotchlite™ Reflective Series 680	72	Braille Beads	251
3M Scotchlite™ Reflective 680CR	73	Bravo Tabs	101
ADA Applique & Sheet Stock	252-253	Bumper Pole	171
ADA Signs	198-199	Cap Press	218, 221, 224, 227-228
Adhesive Grommet Tabs	101-102	Cast Aluminum Plaques	210-211
Air Release Tools	150	CE7000 Plotter Series	215
Application Fluid	173	Chalkboard Cut Vinyl	80
Application Charts	270-283	Changeable Copy Letters	200-205
Application Tools	144-175	Chizzler Removal Tool	
Aslan Printable Glass Décor Film		ClearShield Select Liquid Overlaminate	44
Atomic Heat Transfer Material	139	Clear PowerTape	103
AutoMark Wrap Vinyl	8,11	Color Change Film	48-53
Auto Sauce Wrap Care Products		Controltac™	
Auto Skins Wall Racks		Corner Shaper & Dies	238
Auto Skins Tools	171	Coro Claw Cutters	
Avery Dennison DOL 1000Z Series	33-36	Corrugated Plastic	207-208
Avery Dennison DOL 2000 Series		Cube Banner Stands	
Avery Dennison DOL 3000 Series		Cutting Mats & Grids	146
Avery Dennison DOL 6460 PVC Free		Cut Vinyl	56-80
Avery Dennison MPI 1105 EZ RS, 1105 EZ & 1105 EZ RS Kit		Curl Free Banner Material	
Avery Dennison MPI 2050 Translucent		Desk Holders & Wall Brackets	
Avery Dennison MPI 2105 EZ RS & 2105 EZ		Die Sets	
Avery Dennison MPI 2126 High Tack EZ	12	Digital Print Vinyl	
Avery Dennison MPI 2611		Drift Wrap Material	
Avery Dennison MPI 2630		Dual Liner Cutter	
Avery Dennison MPI 2902		Duets® Accents™	250
Avery Dennison MPI 2903 & 2903 EZ		Duets Contours® Flexible Sheet Stock	
Avery Dennison MPI 2920		Duets Dura-Guard Laser XT Sheet Stock	
Avery Dennison MPI 2921, 2921 EZ		Duets Glow Sheet Stock	
Avery Dennison MPI 2923 EZ		Duets Laser Indoor Sheet Stock	
Avery Dennison MPI 3300 & 3320		Duets Laser XT Reverse Sheet Stock	
Avery Dennison MPI 3303 & 3323		Duets Plastic Sheet Stock	
Avery Dennison SF100 - 128, 231 & 235		Duets Rotary Indoor Sheet Stock	
Avery Dennison MPI 1106 High Tack EZ		Duets Selects Sheet Stock	
Avery Dennison MPI 1405 EZ RS PVC Free		Duets Tactiles® ADA & Applique Sheet Stock	
Avery Dennison Squeegees		Duets Textures Sheet Stock	
Avery Dennison SW900 Supreme Wrapping Film	·	Duets Ultimates/Ultimates Reverse Sheet Stock	
Avery Dennison Tool Belt		Duets XT Outdoor/Indoor Sheet Stock	
Avery Dennison Tools		Dusted Cut Vinyl	
Avery Dennison Paint Mask		Emblem Removal Tool Set	
Avery Dennison Wrap Care Products		Engravable Plastic	
Avery Dennison V4000 Easy Apply RS Printable Reflective		Etched Glass Digital Print Vinyl	
. ,			



EXCEL Tools & Replacement Blades	148-150	Graphtec Plotter Cutters	214-215
EZPunch	101	Graphtec Media Baskets	215
FC9000 Plotter Series	214	Grommets, Grommet Press & Grommet Dies	100
Felt Block Squeegee	164	H-Stakes	208-209
Felt Squeegee Sleeves	165	Heat Conductive Pad	237
Floor Racks	170	Heat Gun	159
Floor Vinyl	9, 13, 16, 26-27	Heat Presses	192-201
FoamWerks Straight Cutter	145	Heat Press Supplies	234-237
Frosted Cut Vinyl	77	Heat Transfer Material	108-141
Gemini Duets Plastics	242-259	High Bond Mounting Tapes	176
General Formulations 100 & 102 Overlaminate	42	Hiker Grommet Press	100
General Formulations 108 Tedlar Anti-Graffiti Overlaminate	45	HIX Heat Press	222
General Formulations 109 Overlaminate	42	Holographic Film	31
General Formulations 110 EraseMark Pro	45	HOTRONIX Accessories	229-235
General Formulations 201 HTAP & 203 HTAP	18	HOTRONIX Heat Presses	224-228
General Formulations 201 HTAPAE & 203 HTAPAE	18	Image One Impact Tools	150
General Formulations 201 Matte & 203 Gloss	17	INSTA Heat Press	223
General Formulations 201 OPAE & 203 OPAE	16	Intepro Corrugated Plastics	
General Formulations 202 Matte & 204 Gloss	14	JDS Laserable Plastic	
General Formulations 210 Traffic Graffic	27	Knifeless Tape	157
General Formulations 211 Overlaminate	43	Knives & Cutters	
General Formulations 212 Traffic Graffic	26	Kota Pro ADA Signs	198-199
General Formulations 213 Non-PVC Overlaminate	43	Kota Pro Banner Material	90-91
General Formulations 220 Gloss & 222 Matte	17	Kota Pro Banner Stands	94-99
General Formulations 221 Gloss & 223 Matte	14	Kota Pro Desk Holders & Wall Brackets	206
General Formulations 226 WallMark & 226 HTR WallMark	20	Kota Pro Double Sided Banner Tape	104
General Formulations 229 HTR Matte Canvas		Kota Pro Emblem Removable Tool	
General Formulations 230 AutoMark & WRAP KIT	11	Kota Pro Heat Transfer Material	
General Formulations 231 & 240 Overlaminate	39	Kota Pro Liner Cutters	
General Formulations 232 WindowMark		Kota Pro Media Clips	
General Formulations 333 AutoMark Drift PW		Kota Pro Multi-Layer Stand-offs	
General Formulations 234 GraphiTex	20	Kota Pro PTFE Tape	
General Formulations 235 MotoMark LSE Grip		Kota Pro Screw Caps	
General Formulations 238 AutoMark Armor UV Overlaminate		Kota Pro Stainless Steel Tamper-proof Screws	
General Formulations 242 Opt. Clear Overlaminate		Kota Pro Stand-off Hole Locator	
General Formulations 255 Optically Clear		Kota Pro Stand-Offs	
General Formulations 270 WindowMark		Kota Pro Squeegees	,
General Formulations 280 WindowMark		Kota Pro PTFE Tape	
General Formulations 285 RoughMark		Kota Pro Tool Sets	
General Formulations 400 & 402 UV Overlaminate		Laserable Plastic	
General Formulations 765 Rainbow Holographic Film		LED Stand-Offs	
General Formulations 790AE		Lidco Big Blade Removal Tools	
General Formulations 813 High Gloss Clear UV Cast		Lidco Squeegees	
General Formulations 830 AutoMark Cast Wrap		Liner Cutter & Replacement Blades	
General Formulations 830 Series Wrap Kits		Lumina 4200 Series	
General Formulations 831 & 840 AutoMark UV Overlaminates.		Lumina 4301 Series	
General Formulations 844 Ulti-Matte Clear Cast		Lumina 7262 Series	
Geo Knight Heat Press		Magnum Magnetic Film	
Gold Line Tape		Magnetic Sheets	
Graphtec Accessories & Replacement Parts		Magnets	
Graffiti Print Heat Transfer Material		Magnetic Tools Set	



A Division of JDS Industries

Media Clips	172
Media Racks	170-171
Media Straps	172
MegaTape	103
MetalFlex Heat Transfer Material	140
Monkey Strips	166
Mounting Tape	176
Mug Press Attachment	221
Nomex Pads	237
OLFA Tools	152-155
Paint Mask	75
PET Gray Back	91
PLASTICADE Sign Frames	180-185
Plotters, Blades & Accessories	214-215
PoleTape & PoleTape Pro	105
PolyTabs	102
Poster Material	92-93
Power Punch	101
PowerTabs	102
PowerTape	
Printable Heat Transfer Material10	9-110,132-135, 141
Print Receptive Plastic	243
Printable Reflective Film	71
PROBELT	168
PROBUFFERS	
PROFINISHER Wrap Finishing Tools	168
PROFORM	
PROGLOVES	
PROKNIFE	147
Pronto™ Letters & Accessories	
PROSERIES Tools	
PTFE Glass Cloth Tape and Film Tape	
Rapid Tac Products	
Reflective Vinyl	
Reflective Heat Transfer Material	
Removal Fluid	
Removal Tools	
Replacement Blades145, 14	
Retractable Banner Stands	
RollePro	
RotaTrim Rotary Trimmers	
Rtape Transfer Tape & Films	
Safety Rulers	
SEF FlexCut Atomic	
SEF FlexCut Maxx	
SEF FlexCut MetalFlex	
SEF FlexCut Nylon	
SEF FlexCut NBB	
SEF FlexTape	
	1/11

SEF ReflexCut	140
SEF Tatoo SBB	138
Shears	239
Snitty Cutter	147
Sooper Edge Safety Ruler	145
Squeegees	161-164
Stahls PRE-CUT Numbers	111
Stahls CAD-CUT	112-131
Stahls CAD-COLOR	132-135
Stand-Offs & Stand-Off Displays	186-197
Static Cling	76
Supreme Wrapping Film	48-53
Tapes	81-85, 103-105, 157, 164, 235
Tesa Tape	176
Teflon Sheets and Table Wraps	236
FigerTape	104
Tool Belt	167-168
Tools & Tapes	144-177
Forch Nozzle	158
Fraffic Graffic	26-27
Fransfer Tape	81-85
FransferRite Transfer Tape & Films	81-83
Fuck Tool Set	160
/inyl Removal Wheel	158
/inylEFX Brushed	78-79
/inylEFX ChalkTalk Decorative	80
/inyIEFX Diamond Plate	80
/inylEFX Florentine Leaf	78-79
/inyIEFX Large Engine Turn	79
/inylEFX Metal Flake	78
/inyIEFX Smooth Mirror	78-79
Nall Brackets	170-171
Nall Films	9, 13, 15-16, 19-21, 28-29
Nall Racks	170-171
Needing Tools	150
Veldy Heat Guns	
Vet Edge Squeegee	
Vindow Films	
Nindow Perf	
Nrap Film	
Vrap Gloves	
Vrap Hook	
Vrap Kits	
(Banner Stands	
Ktreme Cutting Mats & Grids	
7 Strans	172



TERMS & CONDITIONS

CLAIMS, RETURNS & SHIPPING

ALL CLAIMS AND DISCREPANCIES MUST BE REPORTED WITHIN 10 DAYS OF RECEIPT OF SHIPMENT

CLAIMS: Deductions from remittances will not be allowed unless authorized by JDS Industries in writing. All claims for lost or damaged merchandise can be filed with JDS Industries, Inc. JDS Industries' liability ceases upon freight carriers receipt of shipment in good order. TRUCK SHIPMENTS - Count and inspect packages for damage BEFORE signing the freight bill. Describe any damage or carton shortages on the bill and file a claim with the carrier.

RETURNS: All products to be returned due to incorrect item shipped or defective merchandise must receive prior approval by JDS Industries. Return of customer error stock merchandise will be subject to a 15% restocking charge minimum. Credit will not be given for products received in unsellable condition. Credit for returned merchandise will be applied upon receipt and inspection of products. Custom and cut merchandise is nonreturnable. All requests to return goods must be received within 30 days of receipt of original purchase. Any replacement items shipped on Net Terms will be charged to the credit card on file if not returned within 30 days.

BACKORDERS: All backorders will be shipped as merchandise is available unless previously cancelled by customer.

SHIPPING: All orders will be shipped UPS, FedEx or truck unless otherwise specified. Truck shipments are sent freight collect, unless other arrangements have been made. Truck shipments can be sent prepaid and we will bill your account for an additional \$10 fee. A charge may be added for shipments that require delivery to the post office. Some services are not available from all warehouses.

DOUBLE BOXING: A **\$2.00** fee will be charged for each box when double boxing is requested.

BLANK LABEL: A **\$2.00** fee will be charged for each box when a blank label is requested.

SHIPPING MARBLE: JDS is not liable for damage when marble is sent by any method other than truck or will call.

PAYMENT OPTIONS

ACH: Electronic Payment directly from a bank account. Payments can be made at the time of order or as a payment on your account to avoid the **2%** credit card convenience fee.

CASH ON DELIVERY (COD):

Payment is made at time of delivery. COD charges apply.

CREDIT CARD: Payments are made at the time of order. Payments made by credit card after the date of invoice will be accepted for a **2%** convenience fee.









WIRES: Wires under \$500.00 will be assessed a \$25.00 wire fee charge. JDS will waive the \$25.00 wire fee for wires over \$500.00. Any fees charged by the customer's bank or by intermediate banks are the responsibility of the customer.

TERMS: Net 30 days from date of invoice to customers with approved credit. Credit application required and available upon request. Please allow **7-10** days for credit processing to be completed.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

CONDITIONS

Any non-sufficient funds payments (NSF) will be subject to terms change and a **\$50.00** NSF fee.

Late payments will result in interest charges at the rate of **1.5%** per month (**18%** per annum). Customers whose accounts are 30 days past due will be shipped credit card, or ACH.

Standard Ground Delivery



Corporate Office • 605.339.4010

JDS Sign Supply, Inc. • 1800 E 57th St N • PO Box 84806 • Sioux Falls, SD 57104-4806



A Division of JDS Industries

855.661.2388

Call Center Is Open, Monday-Friday 7:00 a.m. to 7:00 p.m. CST

Corporate Office:

JDS Industries, Inc. 1800 E 57th St N Sioux Falls, SD 57104-7115 605.339.4010

PO Box 84806 Sioux Falls, SD 57118-4806

(f) (@) @jdssignsupply

13 Warehouses to Serve You!

Bonney Lake, WA

9713 233rd Ave E STE E Bonney Lake WA 98391-2902

Sioux Falls, SD 1800 E 57th St N Sioux Falls, SD 57104-7115

Jacksonville, FL 4102 Bulls Bay Hwy Unit 2A Jacksonville, FI 32219-3232

Visalia, CA

9111 W Riggin Ave Visalia, CA 93291-9263

St. Louis, MO

13781 Rider Trail N Earth City, MO 63045-1205

Charlotte, NC

200 Forsyth Hall Dr STE 200C-1 Charlotte, NC 28273-5797

Phoenix, AZ

9191 W. Buckeye Rd. Suite 125 Tolleson, AZ 85353-4505

Chicago, IL

350 S Church St Addison, IL 60101-3750

Grand Prairie, TX

2535 Gifford St Suite 200 Grand Prairie, TX 75050-4448

Brownstown. MI

20001 Brownstown Center Dr STE 1060 Brownstown, MI 48183-1679

Atlanta, GA

3105 Sweetwater Road Bldg 300, STE W Lawrenceville, GA 30044-2447

Houston, TX

9254 Park South View STE 400 Houston, TX 77051-3063

Newark, NJ

220 Meadow Rd Edison, NJ 08817-6011