

A Division of JDS Industries

NEW PRODUCTS FALL 2024



Warehouses
Over 1.3 Million Sq Ft
Nationwide

OH THE

\$99 FREE

Same Day Shipping on Orders Placed by 4 PM!



Ve

Vehicle Films: Cast Permanent

ORAJET® 3951RA + ProSlide®



Premium permanent digital printing cast wrapping film featuring *Rapid*Air® & Pro*Slide* adhesive technology with low initial tack. *Rapid*Air allows air bubbles to release easily underneath the film, making installations quicker and easier. Pro*Slide* offers optimized repositionability, giving installers significant time savings. This highly conformable wrap film is Orafol's go-to solution for complex vehicle graphics. It removes cleanly up to 4 years.

DURABILITY: White: 10 Years

Transparent: 8 Years

OVERLAMINATE: ORAGUARD® 290,

290F, 293, 279

FILM THICKNESS: 2.0 mil

FINISH/FILM COLOR: Gloss / Transparent & White
ADHESIVE: Grey (white film) / Clear (transparent film),
solvent-based repositionable, permanent
Removable with heat up to 4 years

LINER: 88# PE-coated silicone paper with RapidAir + ProSlide technology












- Complex, long-term vehicle/fleet graphics
- Wrap applications
- Long-term outdoor signage
- · Boat graphics






ORAJET 3951RA + ProSlide Wrap Kit			
Kit	Size	Part No.	Price
OBAJET 3951BA + ProSlide / OBAGUARD 290 - 2 0 mil White	54" x 50 vd	KT3990	1 320 00





ORAJET® 3951RA with RapidAir®



010 Gloss White

30" x 50 yd

50" x 50 yd

54" x 10 yd

54" x 25 yd

54" x 50 yd

60" x 50 yd

DURABILITY: 10 Years

OVERLAMINATE: ORAGUARD® 290,

290F, 293, 279

FILM THICKNESS: 2.0 mil FINISH/FILM COLOR: Gloss / White











- · Long-term fleet & vehicle wraps
- Boat wraps
- Spot graphic application

ADHESIVE:	Grev. solvent-based repositionable.	permanent

Removable with heat up to 4 years LINER: 88# PE-coated silicone paper with RapidAir technology

Part No.

3951GRA-30-50-010

3951GRA-50-50-010

3951GRA-54-10-010

3951GRA-54-25-010

3951GRA-54-50-010

3951GRA-60-50-010

412.00

685.00

184.00

371.00

740.00

824.00

requiring superior printability	00 X 30 yu	393 IGNA-00-30-010	024.00	
		· ·		AMAHA
	00	PACE!		
			Photo	o Credit: @caviargraphics



Vehicle Films: Cast Permanent

ORAJET® 3951



Premium professional wrapping film with CommandForm® Technology, standard initial tack and repositionable permanent adhesive. The white face film (010) is designed for long-term general signage, print and cut spot vehicle and boat graphics, as well as vehicle and boat wraps. Use the transparent film (000) for graphics applied to translucent illuminated sign faces, transparent window graphics and general signage requiring transparency.

DURABILITY: White: 10 Years

Transparent: 8 Years

OVERLAMINATE: ORAGUARD® 290,

290GF, 293

FILM THICKNESS: 2.0 mil











- Complex, long-term vehicle/fleet graphics
- Wrap applications
- Outdoor signage
- **Boat wraps**



ADHESIVE: Grey (white film) / Clear (transparent film), solvent-based repositionable, permanent

Removable with heat up to 4 years.

LINER: 88# PE-coated silicone paper

Part No.	Price
3951G-15-50-000	199.00
3951G-15-55-000	216.00
3951G-30-50-000	400.00
3951G-36-50-000	482.00
3951G-50-50-000	665.00
3951G-54-50-000	720.00
3951G-60-50-000	800.00
Part No.	Price
3951G-15-50-010	199.00
3951G-15-55-010	216.00
3951G-30-50-010	400.00
00540 00 50 040	100.00
3951G-36-50-010	482.00
3951G-36-50-010 3951G-50-50-010	482.00 665.00
3951G-50-50-010	665.00
	3951G-15-50-000 3951G-30-50-000 3951G-30-50-000 3951G-36-50-000 3951G-50-50-000 3951G-60-50-000 Part No. 3951G-15-50-010 3951G-15-55-010 3951G-30-50-010







Vehicle Films: Cast Permanent Polyurethane Wrap Film

ORAJET® 3971RA + ProSlide®



ORAJET 3971RA + ProSlide is the industry's first cast polyurethane wrapping film, capable of handling complex curves and recesses. It offers better abrasion resistance than standard PVC films with no yellowing or cracking. It also offers self-healing properties. With a low initial tack, 3971RA + ProSlide delivers the best horizontal protection in the industry with excellent durability in extremely hot, cold, dry and industrial environments.

DURABILITY: 10 Years

OVERLAMINATE: ORAGUARD® 279

FILM THICKNESS: 2.0 mil

FINISH/FILM COLOR: Gloss / White

ADHESIVE: Grey, solvent-based repositionable, permanent

Removable with heat up to 4 years

LINER: 88# PE-coated silicone paper with RapidAir® + ProSlide technology













- Complex to moderate curves
- Commercial vehicle wraps and fleet graphics
- **Custom restyling wraps**
- **Boat wraps**
- Long-term outdoor signage

010 Gloss White		
Size	Part No.	Price
30" x 25 yd	3971GPS-30-25-010	228.00
30" x 50 yd	3971GPS-30-50-010	455.00
54" x 25 yd	3971GPS-54-25-010	411.00
54" x 50 yd	3971GPS-54-50-010	820.00
60" x 25 yd	3971GPS-60-25-010	455.00
60" x 50 yd	3971GPS-60-50-010	915.00





Photo Credit: @elementographics

Vehicle Films: High Performance Calendered Permanent

ORAJET® 3551RA + ProSlide®

High-performance polymeric digital media with RapidAir® + ProSlide Technology and low initial tack. Save significant time when using RapidAir with ProSlide technology for vehicle and boat wrapping. With optimized repositionability, ProSlide adhesive allows installers to easily position wrap film into place. Use on box trucks & trailers with rivets, partial pickup and cargo van wraps & simple boat wraps requiring limited conformability.

DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 290,

290F, 293, 279

FILM THICKNESS: 2.75 mil

FINISH/FILM COLOR: Gloss / Artic White

ADHESIVE: Grey, solvent-based repositionable, permanent

Removable with heat up to 4 years

LINER: 88# PE-coated silicone paper with RapidAir® + ProSlide technology

101 Gloss Artic White		
Size	Part No.	Price
30" x 50 yd	3551GPS-30-50-101	250.00
54" x 50 yd	3551GPS-54-50-101	450.00
60" x 50 yd	3551GPS-60-50-101	499.00













- Medium-term to long-term general signage
- Print and cut spot vehicle applications
- **Boat graphics**
- · Vehicle and boat wraps requiring limited conformability









Vehicle Films: High Performance Calendered Permanent

ORAJET® 3551RA with RapidAir®



High-performance print vinyl with RapidAir Technology and standard initial tack. By allowing air bubbles to escape underneath the film, RapidAir makes installations quicker and easier, especially for large format panel applications and spot graphics. Ideal for applications requiring limited conformability, 3551RA is perfect for wrapping box trucks and trailers with rivets, partial pickup truck and cargo van wraps and simple boat wraps.

DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 290,

290F, 293, 279

FILM THICKNESS: 2.75 mil

FINISH/FILM COLOR: Gloss / Artic White











- · Medium-term to long-term general signage
- Print and cut spot vehicle applications graphics
- Boat graphics
- Vehicle & boat wraps requiring limited conformability

ADHESIVE: Grey, solvent-based repositionable, permanent

Removable with heat up to 4 years

LINER: 88# PE-coated silicone paper with RapidAir technology

101 Gloss Artic White		
Size	Part No.	Price
30" x 50 yd	3551GRA-30-50-101	250.00
50" x 50 yd	3551GRA-50-50-101	415.00
54" x 50 yd	3551GRA-54-50-101	450.00
60" x 50 yd	3551GRA-60-50-101	499.00

ORAJET 3551RA Wrap Kit			
Kit	Size	Part No.	Price
ORAJET 3551RA / ORAGUARD 290 - 2.0 mil Artic White	54" x 50 yd	KT3590	1,035.00





Vehicle Films: High Performance Calendered Permanent

ORAJET® 3551



High performance calendered digital media with CommandForm® technology and standard initial tack. Available in two colors, Transparent (000) and Artic White (101). Both colors are suitable for medium to long-term general signage. Use Transparent for graphics applied to translucent sign faces, like white polycarbonate or acrylic substrates, as well as transparent window graphics.

DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 290,

290F, 293, 279

FILM THICKNESS: 2.75 mil

FINISH/FILM COLOR: Gloss / Transparent & Artic White

ADHESIVE: Grey (white film) / Clear (transparent film), solvent-based repositionable, permanent

Removable with heat up to 4 years.

LINER: 88# PE-coated silicone paper











Artic White (101):

- · Print and cut spot vehicle applications
- · Boat graphics
- Vehicle and boat wraps requiring limited conformability



- Graphics requiring transparency
- Translucent illuminated sign faces
- Transparent window graphics

000 Gloss Transparent		
Size	Part No.	Price
30" x 50 yd	3551G-30-50-000	214.00
54" x 50 yd	3551G-54-50-000	385.00
60" x 50 yd	3551G-60-50-000	427.00
101 Gloss Artic White		
Size	Part No.	Price
30" x 50 yd	3551G-30-50-101	214.00
36" x 50 yd	3551G-36-50-101	257.00
54" x 50 yd	3551G-54-50-101	385.00
54" x 100 yd	3551G-54-100-101	770.00
60" x 50 yd	3551G-60-50-101	427.00
60" x 100 yd	3551G-60-100-101	855.00







General Signage: High Performance Calendered Permanent

ORAJET® 3551DT Low Temperature

Engineered for colder weather applications, ORAJET 3551DT is an ultra-calendered, high-performance, low-temperature, PVC digital print media. With a thickness of 2.75 mil, 3551DT is thin enough to be conformable even when the mercury dips. Install in temperatures as low as 23° F.

DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 215,

215DU, 279, 290

FILM THICKNESS: 2.75 mil

FINISH/FILM COLOR: Gloss / Artic White

ADHESIVE: Clear, solvent-based repositionable, permanent

LINER: 88# PE-coated silicone paper

101 Gloss Artic White		
Size	Part No.	Price
54" x 25 yd	3551GDT-54-25-101	470.00









Common Applications:

- Cold-climate applications requiring a thinner, more conformable film
- General signage
- Indoor and outdoor applications



Sign Supplies

General Signage: High-Tack Cast Permanent

ORAJET® 3951HT



If you're dealing with hard-to-stick plastics or powder-coated surfaces that also have challenging contours, then ORAJET 3951HT is your best option. Use it on plastic coolers, kayaks, snowmobiles, ATVs, other "orange peel" textured surfaces and industrial labels. With a non-air egress liner, this permanent cast digital print media delivers high initial tack and final adhesion.

DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 290,

290F, 293, 279

FILM THICKNESS: 2.0 mil

FINISH/FILM COLOR: Gloss / White

ADHESIVE: Grey, solvent-based, permanent, with high initial tack and final adhesion

LINER: 90# PE-coated silicone paper











Common Applications:


· Hard to stick, low surface-energy plastics (smooth and rough textured)

- · Complex contoured applications
- · Textured plastic automotive wheel covers
- Recreational vehicles
- Powder-coated surfaces

010 Gloss White		
Size	Part No.	Price
30" x 25 yd	3951GHT-30-25-010	325.00
30" x 50 yd	3951GHT-30-50-010	645.00
54" x 25 yd	3951GHT-54-25-010	585.00
54" x 50 yd	3951GHT-54-50-010	1150.00
60" x 50 yd	3951GHT-60-50-010	1250.00



Sign Supplies





General Signage: High-Tack Calendered Permanent

ORAJET® 3105HT



When you need a high-tack calendered digital print media that is durable, versatile and produces brilliant graphics, order ORAJET 3105HT. Specially designed for hard-to-stick, low-energy plastics (like polyethylene and polypropylene) with a smooth or slightly textured flat surface such as kayaks, ATV's, coolers and porta-johns. 3105HT can also be used for industrial labels and permanent outdoor floor graphics on concrete and asphalt.


DURABILITY: 5 Years

OVERLAMINATE: ORAGUARD® 215,

215DU, 270, 290,

293, 250AS, 255AS

FILM THICKNESS: 4.0 mil



ADHESIVE: Grey, solvent-based, permanent with high initial tack and final adhesion

LINER: 90# PE-coated silicone paper

LATEX	
	SI









- Flat, hard-to-stick low-energy plastics with smooth or slightly textured surfaces
- Industrial labels
- Permanent outdoor floor graphics

010 Gloss White		
Size	Part No.	Price
30" x 10 yd	3105GHT-30-10-010	60.00
30" x 50 yd	3105GHT-30-50-010	240.00
54" x 10 yd	3105GHT-54-10-010	108.00
54" x 50 yd	3105GHT-54-50-010	435.00
60" x 50 yd	3105GHT-60-50-010	482.00
60" x 250 yd	3105GHT-60-250-010	2,395.00





General Signage: High-Tack Calendered Permanent

ORAJET® 3164HT

For brilliant and colorful graphics, industrial labels and decals applied to hard-to-stick surfaces, ORAJET 3164HT is an ideal choice. This soft calendered vinyl delivers a high initial tack and final adhesion. Use for short to medium-term applications.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 210,

215, 215DU

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss & Matte / Transparent & White

ADHESIVE: Clear, water-based, permanent high initial tack and final adhesion

LINER: 83# PE-coated silicone paper












- Decals
- Industrial labels
- Powder coated surfaces
- · Smooth plastic materials with low-surface energy



000 Gloss Transparent		
Size	Part No.	Price
30" x 50 yd	3164GHT-30-50-000	115.00
54" x 50 yd	3164GHT-54-50-000	209.00
60" x 50 yd	3164GHT-60-50-000	235.00
010 Gloss White		
Size	Part No.	Price
30" x 50 yd	3164GHT-30-50-010	115.00
54" x 50 yd	3164GHT-54-50-010	209.00
60" x 50 yd	3164GHT-60-50-010	235.00
010 Matte White		
Size	Part No.	Price
30" x 50 yd	3164MHT-30-50-010	115.00
54" x 50 yd	3164MHT-54-50-010	209.00
60" x 50 yd	3164MHT-60-50-010	235.00





General Signage: Intermediate Calendered Removable

ORAJET® 3691



Looking for a better option for medium-term outdoor signage or short-term indoor signage? Try ORAJET 3691, a 2.75 mil intermediate removable calendered vinyl with grey removable adhesive and 5 years of durability. Use ORAJET 3691 for medium-term outdoor signage, short-term indoor signage, smooth latex-painted wall surfaces and architectural window graphics.

DURABILITY: 5 Years OVERLAMINATE: ORAGUARD®

210, 215, 215DU

FILM THICKNESS: 2.75 mil

FINISH/FILM COLOR: Gloss & Matte / White ADHESIVE: Grey, solvent-based, removable LINER: 90# PE-coated silicone paper












- Flat surfaces
- Indoor and outdoor promotional signage
- Medium-term outdoor signage
- Short-term indoor signage
- Smooth low-VOC latex painted wall applications
- Architectural window graphics







General Signage: Intermediate Calendered Removable



ORAJET® 3169RA with RapidAir®

A versatile, intermediate calendered digital print media with *Rapid*Air adhesive technology that removes cleanly from indoor & outdoor application surfaces. With a specially formulated 4.0 mil blended-PVC construction and a dependable removable solvent-based air-egress adhesive system, 3169RA is a perfect solution for window, wall, & floor applications. ORAJET 3169RA is included in the ORAFOL® (OCS) ORALIFE™ Component System Warranty.

DURABILITY: 5 Years

OVERLAMINATE: ORAGUARD® 210, 215,

215DU, 250AS, 255AS

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss & Matte / White ADHESIVE: Grey, solvent-based, removable

Removable up to 3 years

LINER: 88# PE-coated silicone paper with RapidAir technology



Common Applications:

- Flat surfaces, general signage
- Short-term to medium-term applications requiring clean removability
- · Architectural window graphics
- · Removable wall graphics and murals
- Floor graphics (pair with ORAGUARD® 250AS)
- Bumper stickers & decals

Not designed for vehicle or trailer wrapping

010 Gloss White		
Size	Part No.	Price
54" x 50 yd	3169GRA-54-50-010	300.00
60" x 50 yd	3169GRA-60-50-010	335.00
010 Matte White		
Size	Part No.	Price
54" x 50 yd	3169MRA-54-50-010	300.00
60" x 50 yd	3169MRA-60-50-010	335.00







This shorter-term, low temperature, soft calendered PVC digital print media is designed to handle the challenge of applying vinyl onto flat surfaces indoors and outdoors when it's cold. For general signage in temperatures between 23°F and 50°F.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 200,

210, 215, 215 DU

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss / White

ADHESIVE: Clear, solvent polyacrylate, permanent

LINER: 83# silicone-coated paper

010 Gloss White		
Size	Part No.	Price
54" x 25 yd	3161GDT-54-25-010	135.00











- · Cold climate applications
- · Indoor and outdoor
- · Flat short-term applications



ORAJET® 3165RA with RapidAir®

Enjoy the versatility and vibrancy of ORAJET 3165 with the added benefit of quicker and easier installations due to the RapidAir air-egress technology. 3165RA is an intermediate digital media designed for a variety of indoor and outdoor applications. Apply additional UV and graphic abrasion protection with ORAGUARD® 210 or 215 overlaminate. ORAJET 3165RA is included in the ORAFOL® (OCS) ORALIFE™ Component System Warranty.

DURABILITY: 5 Years

OVERLAMINATE: ORAGUARD® 210, 215,

215DU, 250AS, 255AS

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss / White ADHESIVE: Grey, solvent-based, permanent

LINER: 88# PE-coated silicone paper with RapidAir technology











- Flat surfaces, short-term to medium-term applications
- Medium-term outdoor general signage
- Window graphics
- Long-term indoor general signage
- Permanent wall graphics and murals
- Floor graphics (pair with ORAGUARD® 250AS)
- Stickers & decals

Not designed for vehicle or trailer wrapping

010 Gloss White		
Size	Part No.	Price
15" x 50 yd	3165GRA-15-50-010	81.25
30" x 50 yd	3165GRA-30-50-010	163.50
54" x 50 yd	3165GRA-54-50-010	294.00
60" x 50 yd	3165GRA-60-50-010	327.00







ORAJET® 3165



This is a versatile intermediate digital print media designed for a variety of vibrant indoor and outdoor full-color applications. ORAJET 3165 utilizes a thicker 4.0 mil blended-PVC construction with a dependable solvent-based adhesive - proving it can hold up to the elements on its own or by adding additional UV and graphic abrasion protection with ORAGUARD® 210 or 215 overlaminate. 3165 is included in the ORALIFE™ Component System Warranty.

DURABILITY: 5 Years

ADHESIVE: Grey, solvent-based, permanent

OVERLAMINATE: ORAGUARD® 210, 215,

LINER: 88# PE-coated silicone paper

215DU, 250AS or 255AS

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss & Matte / White











- Medium-term outdoor general signage
- Window Graphics
- · Long-term indoor general signage
- Permanent wall graphics and murals
- Floor graphics (pair with ORAGUARD® 250AS)
- · Stickers & decals

Not designed for vehicle or trailer wrapping

010 Gloss White		
Size	Part No.	Price
20" x 10 yd	3165G-20-10-010	20.75
30" x 50 yd	3165G-30-50-010	126.50
54" x 50 yd	3165G-54-50-010	228.00
60" x 50 yd	3165G-60-50-010	255.00
60" x 250 yd	3165G-60-250-010	1,260.00
010 Matte White		
Size	Part No.	Price
20" x 10 yd	3165M-20-10-010	20.75
30" x 50 yd	3165M-30-50-010	126.50
50" x 50 yd	3165M-50-50-010	210.00
54" x 50 yd	3165M-54-50-010	228.00
60" x 50 yd	3165M-60-50-010	255.00
60" x 250 yd	3165M-60-250-010	1,260.00







010 Gloss White

50" x 50 yd

54" x 50 yd

54" x 100 yd

60" x 50 yd



ORAJET® 3651RA with RapidAir®

Enjoy all of the features of ORAJET 3651 PLUS the added benefit of quicker and easier installations due to the RapidAir air-egress technology. ORAJET 3651RA is an intermediate permanent calendered film designed to deliver vibrant full-color graphics for medium-term indoor and outdoor applications. Enjoy faster, bubble-free installations thanks to RapidAir. 3651RA is included in the ORAFOL® (OCS) ORALIFE™ Component System Warranty.

DURABILITY: 5 Years

OVERLAMINATE: ORAGUARD® 210,

215, 250AS, 255AS

FILM THICKNESS: 2.75 mil FINISH/FILM COLOR: Gloss / White











Common Applications:

- Flat surfaces, short-term to medium-term applications
- Outdoor general signage
- Vehicle decals
- Window graphics
- Permanent wall graphics and murals
- Floor graphics
- Stickers & decals

,		
ADHESIVE:	Grey, solvent-based, permanent	

LINER: 88# PE-coated silicone paper with RapidAir technology

Part No.

3651GRA-50-50-010

3651GRA-54-50-010

3651GRA-54-100-010

3651GRA-60-50-010

295.00

320.00

642.00

356.00







ORAJET® 3651



An Intermediate permanent calendered digital print media, ORAJET 3651 is designed to deliver vibrant full-color graphics for medium-term indoor & outdoor applications. This film utilizes a thin 2.75 mil blended-PVC construction with a dependable solvent-based adhesive system. Users can experience ORAJET printability advantages with consistent, high-quality production. 3651 is included in the ORAFOL® (OCS) ORALIFE™ Component System Warranty.

010 Gloss White

DURABILITY: 5 Years ADHESIVE: Grey (white film) / Clear (transparent film), solvent-based, permanent

OVERLAMINATE: ORAGUARD® 210, 215, LINER: 88# PE-coated silicone paper 215DU, 250AS or 255AS

FILM THICKNESS: 2.75 mil

FINISH/FILM COLOR: Gloss & Matte / Transparent

Gloss, Semi-Gloss & Matte / White












- Flat surfaces, short-term to medium-term
- Outdoor general signage
- Vehicle decals
- Long-term indoor signage
- Window graphics
- Illuminated backlit signage (Transparent color 000)
- Permanent wall graphics & murals
- Floor graphics (pair with ORAGUARD® 250AS)
- Stickers & decals
- **UL** industrial labels

Not designed for vehicle or trailer wrapping





rinter	
	<u>v</u>

250.00

277.00

Size	Part No.	Price
25" x 100 yd	3651G-25-100-010	232.00
30" x 50 yd	3651G-30-50-010	139.00
36" x 50 yd	3651G-36-50-010	167.00
50" x 50 yd	3651G-50-50-010	230.00
54" x 50 yd	3651G-54-50-010	250.00
54" x 100 yd	3651G-54-100-010	500.00
60" x 50 yd	3651G-60-50-010	277.00
60" x 100 yd	3651G-60-100-010	555.00
010 Semi-Gloss White		
Size	Part No.	Price
30" x 50 yd	3651SG-30-50-010	139.00
36" x 50 yd	3651SG-36-50-010	167.00
54" x 50 yd	3651SG-54-50-010	250.00
60" x 50 yd	3651SG-60-50-010	377.00
010 Matte White		
Size	Part No.	Price
15" x 55 yd	3651M-15-55-010	75.50
20" x 10 yd	3651M-20-10-010	22.75
30" x 50 yd	3651M-30-50-010	139.00
36" x 50 yd	3651M-36-50-010	167.00
50" x 50 yd	3651M-50-50-010	230.00
50" x 55 yd	3651M-50-55-010	230.00

3651M-54-50-010 3651M-60-50-010

54" x 50 yd

60" x 50 yd



010 Gloss White

54" x 50 yd



ORAJET® 3174 PVC-Free

Looking for an economical PVC-free digital print film? ORAJET 3174 is a 4.0 mil white polypropylene print film with a gloss finish. With a clear, permanent, water-based adhesive, ORAJET 3174 is a good option for flat, short-term to medium-term indoor and outdoor applications like point-of-purchase (POP), graphics for exhibits and general signage.

3174G-54-50-010

450.00

DURABILITY: 2 Years

OVERLAMINATE: ORAGUARD® 236

FILM THICKNESS: 4.0 mil FINISH/FILM COLOR: Gloss / White

ADHESIVE: Clear, water-based, permanent LINER: 83# PE-coated silicone paper











Common Applications:

- Short-term to medium-term applications
- Flat surface application
- Indoor and outdoor general signage
- Promotional, P.O.P. graphics
- **Exhibits**
- Smooth, latex painted walls
- Architectural window graphics









General Signage: Economical Calendered Removable

010 Matte White

54" x 50 yd

ORAJET® 3720 PVC-Free

ORAFOL® is responding to the increasing demand for PVC-free solutions in the sign and graphics industry. These PVC-Free Polypropylene (PP) digital print medias, are a perfect solution for temporary advertising and general signage. Produce vivid looking graphics on your preferred UV-curable printing platforms. For short-term use, an overlaminate is NOT needed which means material savings, lower costs and a more sustainable solution.

Part No.

3720M-54-50-010

139.00

DURABILITY: 2 Years OVERLAMINATE: ORAGUARD® 236 FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Matte / White

ADHESIVE: Clear, water-based, removable LINER: 83# PE-coated silicone paper



Common Applications:

- · Temporary retail & pop-up shop graphics
- Promotional exhibits & event graphics
- Short-term indoor & outdoor signage
- Architectural window graphics
- Smooth, latex painted wall surfaces
- Stickers & decals





Sign Supplies

General Signage: Economical Calendered Removable

ORAJET® 3621

A budget-friendly digital print solution, ORAJET 3621 is perfect for vivid shorter-term indoor and outdoor full-color graphic applications. Extremely versatile, this promotional film can not only be used for stickers, decals and general signage, it also delivers on windows, walls and even floors. Engineered for clean removability from the application surface. ORAJET 3621 ensures consistent, top-quality print production.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 200,

210, 236, 250AS 255AS

FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Gloss & Matte / White ADHESIVE: Grey, water-based, removable

LINER: 83# silicone-coated paper











Common Applications:

- Outdoor general signage
- Promotional window graphics
- Floor graphics (pair with ORAGUARD® 250AS)
- Promotional stickers & decals
- Long-term indoor general signage
- · Permanent wall graphics and murals

Not designed for vehicle or trailer wrapping





010 Gloss White		
Size	Part No.	Price
30" x 50 yd	3621G-30-50-010	92.00
36" x 50 yd	3621G-36-50-010	111.00
50" x 50 yd	3621G-50-50-010	152.00
54" x 50 yd	3621G-54-50-010	165.00
60" x 50 yd	3621G-60-50-010	184.00
60" x 100 yd	3621G-60-100-010	370.00
60" x 250 yd	3621G-60-250-010	910.00
80" x 50 yd	3621G-80-50-010	305.00
80" x 100 yd	3621G-80-100-010	605.00
80" x 250 yd	3621G-80-250-010	1,485.00
010 Matte White		
Size	Part No.	Price
30" x 50 yd	3621M-30-50-010	92.00
36" x 50 yd	3621M-36-50-010	111.00
50" x 50 yd	3621M-50-50-010	152.00
54" x 50 yd	3621M-54-50-010	165.00
54" x 100 yd	3621M-54-100-010	335.00
60" x 50 yd	3621M-60-50-010	184.00
60" x 100 yd	3621M-60-100-010	370.00
80" x 50 yd	3621M-80-50-010	305.00
80" x 100 yd	3621M-80-100-010	605.00





ORAJET® 3640



DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 200,

210, 236 or 250AS

FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Gloss & Matte / White & Transparent

ADHESIVE: Clear, water-based, permanent

LINER: 83# silicone-coated paper











- · Flat surfaces, short-term applications
- · Outdoor general signage
- · Promotional window graphics
- · Long-term indoor general signage
- · Permanent wall graphics and murals
- Floor graphics (pair with ORAGUARD® 250AS)
- · Promotional stickers & decals

Not designed for vehicle or trailer wrapping

000 Gloss Transparent	D. J. N.	Date
Size	Part No.	Price
30" x 50 yd	3640G-30-50-000	86.00
50" x 50 yd	3640G-50-50-000	143.00
54" x 50 yd	3640G-54-50-000	155.00
60" x 50 yd	3640G-60-50-000	172.00
80" x 50 yd	3640G-80-50-000	285.00
010 Gloss White		
Size	Part No.	Price
24" x 55 yd	3640G-24-55-010	75.00
30" x 50 yd	3640G-30-50-010	86.00
50" x 50 yd	3640G-50-50-010	143.00
54" x 50 yd	3640G-54-50-010	155.00
54" x 100 yd	3640G-54-100-010	310.00
54" x 250 yd	3640G-54-250-010	845.00
60" x 50 yd	3640G-60-50-010	172.00
60" x 100 yd	3640G-60-100-010	345.00
60" x 250 yd	3640G-60-250-010	855.00
80" x 50 yd	3640G-80-50-010	285.00
000 Matte Transparent		
Size	Part No.	Price
30" x 50 yd	3640M-30-50-000	86.00
50" x 50 yd	3640M-50-50-000	143.00
54" x 50 yd	3640M-54-50-000	155.00
60" x 50 yd	3640M-60-50-000	172.00
80" x 50 yd	3640M-80-50-000	285.00



Photo Credit: @motogfx

010 Matte White		
Size	Part No.	Price
30" x 50 yd	3640M-30-50-010	86.00
50" x 50 yd	3640M-50-50-010	143.00
54" x 50 yd	3640M-54-50-010	155.00
54" x 100 yd	3640M-54-100-010	310.00
60" x 50 yd	3640M-60-50-010	172.00
60" x 100 yd	3640M-60-100-010	345.00
60" x 250 yd	3640M-60-250-010	855.00
80" x 50 yd	3640M-80-50-010	285.00



ORAFOL

Photo Credit: @motogfx

ORAJET® 3641

Crafted with a 3.0 mil economical PVC construction and a tinted grey water-based adhesive, ORAJET 3641 is tailored for shorter-term projects. This budget-friendly digital print solution is perfect for a variety of full-color applications, both indoors & outdoors. ORAJET 3641 ensures consistent, top-quality print production. Plus, it's backed by the ORAFOL® (OCS) ORALIFE™ Component System Warranty, offering peace of mind and reliability.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 200,

210, 236, 250AS, 255AS

FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Gloss & Matte / White











- Flat surfaces, short-term applications
- · Outdoor general signage
- · Promotional window graphics
- · Long-term indoor general signage
- Permanent wall graphics and murals
- Floor graphics (pair with ORAGUARD® 250AS)
- Promotional stickers & decals

Not designed for vehicle or trailer wrapping

ADHESIVE: Grey, water-based, permanent LINER: 83# silicone-coated paper

010 Gloss White		
Size	Part No.	Price
24" x 50 yd	3641G-24-50-010	69.00
30" x 50 yd	3641G-30-50-010	86.00
36" x 50 yd	3641G-36-50-010	104.00
50" x 50 yd	3641G-50-50-010	143.00
54" x 50 yd	3641G-54-50-010	155.00
54" x 100 yd	3641G-54-100-010	310.00
60" x 50 yd	3641G-60-50-010	172.00
60" x 100 yd	3641G-60-100-010	345.00
60" x 250 yd	3641G-60-250-010	855.00
010 Matte White		
Size	Part No.	Price
30" x 50 yd	3641M-30-50-010	86.00
50" x 50 yd	3641M-50-50-010	143.00
54" x 50 yd	3641M-54-50-010	155.00
54" x 100 yd	3641M-54-100-010	310.00
60" x 50 yd	3641M-60-50-010	172.00





ORAJET® 3258

Looking for a thicker digital print media that will be easier for your customer to peel and apply? ORAJET 3258 is a good option to try. The semi-rigid economical calendered PVC is designed for long-term indoor signage, promotional decals and stickers, point of purchase (POP) displays and short-term general signage.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 210, 215

FILM THICKNESS: 6.0 mil

FINISH/FILM COLOR: Gloss & Matte / White ADHESIVE: Grey, solvent-based, permanent

LINER: 90# silicone-coated paper











- Short-term general signage
- Contour-cut decals
- · Point of purchase displays

Part No.	Price
3258G-20-10-010	26.50
3258G-30-33-010	108.50
3258G-54-33-010	195.00
3258G-60-33-010	218.00
Part No.	Price
3258M-20-10-010	26.50
3258M-30-33-010	108.50
3258M-54-33-010	195.00
3258M-60-33-010	218.00
	3258G-20-10-010 3258G-30-33-010 3258G-54-33-010 3258G-60-33-010 Part No. 3258M-20-10-010 3258M-30-33-010 3258M-54-33-010





ORAJET® 3164RA with RapidAir®



For economical general signage, short-term to medium-term, flat indoor and outdoor applications, this soft calendered vinyl offers RapidAir Technology. Installations will be quicker and easier thanks to the liner's advanced air release design. Not intended for vehicle graphics or wraps.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 200,

210, 215, 215DU, 236

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss & Matte / White ADHESIVE: Clear, water-based, permanent

54" x 50 yd

60" x 50 yd

LINER: 89# Silicone-coated liner with RapidAir technology











- Economical, flat, short-term to medium-term use
- Indoor and outdoor general signage
- Decals
- **Nameplates**
- Die cut letters
- P.O.P. graphics

Not designed for vehicle or trailer wrapping

010 Gloss White		
Size	Part No.	Price
30" x 50 yd	3164GRA-30-50-010	142.00
50" x 50 yd	3164GRA-50-50-010	236.00
54" x 50 yd	3164GRA-54-50-010	255.00
60" x 50 yd	3164GRA-60-50-010	285.00
010 Matte White		
Size	Part No.	Price
30" x 50 yd	3164MRA-30-50-010	142.00
50" x 50 yd	3164MRA-50-50-010	236.00

3164MRA-54-50-010

3164MRA-60-50-010

255.00

285.00





SUNSET	SUNSET	INSET SUNSE	CUNSE
SET) SUNSE	CUNSE!	SUNSET SI	SUNSET S
UNSET) SU	NSET	SET SUNSET	SUNSE
Constant of the second of the	SUNSET	5U	Photo Credit: @motogfx







If the job calls for an economical film with high opacity, ORAJET 3164xRA is a good option to consider. This soft calendered vinyl delivers all of the features of 3164RA PLUS a grey adhesive to block the color of the underlying substrate. And the installation will be quicker and easier thanks to the *Rapid*Air Technology. Use short-term to medium-term on flat indoor and outdoor applications.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD® 200, 210

215, 215DU, 236

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss & Matte / White ADHESIVE: Grey, water-based, permanent LINER: 89# silicone-coated with RapidAir technology











- Economical, flat, short-term to medium-term use
- · Indoor and outdoor general signage
- Decals
- Nameplates
- Die Cut Letters
- P.O.P. Graphics

Not designed for vehicle or trailer wrapping

010 Gloss White		
Size	Part No.	Price
30" x 50 yd	3164XGRA-30-50-010	142.00
50" x 50 yd	3164XGRA-50-50-010	236.00
54" x 50 yd	3164XGRA-54-50-010	255.00
60" x 50 yd	3164XGRA-60-50-010	285.00
010 Matte White		
Size	Part No.	Price
30" x 50 yd	3164XMRA-30-50-010	142.00
50" x 50 yd	3164XMRA-50-50-010	236.00
54" x 50 yd	3164XMRA-54-50-010	255.00
60" x 50 yd	3164XMRA-60-50-010	285.00



ORAJET® 3164

Sign Supplies



UL certified for UL 969 "Marking and Labeling Systems" (USA) and CSA C22.2 No. 0.15 "Adhesive Labels" (Canada), ORAJET 3164 provides a clear, water-based permanent adhesive. A soft calendered vinyl, ORAJET 3164 is available as an economical gloss transparent film when a clear finish is necessary for a general signage application. 3164 is also available in white with a gloss or matte finish.

Gloss & Matte / White

DURABILITY: 4 Years **OVERLAMINATE: ORAGUARD® 200**

210. 236

FILM THICKNESS: 4.0 mil

FINISH/FILM COLOR: Gloss / Transparent

ADHESIVE: Clear, water-based, permanent

LINER: 83# PE-coated silicone paper











- Short-term to medium-term general signage
- Indoor and outdoor flat applications
- Decals
- Nameplates
- Die-cut letters
- P.O.P. Graphics



000 Gloss Transparent		
Size	Part No.	Price
54" x 50 yd	3164G-54-50-000	167.00
010 Gloss White		
Size	Part No.	Price
20" x 25 yd	3164G-20-25-010	30.50
20" x 50 yd	3164G-20-50-010	61.00
30" x 50 yd	3164G-30-50-010	92.50
50" x 50 yd	3164G-50-50-010	155.00
54" x 50 yd	3164G-54-50-010	167.00
60" x 50 yd	3164G-60-50-010	185.00
60" x 250 yd	3164G-60-250-010	920.00
80" x 50 yd	3164G-80-50-010	319.00
010 Matte White		
Size	Part No.	Price
30" x 50 yd	3164M-30-50-010	92.50
50" x 50 yd	3164M-50-50-010	155.00
54" x 50 yd	3164M-54-50-010	167.00
60" x 50 yd	3164M-60-50-010	185.00
80" x 50 yd	3164M-80-50-010	319.00



Photo Credit: @motogfx



ORAJET® 3740 PVC-Free

ORAFOL® is responding to the increasing demand for PVC-free solutions in the sign and graphics industry. These PVC-Free Polypropylene (PP) digital print medias are a perfect solution for temporary advertising and general signage. Produce vivid looking graphics on your preferred UV-curable printing platforms. For short-term use, an overlaminate is NOT needed which means material savings, lower costs and a more sustainable solution.

DURABILITY: 2 Years OVERLAMINATE: ORAGUARD® 236 FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Matte / White

ADHESIVE: Clear, water-based, permanent LINER: 83# PE-coated silicone paper



Common Applications:

- Temporary retail & pop-up shop graphics
- Promotional exhibits & event graphics
- · Short-term indoor and outdoor signage
- Architectural window graphics
- · Smooth, latex painted wall surfaces
- Stickers & decals

010 Matte White		
Size	Part No.	Price
54" x 50 yd	3740M-54-50-010	139.00





Window Films: Cast Semi-Removable

ORAJET® 3952F Optically Clear



Create extremely clear decorative architectural window graphics with ORAJET 3952F. Designated for long-term exterior first-surface applications, as well as interior second-surface applications. With enhanced optical clarity, no need to worry about the adhesive or film clouding visibility when looking through the window.

DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 252F

FILM THICKNESS: 2.0 mil

FINISH/FILM COLOR: Gloss / Optically Clear

ADHESIVE: Clear, solvent-based, semi-permanent

Removable with heat or steam LINER: 3.0 mil silicone-coated polyester film











000 Optically Clear		
Size	Part No.	Price
54" x 50 yd	3952GF-54-50-000	1,225.00
60" x 25 yd	3952GF-60-25-000	680.00
60" x 50 yd	3952GF-60-50-000	1,360.00

Common Applications:

- Large-scale interactive wayfinding
- · Corporate offices, healthcare and educational institutions
- · Museums, retail, sporting venues and transit stations





Sign Supplies

Window Films: Economical Calendered Removable

ORAJET® 3620

Discover a budget-friendly print solution for window graphics. Crafted with a 3.0 mil economical transparent clear PVC film and a clear water-based adhesive, ORAJET 3620 is tailored for shorter-term projects requiring clean removability. Transparent Films are designed to work with natural light to simulate a "stained glass" effect without obscuring the background. Use a wet application technique for professional looking, crystal clear results.

DURABILITY: 4 Years ADHESIVE: Clear, water-based, removable

OVERLAMINATE: ORAGUARD® 200, LINER: 83# Silicone-coated paper

210, 236

FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Gloss & Matte / Transparent











- · Short-term promotional window graphics
- Storefront or P.O.P. retail applications
- Applications where background color or substrate must remain visible

Not designed for vehicle or trailer wrapping

000 Gloss Transparent		
Size	Part No.	Price
30" x 50 yd	3620G-30-50-000	93.00
50" x 50 yd	3620G-50-50-000	154.00
54" x 50 yd	3620G-54-50-000	167.00
60" x 50 yd	3620G-60-50-000	185.00
60" x 100 yd	3620G-60-100-000	370.00
80" x 50 yd	3620G-80-50-000	305.00
000 Matte Transparent		
Size	Part No.	Price
30" x 50 yd	3620M-30-50-000	93.00
50" x 50 yd	3620M-50-50-000	154.00
54" x 50 yd	3620M-54-50-000	167.00
60" x 50 yd	3620M-60-50-000	185.00





Sign Supplies

Window Films: Intermediate Calendered Permanent



ORAJET® 3675 Gloss Perforated 50/50 Film

ORAJET 3675 offers a 50/50 perforated surface for window graphics. Half of the surface is available for printing. Half of the film has been removed, allowing light to pass through. ORAJET 3675 and ORAJET 3676 (60/40) are two of the longest-lasting perforated window films on the market when laminated with ORAGUARD® 297GF Optically Clear overlaminate.

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD®

297GF, 290F

FILM THICKNESS: 5.5 mil

FINISH/FILM COLOR: Gloss / White with black backing

ADHESIVE: Clear, solvent-based, permanent

LINER: 83# silicone coated paper












- · Vehicle window graphics
- · Short-term to medium-term applications

010 Gloss White		
Size	Part No.	Price
24" x 10 yd	3675G-24-10-010	195.00
24" x 50 yd	3675G-24-50-010	780.00
30" x 10 yd	3675G-30-10-010	245.00
30" x 50 yd	3675G-30-50-010	975.00
54" x 10 yd	3675G-54-10-010	435.00
54" x 50 yd	3675G-54-50-010	1,775.00
60" x 10 yd	3675G-60-10-010	485.00
60" x 50 yd	3675G-60-50-010	1,925.00







Window Films: Intermediate Calendered Permanent



ORAJET® 3676 Perforated 60/40 Film

ORAJET 3676 offers a 60/40 perforated surface for window graphics. 60% of the surface is available for printing. 40% of the film has been removed, creating a more vibrant image while still allowing light to pass through. ORAJET 3675 and ORAJET 3676 (60/40) are two of the longest-lasting perforated window films on the market when laminated with ORAGUARD® 297GF Optically Clear overlaminate.

FINISH/COLOR: Gloss / White with black backing

ADHESIVE: Clear, solvent-based, permanent

DURABILITY: 4 Years

OVERLAMINATE: ORAGUARD®

297GF, 290F LINER: 83# silicone coated paper

FILM THICKNESS: 5.5 mil









Common Applications:

- · Vehicle window graphics
- · Short-term to medium-term applications

010 Gloss White		
Size	Part No.	Price
24" x 10 yd	3676G-24-10-010	195.00
24" x 50 yd	3676G-24-50-010	780.00
30" x 10 yd	3676G-30-10-010	245.00
30" x 50 yd	3676G-30-50-010	975.00
54" x 10 yd	3676G-54-10-010	435.00
54" x 50 yd	3676G-54-50-010	1,775.00
60" x 10 yd	3676G-60-10-010	485.00
60" x 50 yd	3676G-60-50-010	1,925.00









Wall Films: Cast Conformable Permanent



ORAJET® 3954 Brick Stone Film

If you're looking for a high-performance digital print wrap film that can handle textured wall surfaces, try ORAJET 3954 Brick Stone Film. This 2.0 mil wrap film is perfect for short-term outdoor advertising on flat or simple-curved surfaces including brick, concrete, and stone. ORAJET 3954 is engineered for sealed and unsealed wall surfaces. It is removable with heat.

DURABILITY: 10 Years

OVERLAMINATE: ORAGUARD® 290,

290F, 279, 293

FILM THICKNESS: 2.0 mil

FINISH/FILM COLOR: Gloss / White

ADHESIVE: Grey, solvent polyacrylate, permanent

Removable with heat

LINER: 88# PE-coated silicone paper

010 Gloss White		
Size	Part No.	Price
54" x 10 yd	3954G-54-10-010	235.00
54" x 50 yd	3954G-54-50-010	945.00









Common Applications:

- · Medium-term outdoor advertising
- · Flat or simple curved sealed and unsealed textured surfaces
- · Brick, concrete block and poured concrete
- Smooth, washable latex painted wall surfaces







Wall Films: Economical Calendered Removable

ORAJET® 3268



Designed for shorter-term interior contour-cut wall and window graphics, ORAJET 3268 is an economical, soft, PVC film featuring a low-tack adhesive that enables a graphic to be removed easily. An unprinted border around the graphic is recommended to help ensure the success of applications with this film.

DURABILITY: 2 Years OVERLAMINATE: NA FILM THICKNESS: 6.0 mil FINISH/FILM COLOR: Matte / White ADHESIVE: Clear, water-based, removable

LINER: 83# silicone-coated paper











- · Interior contour-cut wall & window graphics
- Shorter-term uses

010 Matte White		
Size	Part No.	Price
30" x 50 yd	3268M-30-50-010	167.00
54" x 50 yd	3268M-54-50-010	300.00
54" x 250 yd	3268M-54-250-010	1,495.00
60" x 50 yd	3268M-60-50-010	335.00
60" x 250 yd	3268M-60-250-010	1,650.00





Wall Films: Economical Calendered Removable

ORAJET® 3628



With a special low-tack clear adhesive, ORAJET 3628 is a good digital print media option for shorter-term wall and window graphics. The soft 3.0 mil calendered PVC film produces beautiful wall art that can be removed easily.

DURABILITY: 3 Years OVERLAMINATE: ORAGUARD® 200, 210

FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Matte / White ADHESIVE: Clear, water-based, removable

LINER: 83# silicone-coated paper














- · Shorter-term indoor signage
- Murals and wall graphics
- · Smooth latex painted walls
- Window graphics

010 Matte White		
Size	Part No.	Price
30" x 50 yd	3628M-30-50-010	155.00
54" x 50 yd	3628M-54-50-010	280.00
60" x 50 yd	3628M-60-50-010	310.00









Floor Films: Intermediate Calendered Removable

ORAJET® 1663



This 4.25 mil, highly pigmented PVC white film is designed for interior floor graphics on smooth, non-porous sealed surfaces. ORAJET 1663 is a calendered digital media with a clear, removable adhesive. The recommended overlaminates - ORAGUARD® 250AS and 255AS - are both skid-resistant PVCs for high load exposure. Both overlams also meet the standards of ASTM D 2047 and BAM StVo §35 d3 for Skid and Slip Resistance.

FINISH/FILM COLOR: Gloss & Matte / White

ADHESIVE: Clear, solvent-based, removable

LINER: 83# silicone-coated paper

DURABILITY: 3 Years

OVERLAMINATE: ORAGUARD® 250AS,

255AS

FILM THICKNESS: 4.25 mil











- Indoor removable floor graphics
- Short-term to medium-term use
- · Smooth, non-porous, sealed surfaces

010 Gloss White		
Size	Part No.	Price
30" x 50 yd	1663G-30-50-010	279.00
36" x 50 yd	1663G-36-50-010	339.00
50" x 50 yd	1663G-50-50-010	479.00
54" x 50 yd	1663G-54-50-010	499.00
60" x 50 yd	1663G-60-50-010	569.00
010 Matte White		
Size	Part No.	Price
30" x 50 yd	1663M-30-50-010	279.00
50" x 50 yd	1663M-50-50-010	479.00
54" x 50 yd	1663M-54-50-010	499.00
60" x 50 yd	1663M-60-50-010	569.00





Translucent: High Performance Polymeric Permanent

ORAJET® 3850

A 3.0 mil high performance calendered vinyl, ORAJET 3850 is a white translucent film with a semi-gloss finish. Translucent films like ORAJET 3850, are designed to be illuminated by an artificial light source such as fluorescent lamps or LEDs, making it the perfect solution for internally illuminated sign projects such as sign cabinets or channel letters.

DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 215, 290

290GF, 293, 297GF

FILM THICKNESS: 3.0 mil

FINISH/FILM COLOR: Semi-Gloss / White ADHESIVE: Clear, solvent-based, permanent LINER: 90# PE-coated silicone paper













- Long-term use on rigid substrates
- · Backlit indoor and outdoor applications

010 Semi-Gloss White		
Size	Part No.	Price
30" x 10 yd	3850SG-30-10-010	86.00
30" x 50 yd	3850SG-30-50-010	385.00
54" x 10 yd	3850SG-54-10-010	172.00
54" x 50 yd	3850SG-54-50-010	690.00
60" x 50 yd	3850SG-60-50-010	765.00
60" x 250 yd	3850SG-60-250-010	3,750.00







Photoluminescent: High Performance Calendered Permanent

ORAJET® 3930

ORAJET 3930 is a photoluminescent three-layered, light yellow, cadmium-free, high-performance PVC film with a gloss finish. Once the active light source is turned off, the film has a very strong and long lasting afterglow. The phosphorescent properties of the film will not be impaired by repeated use. Does not contain radioactive materials.

DURABILITY: 5 Years

OVERLAMINATE: ORAGUARD® 293. 290

FILM THICKNESS: 6.0 mil

FINISH/FILM COLOR: Gloss / Light Yellow

ADHESIVE: Clear, solvent polyacrylate, permanent

LINER: 89# PE-coated silicone paper

LAT	EΧ







GID Glow in the Dark		
Size	Part No.	Price
54" x 10 yd	3930G-54-10-GID	990.00
54" x 27 yd	3930G-54-27-GID	2,470.00

- · Marking of emergency exits, dangerous locations
- · Indoor and outdoor use



Sign Supplies

Premium Cast Overlaminates

ORAGUARD® 290

This 2.0 mil, premium cast PVC overlaminate offers a UV extension factor of four years. It's available in gloss or matte finish. ORAGUARD 290 is a cold laminate with protection for long-term indoor and outdoor digital print applications.


DURABILITY: 8 Years FILM THICKNESS: 2.0 mil

FINISH: Gloss Matte

ADHESIVE: Clear, solvent-based, permanent

LINER: 55# silicone-coated paper

- Vehicles with complex curves & recessed areas
- Fleet graphics simple curves
- Watercraft wraps
- Long-term indoor & outdoor signage
- Long-term illuminated graphics
- Walls smooth & latex-painted or textured
- Windows architectural & vehicle perforated graphics



Part No.	Price
290M-30-10-000	83.00
290M-30-50-000	335.00
290M-36-100-000	810.00
290M-36-50-000	405.00
290M-40-50-000	450.00
290M-50-50-000	565.00
290M-54-10-000	151.00
290M-54-25-000	303.00
290M-54-50-000	605.00
290M-60-50-000	672.00
	290M-30-10-000 290M-30-50-000 290M-36-100-000 290M-36-50-000 290M-40-50-000 290M-50-50-000 290M-54-10-000 290M-54-25-000 290M-54-50-000





ORAGUARD® 290F Optically Clear

This optically clear, 2.0 mil, premium cast PVC overlaminate offers a UV extension factor of four years. It's available in gloss finish. ORAGUARD 290F is a cold laminate with protection for long-term indoor and outdoor digital print applications.

DURABILITY: 8 Years FILM THICKNESS: 2.0 mil

FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent LINER: 1.6 mil silicone-coated polyester film

- · Vehicles with complex curves & recessed areas
- Fleet graphics simple curves
- Watercraft wraps
- Long-term outdoor signage
- Long-term illuminated graphics
- Walls smooth & latex-painted or textured
- Windows architectural & vehicle perforated graphics

Gloss		
Size	Part No.	Price
24" x 10 yd	290GF-24-10-000	75.00
24" x 25 yd	290GF-24-25-000	152.00
24" x 50 yd	290GF-24-50-000	303.00
30" x 10 yd	290GF-30-10-000	93.00
30" x 25 yd	290GF-30-25-000	188.00
30" x 50 yd	290GF-30-50-000	375.00
36" x 10 yd	290GF-36-10-000	113.00
36" x 50 yd	290GF-36-50-000	455.00
40" x 10 yd	290GF-40-10-000	125.00
40" x 50 yd	290GF-40-50-000	505.00

Gloss		
Size	Part No.	Price
50" x 10 yd	290GF-50-10-000	157.00
50" x 25 yd	290GF-50-25-000	315.00
50" x 50 yd	290GF-50-50-000	630.00
54" x 10 yd	290GF-54-10-000	169.00
54" x 25 yd	290GF-54-25-000	340.00
54" x 50 yd	290GF-54-50-000	680.00
60" x 10 yd	290GF-60-10-000	188.00
60" x 25 yd	290GF-60-25-000	378.00
60" x 50 yd	290GF-60-50-000	755.00









ORAGUARD® 252F Optically Clear



Apply the highest level of UV protection with this 2.0 mil, optically clear, premium cast PVC overlaminate film. ORAGUARD 252F delivers superior dimensional stability and enhanced clarity. A cold laminate for protection of long-term indoor and outdoor digital print applications, ORAGUARD 252F is specifically recommended in combination with ORAJET® 3952F Optically Clear Digital Print Media. Provides a UV protection extension factor of 4+ years.

DURABILITY: 8 Years FILM THICKNESS: 2.0 mil


FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent LINER: 2.95 mil silicone-coated polyester film

- Windows Architectural
- · Long-term indoor & outdoor signage

Optically Clear		
Size	Part No.	Price
54" x 25 yd	252F-54-25-000	520.00
54" x 50 yd	252F-54-50-000	1,040.00
60" x 25 yd	252F-60-25-000	580.00
60" x 50 yd	252F-60-50-000	1,155.00







ORAGUARD® 279 PVC-Free



This polyurethane 2.0 mil, premium high-performance overlaminate is transparent with a high-gloss or semi-gloss finish. Conforms over complex curves and recesses with better abrasion resistance than standard PVC overlams. Won't yellow or crack. Has self-healing properties. Excellent durability in extreme environments. Best horizontal UV protection performance in the industry. Recommended for use with PVC-free ORAJET® 3971RA+ ProSlide®.

DURABILITY: 10 Years FILM THICKNESS: 2.0 mil

FINISH: Gloss Semi-Gloss ADHESIVE: Clear, solvent-based, permanent

LINER: 55# silicone-coated paper

- Vehicles with complex curves & recessed areas
- Fleet graphics simple curves
- Watercraft wraps
- Long-term outdoor signage
- Long-term illuminated graphics
- Walls Smooth & latex-painted or textured
- Low Energy Plastics

Gloss		
Size	Part No.	Price
30" x 25 yd	279G-30-25-000	205.00
30" x 50 yd	279G-30-50-000	410.00
54" x 25 yd	279G-54-25-000	375.00
54" x 50 yd	279G-54-50-000	740.00
60" x 25 yd	279G-60-25-000	415.00
60" x 50 yd	279G-60-50-000	825.00
Semi-Gloss		
Size	Part No.	Price
30" x 25 yd	279SG-30-25-000	205.00
30" x 50 yd	279SG-30-50-000	410.00
54" x 25 yd	279SG-54-25-000	375.00
54" x 50 yd	279SG-54-50-000	740.00
60" x 25 yd	279SG-60-25-000	415.00
60" x 50 yd	279SG-60-50-000	825.00
	•	





ORAGUARD® 293 Ultra Conformable



If you need an ultra-flexible, highly versatile overlaminate, ORAGUARD 293 is the one to order. With a thickness of only 1.0 mil, this transparent premium cast overlam delivers a UV extension factor of four years. For the indoor and outdoor protection of large format digital prints. Because of its extra flexibility, ORAGUARD 293 is recommended for vehicle wrapping in combination with ORAJET® Series 3551, 3551RA, or ORALITE® Series 5600, 5650RA.

DURABILITY: 8 Years **FILM THICKNESS:** 1.0 mil


Sign Supplies

FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent

LINER: 55# silicone-coated paper

- Vehicles with complex curves & recessed areas
- Fleet graphics simple curves
- Watercraft wraps
- Long-term indoor & outdoor signage
- Walls smooth & latex-painted or textured
- · Windows architectural
- Low-temperature applications
- Industrial labels









ORAGUARD® 297GF Optically Clear



ORAGUARD 297GF is a thicker overlaminate, 2.75 mil, specifically designed for window perf applications. 297GF is less prone to collapsing into the perforated holes, which decreases the chance of material punctures or the collection of dirt and moisture. That means better visibility for you. ORAGUARD 297GF is a premium optically clear cast PVC film with a UV extension factor of four years.

DURABILITY: 8 Years FILM THICKNESS: 2.75 mil

FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent LINER: 1.4 mil silicone-coated polyester film

- · Medium-term outdoor signage
- · Long-term illuminated graphics
- Windows architectural & vehicle perforated graphics

Gloss		
Size	Part No.	Price
24" x 10 yd	297GF-24-10-000	101.00
24" x 50 yd	297GF-24-50-000	405.00
30" x 10 yd	297GF-30-10-000	125.00
30" x 50 yd	297GF-30-50-000	505.00
54" x 10 yd	297GF-54-10-000	227.00
54" x 50 yd	297GF-54-50-000	910.00







High Performance Polymeric Overlaminates

ORAGUARD® 215



Protect medium-term to long-term indoor and outdoor digital print applications with this 3.0 mil, soft PVC overlaminate that delivers a UV extension factor of three years. Available in gloss, semi-gloss or matte finish, ORAGUARD 215 is UL certified for UL 969 "Marking and Labeling Systems" (USA) and CSA C22.2 No. 0.15 "Adhesive Labels" (Canada). Apply to flat surfaces ONLY.

DURABILITY: 5 Years FILM THICKNESS: 3.0 mil

FINISH: Gloss Semi-Gloss Matte

ADHESIVE: Clear, solvent-based, permanent

LINER: 55# silicone-coated paper

- Fleet graphics simple curves
- Watercraft wraps flat applications only
- Medium-term outdoor signage
- Medium-term illuminated graphics
- Architectural windows and latex-painted walls
- Low-temperature applications
- Low-energy plastics
- Decals and industrial labels

Gloss		
Size	Part No.	Price
30" x 50 yd	215G-30-50-000	251.00
36" x 50 yd	215G-36-50-000	304.00
40" x 50 yd	215G-40-50-000	338.00
50" x 50 yd	215G-50-50-000	422.00
54" x 50 yd	215G-54-50-000	456.00
60" x 50 yd	215G-60-50-000	505.00

Matte		
Size	Part No.	Price
30" x 50 yd	215M-30-50-000	251.00
36" x 50 yd	215M-36-50-000	304.00
40" x 50 yd	215M-40-50-000	338.00
50" x 50 yd	215M-50-50-000	422.00
54" x 50 yd	215M-54-50-000	456.00
60" x 50 yd	215M-60-50-000	505.00

Semi-Gloss Semi-Gloss			
Film	Part No.	Price	
30" x 50 yd	215SG-30-50-000	251.00	
36" x 50 yd	215SG-36-50-000	304.00	
40" x 50 yd	215SG-40-50-000	338.00	
50" x 50 yd	215SG-50-50-000	422.00	
54" x 50 yd	215SG-54-50-000	456.00	
60" x 50 yd	215SG-60-50-000	505.00	





ORAGUARD® 215DU UV Protection

Do you need an overlaminate that takes your UV curable inks to the next level? ORAGUARD 215DU polymeric PVC laminating film is designed to anchor to and enhance textured UV curable inks utilized in flatbed printers. This film provides abrasion resistance and lasts up to 5 years. ORAGUARD 215DU provides a UV protection extension factor of 3+ years to indoor and outdoor large-format graphics.


DURABILITY: 5 Years FILM THICKNESS: 3.0 mil

FINISH: Gloss Matte

ADHESIVE: Clear, solvent-based, permanent LINER: 55# silicone-coated paper

- · UV printed graphics
- Medium-term outdoor signage
- · Architectural windows and latex-painted walls
- Low-temperature applications
- Low-energy plastics
- · Decals and industrial labels

Part No.	Price
215GDU-54-50-000	527.00
215GDU-60-50-000	585.00
Part No.	Price
215MDU-54-50-000	527.00
215MDU-60-50-000	585.00
	215GDU-54-50-000 215GDU-60-50-000 Part No. 215MDU-54-50-000



Sign Supplies

Intermediate Calendered Overlaminates

ORAGUARD® 210



For flat, short-term to medium-term outdoor general signage and long-term indoor signage, this intermediate calendered overlaminate provides a UV protection extension factor of 2+ years. Use ORAGUARD 210 on a wide variety of applications, from windows & walls to stickers & decals.

DURABILITY: 4 Years ADHESIVE: Clear, solvent-based, permanent

FILM THICKNESS: 2.5 mil LINER: 55# silicone-coated paper

FINISH: Gloss Semi-Gloss Matte

- Short-term outdoor signage / Long-term indoor signage
- Short-term illuminated graphics
- · Architectural windows and latex-painted walls
- · Promotional decals
- Low-temperature applications
- Low-energy plastics

Gloss		
Size	Part No.	Price
20" x 10 yd	210G-20-10-000	23.50
30" x 50 yd	210G-30-50-000	142.00
36" x 50 yd	210G-36-50-000	171.00
40" x 50 yd	210G-40-50-000	190.00
48" x 50 yd	210G-48-50-000	230.00
50" x 50 yd	210G-50-50-000	238.00
54" x 50 yd	210G-54-50-000	255.00
54" x 100 yd	210G-54-100-000	510.00
60" x 50 yd	210G-60-50-000	285.00
60" x 100 yd	210G-60-100-000	565.00
Matte		
Size	Part No.	Price
20" x 10 yd	210M-20-10-000	23.50
24" x 50 yd	210M-24-50-000	115.00
30" x 50 yd	210M-30-50-000	142.00
36" x 50 yd	210M-36-50-000	171.00
40" x 50 yd	210M-40-50-000	190.00
50" x 50 yd	210M-50-50-000	238.00
54" x 50 yd	210M-54-50-000	255.00
54" x 100 yd	210M-54-100-000	510.00
60" x 50 yd	210M-60-50-000	285.00
Semi-Gloss		
Size	Part No.	Price
30" x 50 yd	210SG-30-50-000	142.00
36" x 50 yd	210SG-36-50-000	171.00
40" x 50 yd	210SG-40-50-000	190.00
50" x 50 yd	210SG-50-50-000	238.00
54" x 50 yd	210SG-54-50-000	255.00
60" x 50 yd	210SG-60-50-000	285.00





Intermediate Calendered Overlaminates

ORAGUARD® 270 Stone Guard Film

A great medium-term paint protection film (PPF) for automotive fenders, rear bumpers, and deck or side skirts, plus other outdoor applications. This is a thicker 6.0 mil overlaminate that's designed for use on flat and slightly curved surfaces.


DURABILITY: 5 Years FILM THICKNESS: 6.0 mil

FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent LINER: 84# Kraft paper, siliconized on one side

- Low-energy plastics
- Flat to slightly curved surfaces
- · Vehicle fenders & rear bumpers

Part No.	Price
270G-24-10-000	83.00
270G-24-25-000	167.00
270G-30-10-000	103.00
270G-30-25-000	207.00
270G-50-10-000	171.00
270G-50-25-000	345.00
270G-60-10-000	205.00
270G-60-25-000	415.00
	270G-24-10-000 270G-24-25-000 270G-30-10-000 270G-30-25-000 270G-50-10-000 270G-50-25-000 270G-60-10-000





Intermediate Calendered Overlaminates

ORAFOL

ORAGUARD® 250AS Skid-Resistant for Floors

A cold laminate for anti-skid protection of floor graphics, ORAGUARD 250AS meets the standards of ASTM D 2047 and BAM StVo §35 d3, (Federal Office for Material Testing: Automobile Safety Act). With its high skid resistance and low abrasion, this product is especially suitable for the protection of floor graphics. It meets the coefficient of sliding friction for sports floors required by the DIN V 18032-2.

DURABILITY: 3 Months **FILM THICKNESS:** 4.75 mil

FINISH: Matte transparent with raised, skid-resistant, textured surface

ADHESIVE: Clear, solvent-based, permanent

LINER: 55# silicone-coated paper

Matte			
Size	Part No.	Price	
36" x 50 yd	250AS-36-50-000	440.00	
40" x 50 yd	250AS-40-50-000	490.00	
50" x 50 yd	250AS-50-50-000	655.00	
54" x 50 yd	250AS-54-50-000	655.00	

Common Applications:

Floor graphics







Intermediate Calendered Overlaminates



ORAGUARD® 255AS Skid-Resistant for High Load Exposure

A cold laminate for anti-skid protection of floor graphics exposed to very high loads. Meets the standards of ASTM D 2047 and BAM StVo §35 d3, (Federal Office for Material Testing: Automobile Safety Act). This overlaminate features a matte transparent finish with a raised, skid-resistant, textured surface.

DURABILITY: 6 Months FILM THICKNESS: 6.5 mil

FINISH: Matte transparent with a raised, skid-resistant, textured surface


ADHESIVE: Clear, solvent-based, permanent

LINER: 55# silicone-coated paper

Matte		
Size	Part No.	Price
36" x 50 yd	255AS-36-50-000	665.00
40" x 50 yd	255AS-40-50-000	740.00
50" x 50 yd	255AS-50-50-000	925.00
54" x 50 yd	255AS-54-50-000	990.00

Common Applications:

Floor graphics



Economical Calendered Overlaminates

ORAGUARD® 200

An economy cold laminate for the protection of indoor and outdoor digital print applications. Use with flat applications ONLY. This 2.5 mil, soft PVC overlaminate carries a UV extension factor of one year. It's available in gloss, semi-gloss or matte finish.

DURABILITY: 2 Years **FILM THICKNESS:** 2.5 mil

FINISH: Gloss Semi-Gloss Matte ADHESIVE: Clear, water-based, permanent

LINER: 55# silicone-coated paper

- · Flat surfaces only
- Long-term indoor signage
- · Architectural windows and latex-painted walls
- Low-temperature applications
- Promotional Decals



Gloss		
Size	Part No.	Price
30" x 50 yd	200G-30-50-000	116.00
36" x 50 yd	200G-36-50-000	140.00
40" x 50 yd	200G-40-50-000	156.00
50" x 50 yd	200G-50-50-000	195.00
54" x 50 yd	200G-54-50-000	210.00
54" x 250 yd	200G-54-250-000	1,045.00
60" x 50 yd	200G-60-50-000	235.00
Matte		
Size	Part No.	Price
30" x 50 yd	200M-30-50-000	116.00
36" x 50 yd	200M-36-50-000	140.00
40" x 50 yd	200M-40-50-000	156.00
50" x 50 yd	200M-50-50-000	195.00
54" x 50 yd	200M-54-50-000	210.00
60" x 50 yd	200M-60-50-000	235.00
Semi-Gloss		
Size	Part No.	Price
30" x 50 yd	200SG-30-50-000	116.00
36" x 50 yd	200SG-36-50-000	140.00
40" x 50 yd	200SG-40-50-000	156.00
50" x 50 yd	200SG-50-50-000	195.00
54" x 50 yd	200SG-54-50-000	210.00
60" x 50 yd	200SG-60-50-000	235.00



Economical Calendered Overlaminates

ORAGUARD® 236 PVC-Free

If you're looking for an economical PVC-free overlaminate, this is the one to try. For the protection of short-term to medium-term, flat, indoor and outdoor digitally printed general signage, decals and POP/exhibit graphics, this polypropylene 2.5 mil, highly transparent overlaminate will provide good UV protection. It also offers superior dimensional stability to reduce graphic shrinkage.

236G-54-50-000

180.00

DURABILITY: 3 Years FILM THICKNESS: 2.5 mil

FINISH: Gloss

ADHESIVE: Clear, water-based, permanent

LINER: 55# silicone-coated paper

54" x 50 yd

Gloss

- Flat applications
- · Long-term indoor signage
- · Architectural windows
- Latex-painted walls
- Promotional decals



Sign Supplies

ORACAL® 970RA Premium Wrapping Cast

Specially developed for long-term, complete wraps in solid, opaque colors, ORACAL 970RA is a 4.25 mil, premium wrapping cast PVC film with a built-in protective clear coat layer. This film has outstanding dimensional stability and optimum application characteristics. With advanced air release technology for quicker and easier application, ORACAL 970RA does not require an overlaminate.



970RA-60-25-030: 60" x 25yd

970RA-60-10-026: 60" x 10yd

970RA-60-25-026: 60" x 25yd

026 Purple Red

DURABILITY: 12 Years FILM THICKNESS: 4.25 mil

FINISH: Gloss, Matte, Gloss Metallic & Matte Metallic

970RA-60-25-571: 60" x 25yd

970RA-60-10-553: 60" x 10yd

970RA-60-25-553: 60" x 25yd

553 Lagoon

ADHESIVE: Grey, solvent-based repositionable, permanent Removable with heat up to 4 years

LINER: 89# PE-coated silicone paper with RapidAir® Technology CONFORMABILITY: Complex curves, rivets & corrugation

oss		
010 White	055 Mint	351 Municipal Orange
970RA-60-10-010: 60" x 10yd 970RA-60-25-010: 60" x 25yd 970RA-60-50-010: 60" x 50yd	970RA-60-10-055: 60" x 10yd 970RA-60-25-055: 60" x 25yd	970RA-60-10-351: 60" x 10yd 970RA-60-25-351: 60" x 25yd
070 Black	809 Taxibeige	363 Daggi Orange
970RA-60-10-070: 60" x 10yd 970RA-60-25-070: 60" x 25yd 970RA-60-50-070: 60" x 50yd	970RA-60-10-809: 60" x 10yd 970RA-60-25-809: 60" x 25yd	970RA-60-10-363: 60" x 10yd 970RA-60-25-363: 60" x 25yd
711 Stone Grey	816 Papyrus	032 Light Red
970RA-60-10-711: 60" x 10yd 970RA-60-25-711: 60" x 25yd	970RA-60-10-816: 60" x 10yd 970RA-60-25-816: 60" x 25yd	970RA-60-10-032: 60" x 10yc 970RA-60-25-032: 60" x 25yc
730 Simple Grey	201 Crocus Yellow	897 Rose Hip
970RA-60-10-730: 60" x 10yd 970RA-60-25-730: 60" x 25yd	970RA-60-10-201: 60" x 10yd 970RA-60-25-201: 60" x 25yd	970RA-60-10-897: 60" x 10yc 970RA-60-25-897: 60" x 25yc
724 Ice Grey	235 Canary Yellow	028 Cardinal Red
970RA-60-10-724: 60" x 10yd 970RA-60-25-724: 60" x 25yd	970RA-60-10-235: 60" x 10yd 970RA-60-25-235: 60" x 25yd	970RA-60-10-028: 60" x 10yc 970RA-60-25-028: 60" x 25yc
076 Telegrey	216 Traffic Yellow	031 Red
970RA-60-10-076: 60" x 10yd 970RA-60-25-076: 60" x 25yd	970RA-60-10-216: 60" x 10yd 970RA-60-25-216: 60" x 25yd	970RA-60-10-031: 60" x 10yo 970RA-60-25-031: 60" x 25yo
793 Millennium Grey	022 Light Yellow	305 Geranium Red
970RA-60-10-793: 60" x 10yd 970RA-60-25-793: 60" x 25yd	970RA-60-10-022: 60" x 10yd 970RA-60-25-022: 60" x 25yd	970RA-60-10-305: 60" x 10yo 970RA-60-25-305: 60" x 25yo
795 Steel	209 Maize Yellow	882 Cargo Red
970RA-60-10-795: 60" x 10yd 970RA-60-25-795: 60" x 25yd	970RA-60-10-209: 60" x 10yd 970RA-60-25-209: 60" x 25yd	970RA-60-10-882: 60" x 10yc 970RA-60-25-882: 60" x 25yc
073 Dark Grey	020 Golden Yellow	371 Chili Red
970RA-60-10-073: 60" x 10yd 970RA-60-25-073: 60" x 25yd	970RA-60-10-020: 60" x 10yd 970RA-60-25-020: 60" x 25yd	970RA-60-10-371: 60" x 10yd 970RA-60-25-371: 60" x 25yd
571 Ballistic Blue	208 Post Office Yellow	030 Dark Red
970RA-60-10-571: 60" x 10yd	970RA-60-10-208: 60" x 10yd 970RA-60-25-208: 60" x 25yd	970RA-60-10-030: 60" x 10yo

970RA-60-25-208: 60" x 25yd

970RA-60-10-256: 60" x 10yd

970RA-60-25-256: 60" x 25yd

256 Cargo Yellow



ORACAL® 970RA Premium Wrapping Cast





045 Soft Pink

970RA-60-10-045: 60" x 10yd 970RA-60-25-045: 60" x 25yd



077 Telemagenta

970RA-60-10-077: 60" x 10yd 970RA-60-25-077: 60" x 25yd



056 Ice Blue

970RA-60-10-056: 60" x 10yd 970RA-60-25-056: 60" x 25yd



555 Glacier Blue

970RA-60-10-555: 60" x 10yd 970RA-60-25-555: 60" x 25yd



547 Fjord Blue

970RA-60-10-547: 60" x 10vd 970RA-60-25-547: 60" x 25yd



509 Sea Blue

970RA-60-10-509: 60" x 10yd **970RA-60-25-509:** 60" x 25yd



572 Police Blue

970RA-60-10-572: 60" x 10yd 970RA-60-25-572: 60" x 25yd



057 Traffic Blue

970RA-60-10-057: 60" x 10yd 970RA-60-25-057: 60" x 25yd



067 Blue

970RA-60-10-067: 60" x 10yd 970RA-60-25-067: 60" x 25yd



049 King Blue

970RA-60-10-049: 60" x 10yd 970RA-60-25-049: 60" x 25yd



511 Night Blue

970RA-60-10-511: 60" x 10yd 970RA-60-25-511: 60" x 25yd



544 Indigo Blue

970RA-60-10-544: 60" x 10yd 970RA-60-25-544: 60" x 25yd



564 Light Navy

970RA-60-10-564: 60" x 10vd 970RA-60-25-564: 60" x 25yd



178 Baltic Blue

970RA-60-10-178: 60" x 10yd 970RA-60-25-178: 60" x 25yd



464 Lawn Green

970RA-60-10-464: 60" x 10yd 970RA-60-25-464: 60" x 25yd



688 Algae Green

970RA-60-10-688: 60" x 10yd 970RA-60-25-688: 60" x 25yd



602 Grass Green

970RA-60-10-602: 60" x 10yd 970RA-60-25-602: 60" x 25yd



60"

Per Square Foot

486 Tree Green

970RA Premium - Gloss White & Black

970RA-60-10-486: 60" x 10vd 970RA-60-25-486: 60" x 25yd

10 yard

375.00

2.50

25 yard

750.00

2.00

1.97



612 Police Green

970RA-60-10-612: 60" x 10yd 970RA-60-25-612: 60" x 25yd



689 Juniper

970RA-60-10-689: 60" x 10yd 970RA-60-25-689: 60" x 25yd



622 Fir Tree Green


970RA-60-10-622: 60" x 10yd 970RA-60-25-622: 60" x 25vd



286 Bottle Green

970RA-60-10-286: 60" x 10yd 970RA-60-25-286: 60" x 25yd







Color Pictured: ORACAL® 970RA Premium Wrapping Cast, 055 Mint



ORACAL® 970RA Premium Wrapping Cast (continued)

Gloss Metallic



970RA-60-10-946: 60" x 10yd 970RA-60-25-946: 60" x 25yd



932 Graphite Metallic

937 Charcoal Metallic

970RA-60-10-932: 60" x 10yd 970RA-60-25-932: 60" x 25yd

970RA-60-10-937: 60" x 10yd

970RA-60-25-937: 60" x 25yd



313 Copper Kiss

091 Gold

970RA-60-10-313: 60" x 10yd 970RA-60-25-313: 60" x 25yd

970RA-60-10-091: 60" x 10yd

970RA-60-25-091: 60" x 25yd



300 Mandarin

970RA-60-10-300: 60" x 10yd 970RA-60-25-300: 60" x 25yd

970RA-60-10-904: 60" x 10yd

970RA-60-25-904: 60" x 25yd



093 Anthracite

970RA-60-10-093: 60" x 10yd 970RA-60-25-093: 60" x 25yd



920 Bronze

970RA-60-10-920: 60" x 10yd 970RA-60-25-920: 60" x 25yd



090 Silver Grey

904 Silver Lake

970RA-60-10-090: 60" x 10yd 970RA-60-25-090: 60" x 25yd



704 Black Metallic

970RA-60-10-704: 60" x 10yd 970RA-60-25-704: 60" x 25yd



921 Bronze Antique

970RA-60-10-921: 60" x 10yd 970RA-60-25-921: 60" x 25yd



908 Aluminum

970RA-60-10-908: 60" x 10yd 970RA-60-25-908: 60" x 25yd



922 Brass

926 Pyrite

970RA-60-10-922: 60" x 10yd 970RA-60-25-922: 60" x 25yd



874 Orient Brown Metallic

369 Red Brown Metallic

970RA-60-10-874: 60" x 10yd 970RA-60-25-874: 60" x 25yd

970RA-60-10-369: 60" x 10vd

970RA-60-25-369: 60" x 25yd



933 Tin Metallic

970RA-60-10-933: 60" x 10yd 970RA-60-25-933: 60" x 25yd



995 Divine Gold

970RA-60-10-995: 60" x 10yd 970RA-60-25-995: 60" x 25yd

970RA-60-10-926: 60" x 10yd

970RA-60-25-926: 60" x 25yd



406 Violet Metallic 970RA-60-10-406: 60" x 10yd

970RA-60-25-406: 60" x 25yd



970RA-60-10-934: 60" x 10yd

934 Zinc Metallic

970RA-60-25-934: 60" x 25yd



996 Champagne Myst

970RA-60-10-996: 60" x 10yd 970RA-60-25-996: 60" x 25yd



195 Dove Blue Metallic

970RA-60-10-195: 60" x 10yd 970RA-60-25-195: 60" x 25yd



935 Grey Cast Iron

970RA-60-10-935: 60" x 10yd 970RA-60-25-935: 60" x 25yd




197 Azure Metallic

970RA-60-10-197: 60" x 10yd 970RA-60-25-197: 60" x 25yd



196 Night Blue Metallic





192 Deep Blue Metallic **970RA-60-10-192:** 60" x 10yd **970RA-60-25-192:** 60" x 25yd



677 Fir Tree Green Metallic

970RA-60-10-677: 60" x 10yd 970RA-60-25-677: 60" x 25yd









ORACAL® 970RA Premium Wrapping Cast (continued)

Matte



970MRA-60-10-010: 60" x 10yd 970MRA-60-25-010: 60" x 25yd



553 Lagoon

055 Mint

285 Nato Olive


209 Maize Yellow

970MRA-60-10-553: 60" x 10vd 970MRA-60-25-553: 60" x 25yd



223 Safron Yellow

970MRA-60-10-223: 60" x 10yd 970MRA-60-25-223: 60" x 25yd



028 Cardinal Red

970MRA-60-10-028: 60" x 10yd 970MRA-60-25-028: 60" x 25yd



547 Fjord Blue

970MRA-60-10-547: 60" x 10yd 970MRA-60-25-547: 60" x 25yd



544 Indigo Blue

970MRA-60-10-544: 60" x 10yd 970MRA-60-25-544: 60" x 25yd

9	970RA Premium - I	Matte	
	Film	10 yard	25 yard
	60"	375.00	750.00
ī	Per Square Foot	2.50	2.00






070 Black

970MRA-60-10-070: 60" x 10yd 970MRA-60-25-070: 60" x 25yd







970MRA-60-10-209: 60" x 10yd 970MRA-60-25-209: 60" x 25yd

970MRA-60-10-285: 60" x 10yd

970MRA-60-25-285: 60" x 25yd





372 Imperial Red Pearl

932 Graphite Metallic

937 Charcoal Metallic

093 Anthracite

995 Divine Gold

926 Pyrite

090 Silver Grey

970MRA-60-10-372: 60" x 10vd 970MRA-60-25-372: 60" x 25yd

970MRA-60-10-090: 60" x 10yd

970MRA-60-25-090: 60" x 25yd

970MRA-60-10-932: 60" x 10yd

970MRA-60-25-932: 60" x 25yd

970MRA-60-10-937: 60" x 10yd

970MRA-60-25-937: 60" x 25yd

970MRA-60-10-093: 60" x 10yd

970MRA-60-25-093: 60" x 25yd

970MRA-60-10-995: 60" x 10yd

970MRA-60-25-995: 60" x 25yd

970MRA-60-10-926: 60" x 10yd

970MRA-60-25-926: 60" x 25yd



996 Champagne Myst

970MRA-60-10-996: 60" x 10vd 970MRA-60-25-996: 60" x 25yd



091 Gold

970MRA-60-10-091: 60" x 10yd 970MRA-60-25-091: 60" x 25yd



944 Red Gold Metallic

970MRA-60-10-944: 60" x 10yd 970MRA-60-25-944: 60" x 25yd



092 Copper Metallic

970MRA-60-10-092: 60" x 10yd 970MRA-60-25-092: 60" x 25yd



313 Copper Kiss

970MRA-60-10-313: 60" x 10yd 970MRA-60-25-313: 60" x 25yd



920 Bronze

970MRA-60-10-920: 60" x 10yd 970MRA-60-25-920: 60" x 25yd



368 Dark Red Metallic

970MRA-60-10-368: 60" x 10yd 970MRA-60-25-368: 60" x 25yd



369 Red Brown Metallic

970MRA-60-10-369: 60" x 10vd 970MRA-60-25-369: 60" x 25yd



406 Violet Metallic

970MRA-60-10-406: 60" x 10yd 970MRA-60-25-406: 60" x 25yd



197 Azure Metallic

970MRA-60-10-197: 60" x 10yd 970MRA-60-25-197: 60" x 25yd



196 Night Blue Metallic

970MRA-60-10-196: 60" x 10yd 970MRA-60-25-196: 60" x 25yd



190 Moonlight Metallic

970MRA-60-10-190: 60" x 10yd 970MRA-60-25-190: 60" x 25yd

Common Applications:

- Long-term, complete wraps
- Fleet and motorsport vehicles

970RA Premium - Matte Metallic		
Film	10 yard	25 yard
60"	375.00	750.00
Per Square Foot	2.50	2.00







ORACAL® 970RA Premium Shift Effect Cast

This multi-layered, high-performance cast PVC wrapping film is engineered with cutting edge technology that produces mesmerizing multi-color effects. Unique shade shifting occurs as a result of your viewing angle and the type of light available. Shift your view and the color change begins. This 4.25 mil film does not require an overlaminate. It can be removed with little or no adhesive residue for up to 4 years.



DURABILITY: 4 Years FILM THICKNESS: 4.25 mil FINISH: High Gloss & Matte ADHESIVE: Grey, solvent-polyacrylate repositionable, permanent Removable with heat up to 4 years

LINER: 89# PE-coated silicone paper with RapidAir® Technology CONFORMABILITY: Complex curves, rivets & corrugation

High Gloss



315 Pearl Symphony

970RA-60-10-315: 60" x 10yd 970RA-60-25-315: 60" x 25yd



316 Amethyst

970RA-60-10-316: 60" x 10yd 970RA-60-25-316: 60" x 25yd



317 Avocado

970RA-60-10-317: 60" x 10yd 970RA-60-25-317: 60" x 25yd



992 Pearl Green

970RA-60-10-992: 60" x 10yd 970RA-60-25-992: 60" x 25yd



318 Aquamarine

970RA-60-10-318: 60" x 10yd 970RA-60-25-318: 60" x 25yd



319 Ultramarine Violet

970RA-60-10-319: 60" x 10yd 970RA-60-25-319: 60" x 25yd



320 Cranberry

970RA-60-10-320: 60" x 10yd 970RA-60-25-320: 60" x 25yd



988 Green Blue

970RA-60-10-988: 60" x 10yd 970RA-60-25-988: 60" x 25yd



989 Turquoise Lavender

970RA-60-10-989: 60" x 10yd 970RA-60-25-989: 60" x 25yd



990 Aubergine Bronze

970RA-60-10-990: 60" x 10yd 970RA-60-25-990: 60" x 25yd

970RA Premium Shift Effect - High Gloss			
Film	10 yard	25 yard	
60"	375.00	750.00	
Per Square Foot	2.50	2.00	

Matte



315 Pearl Symphony

970MRA-60-10-315: 60" x 10yd 970MRA-60-25-315: 60" x 25yd



316 Amethyst

970MRA-60-10-316: 60" x 10yd 970MRA-60-25-316: 60" x 25yd



317 Avocado

970MRA-60-10-317: 60" x 10yd 970MRA-60-25-317: 60" x 25yd



318 Aquamarine

970MRA-60-10-318: 60" x 10yd 970MRA-60-25-318: 60" x 25yd



319 Ultramarine Violet

970MRA-60-10-319: 60" x 10yd 970MRA-60-25-319: 60" x 25yd



320 Cranberry

970MRA-60-10-320: 60" x 10yd 970MRA-60-25-320: 60" x 25yd



988 Green Blue

970MRA-60-10-988: 60" x 10yd 970MRA-60-25-988: 60" x 25yd



989 Turquoise Lavender

970MRA-60-10-989: 60" x 10yd 970MRA-60-25-989: 60" x 25yd



990 Aubergine Bronze

970MRA-60-10-990: 60" x 10vd 970MRA-60-25-990: 60" x 25yd

Color Pictured: ORACAL® 970RA Premium Shift Effect Cast, 989 Matte Turquoise Lavender



970RA Premium Shift Effect - Matte		
Film	10 yard	25 yard
60"	375.00	750.00
Per Square Foot	2.50	2.00

Common Applications:

- Short-term to medium-term, complete wraps
- Fleet and motorsport vehicles



ORACAL® 970RA Premium Special Effect Cast

Premium Special Effect Cast is a line of 4.25 mil film, multi-layered, high-performance cast PVC wrapping film engineered with cutting-edge technology. It is designed specifically for vehicle wrapping applications and is ready to use straight out of the box with a built-in protective clear coat. ORACAL 970RA features advanced air release technology to facilitate quicker, easier application. An overlaminate is not required.



DURABILITY: 3 Years **FILM THICKNESS:** 4.25 mil **FINISH:** High Gloss & Matte ADHESIVE: Grey, solvent polyacrylate repositionable, permanent Removable with heat up to 4 years

LINER: 89# PE-coated silicone paper with RapidAir® Technology CONFORMABILITY: Complex curves, rivets & corrugation

High Gloss



181 Sparkling Riviera Rush

970RA-60-10-181: 60" x 10yd **970RA-60-25-181:** 60" x 25yd



171 Riviera Rush

970RA-60-10-171: 60" x 10yd **970RA-60-25-171:** 60" x 25yd



182 Sparkling Turbo Turquoise

970RA-60-10-182: 60" x 10yd **970RA-60-25-182:** 60" x 25yd



172 Turbo Turquoise

970RA-60-10-172: 60" x 10yd **970RA-60-25-172:** 60" x 25yd



183 Sparkling Citrus Fury

970RA-60-10-183: 60" x 10yd **970RA-60-25-183:** 60" x 25yd




173 Citrus Fury

970RA-60-10-173: 60" x 10yd **970RA-60-25-173:** 60" x 25yd



185 Sparkling Enchanted Violet

970RA-60-10-185: 60" x 10yd **970RA-60-25-185:** 60" x 25yd



970RA-60-25-175: 60" x 25yd



970RA-60-10-945: 60" x 10yd **970RA-60-25-945:** 60" x 25yd



123 Lightening Strike

970RA-60-10-123: 60" x 10yd **970RA-60-25-123:** 60" x 25yd



959 Tangerine Dream

970RA-60-10-959: 60" x 10yd **970RA-60-25-959:** 60" x 25yd



100 Sunset Shift

970RA-60-10-100: 60" x 10yd **970RA-60-25-100:** 60" x 25yd



961 Luscious Lips

970RA-60-10-961: 60" x 10yd **970RA-60-25-961:** 60" x 25yd



851 Thunderous Blue Green

970RA-60-10-851: 60" x 10yd **970RA-60-25-851:** 60" x 25yd



963 Jetstream Blue

970RA-60-10-963: 60" x 10yd **970RA-60-25-963:** 60" x 25yd



155 Intergalactic Blue

970RA-60-10-155: 60" x 10yd **970RA-60-25-155:** 60" x 25yd



905 Black Galactic Gold

970RA-60-10-905: 60" x 10yd **970RA-60-25-905:** 60" x 25yd



111 GT3 Blue

970RA-60-10-111: 60" x 10yd **970RA-60-25-111:** 60" x 25yd

Matte



100 Sunset Shift

970MRA-60-10-100: 60" x 10yd **970MRA-60-25-100:** 60" x 25yd



905 Black Galactic Gold

970MRA-60-10-905: 60" x 10yd **970MRA-60-25-905:** 60" x 25yd

Common Applications:

- · Short-term to medium-term, complete wraps
- Fleet and motorsport vehicles

970RA Premium Special Effect - High Gloss		
Film	10 yard	25 yard
60"	415.00	825.00
Per Square Foot	2.77	2.20
970RA Premium Special Effect - Matte		
Films	40	
Film	10 yard	25 yard
60"	10 yard 415.00	25 yard 825.00





ORACAL® 975 Premium Structure Cast

ORACAL 975 is a multi-layered cast PVC film with outstanding dimensional stability and optimum application characteristics plus a textured surface. 975 is ideal for exterior automotive accents and fine detailing interior applications.



DURABILITY: 5 Years

3 Years - Metallic

OVERLAMINATE: NA

FILM THICKNESS: 5.0 - 6.0 mil

FINISH: Textured Surface

ADHESIVE: Clear, solvent-based repositionable, permanent

Removable with heat

LINER: 90# PE-coated silicone paper CONFORMABILITY: Curved and flat surfaces

Carbon



000 Transparent

975CA-60-10-000: 60" x 10yd **975CA-60-25-000:** 60" x 25yd



010 White

975CA-60-10-010: 60" x 10yd **975CA-60-25-010:** 60" x 25yd



070 Black

975CA-60-10-070: 60" x 10yd **975CA-60-25-070:** 60" x 25yd



080 Brown

975CA-60-10-080: 60" x 10yd **975CA-60-25-080:** 60" x 25yd



090 Silver Grey

975CA-60-10-090: 60" x 10yd **975CA-60-25-090:** 60" x 25yd



091 Gold

975CA-60-10-091: 60" x 10yd **975CA-60-25-091:** 60" x 25yd



093 Anthracite

975CA-60-10-093: 60" x 10yd **975CA-60-25-093:** 60" x 25yd



305 Geranium Red

975CA-60-10-305: 60" x 10yd **975CA-60-25-305:** 60" x 25yd



536 Middle Blue

975CA-60-10-536: 60" x 10yd **975CA-60-25-536:** 60" x 25yd

975 Premium Structure - Carbom		
Film	10 yard	25 yard
60"	875.00	1,775.00
Per Square Foot	5.83	4.73



Brushed



090 Silver Grey

975BR-60-10-090: 60" x 10yd **975BR-60-25-090:** 60" x 25yd



091 Gold

975BR-60-10-091: 60" x 10yd **975BR-60-25-091:** 60" x 25yd



192 Deep Blue Metallic

975BR-60-10-192: 60" x 10yd **975BR-60-25-192:** 60" x 25yd



932 Graphite Metallic

975BR-60-10-932: 60" x 10yd **975BR-60-25-932:** 60" x 25yd



933 Tin Metallic

975BR-60-10-933: 60" x 10yd **975BR-60-25-933:** 60" x 25yd



Honeycomb



070 Black

975HC-60-10-070: 60" x 10yd **975HC-60-25-070:** 60" x 25yd



090 Silver Grey

975HC-60-10-090: 60" x 10yd **975HC-60-25-090:** 60" x 25yd



091 Gold

975HC-60-10-091: 60" x 10yd **975HC-60-25-091:** 60" x 25yd

	-	
8		ı
О		ı
в		ı

192 Deep Blue Metallic

975HC-60-10-192: 60" x 10yd **975HC-60-25-192:** 60" x 25yd



933 Tin Metallic

975HC-60-10-933: 60" x 10yd **975HC-60-25-933:** 60" x 25yd

975 Premium Structure - Honeycomb		
Film	10 yard	25 yard
60"	875.00	1,775.00
Per Square Foot	5.83	4.73

Crocodile



070 Black

975CR-60-10-070: 60" x 10yd **975CR-60-25-070:** 60" x 25yd

975 Premium Structure - Crocodile		
Film	10 yard	25 yard
60"	875.00	1,775.00
Per Square Foot	5.83	4.73

ORACAL® 975 Premium Structure Cast







Color Pictured: ORACAL® 975CA Premium Structure Cast, 070 Black Carbon

ORACAL® 951 Premium Cast

Ideal for long-term lettering and high-quality vehicle and fleet graphics, ORACAL 951 was developed for applications with the highest durability and conformability requirements. This 2.0 mil, premium cast PVC film offers excellent dimensional stability plus very good cutting and application characteristics. The release liner provides excellent weeding and release values.

Gloss



Sign Supplies

FINISH: High Gloss, Transparent, Matte White, Matte Black & Metallic

CONFORMABILITY: Meets highest durability & conformability requirements

LINER: 84# silicone-coated paper, blue liner for white films

ORACAL® 951 Premium Cast

DURABILITY: 10 Years - Black & White

Matte Black

Matte White

010

8 Years - Colors & Transparent

6 Years - Metallics 3 Years - Brilliant Blue.

Bronze, Copper, Foliage Green, Gold Metallic, Pale Gold, Pyrite,

Red Gold Metallic & Steppe Green Metallic

FILM THICKNESS: 2.0 mil

Matte

951 Gloss - Colors

ADHESIVE: Clear, solvent-based, permanent

- Transit & bus
- Interior & exterior general signage
- Painted brick & concrete block walls

Common Applications:

- Cars, trucks, vans & trailers
- Boat & marine graphics
- **Emergency response vehicles**
- Architectural window & wayfinding signage

Film	10 yard	50 yard
24"	94.50	380.00
30"	116.50	470.00
48"	195.00	775.00
951 Glos	ss - Black, White	& Transparent
Film	10 yard	50 yard
24"	84.50	340.00
30"	104.50	420.00
48"	175.00	695.00
951 Gloss - White & Transparent		
Film	10 yard	50 yard
36"	_	510.00

Film	10 yard	50 yard
36"	_	510.00
951 Glo	ss - Hull White	
Eiles	10 yard	50 yard
Film	io yaiu	JU yaru
36"	—	570.00

951 Gloss - Colors - Punched		
Film	10 yard	50 yard
15"	58.50	235.00
951 Gloss - Black, White & Transparent - Punched		
Film	10 yard	50 yard
15"	52.50	210.00

951M Matte - Black & White		
Film	10 yard	50 yard
24"	84.50	340.00
30"	105.00	420.00
48"	175.00	699.00
951M Matte - Black & White - Punched		
Film	10 yard	50 yard
15"	52.95	210.00

951 Gloss Metallic		
Film	10 yard	50 yard
24"	109.00	445.00
30"	136.50	550.00
48"	229.00	895.00
951 Gloss Metallic - Punched		
Film	10 yard	50 yard
15"	68.50	275.00

& concrete	Alu
	90 Gr
	93 Zir
Vhite	93 Gr
50 yard	93
340.00	Gr
420.00	93
699.00	Sil
hite - Punched	
50 yard	93 Ch
210.00	
	09 An
	All
50 yard	09
445.00	Go
550.00	91
895.00	Go
nched	92
50 yard	Py
275.00	92
	Pa
	92
	Br
	09

Part # ex	ample	• • • • • • • • • • • • • • •
	· 24-1 0	- 070
Series # Gloss add M for Matte	Width = 24" Length = 10	Color #) yards



Red Gold

Bronze Antique

Light Brown

Champagne

921

923

924

Steppe Green

Fir Tree Green

Foliage Green

677

679

704

Sign Supplies

ORACAL® 751C High Performance Cast

A staple in the signage and graphics industry for over 20 years! This specially formulated adhesive and film combination boasts the most user-friendly weeding characteristics along with industry-leading dimensional stability - making it a trusted solution. The customized blue silicone paper liner for matte and gloss white provides superior contrast for weeding. ORACAL 751C offers the perfect balance of value and long-term performance.



DURABILITY: 8 Years - Black & White

7 Years - Colors

5 Years - Metallic

3 Years - Brilliant Blue & New Gold Metallic FILM THICKNESS: 2.0 mil

FINISH: Gloss, Gloss Metallic & Matte

ADHESIVE: Clear, solvent-based, permanent

LINER: 84# silicone-coated paper, blue liner for white films

CONFORMABILITY: Curved or flat surfaces

RA Colors Available with RapidAir®

Gloss







018 Light Ivory 026 Purple Red

023

Cream





032
Light Red
324
Blood Red
325
Middle Red
326

323
Middle Red
326
Signal Red
047
Orange Red



607 Turquoise Green		090 Silve
061 Green RA		930 New
068 Grass Green		
062* Light Green	Matte	•
064 Yellow Green		070 Matt
063 Lime-Tree Green		010 Matt

080





Gloss Metallic

093

Anthracite





* Colors Available in 60" x 50 Yards

Colors shown are approximate.

King Blue RA

086 Brilliant Blue

536

067

Blue

Middle Blue



ORACAL® 751RA Premium Cast with RapidAir® Technology

This 2.0 mil high performance PVC film with excellent dimensional stability, offers optimized cutting, weeding and application. ORACAL 751RA is ideal for larger format lettering, striping, and decorative applications. Particularly suitable for high-quality corporate identity, commercial window, bus, RV, box truck and trailer applications. Achieve exceptional air-egress liner adhesion with standard medium to high-tack application tapes.



DURABILITY: 8 Years - Black & White

7 Years - Colors

3 Years - New Gold Metallic

FILM THICKNESS: 2.0 mil

5 Years - Silver Grey

751RA	Gloss - Black & Whi	te
Film	10 yard	50 yard
24"	86.95	345.00
48"	176.00	709.00
751RA	Gloss - Colors	
Film	10 yard	50 yard
24"	96.95	385.00
48"	196.00	789.00
751RA	Gloss Metallic	
Film	10 yard	50 yard
24"	107.95	429.00
48"	219.00	885.00

751C GI	oss - Black, White d	& Transparent
Film	10 yard	50 yard
24"	64.95	255.00
36"	_	380.00
48"	132.00	525.00
751C GI	oss - Colors	
Film	10 yard	50 yard
24"	72.95	285.00
48"	148.00	590.00
751C GI	oss Metallic	
Film	10 yard	50 yard
24"	80.95	319.00
48"	165.00	660.00
751C GI	oss - White	
Film	10 yard	50 yard
20"	_	209.00
751C GI	loss - White & Trans	sparent
Film	10 yard	50 yard
40"	_	415.00
751C G	loss - Black & White	;
Film	10 yard	50 yard
60"	_	635.00
	751C Gloss - Magenta, Traffic Blue, Dark Green & Light Green	
Film	10 yard	50 yard
60"	_	715.00

FINISH: Gloss & Metallic

ADHESIVE: Clear, solvent-based, permanent

LINER: 89# silicone-coated paper with RapidAir technology

CONFORMABILITY: Curved or flat surfaces



751RA Common Applications: Larger format lettering

Decorative applications High-quality corporate branding Commercial windows

Bus & RVs, riveted box

trucks & trailers

Striping

Part # example 751RA - 24-10 - 0 Series # Width = 24" Color# Length = 10 yards

751C Gi - Punch	loss - Black, White led	& Transparent
Film	10 yard	50 yard
15"	39.95	159.00
30"	79.95	315.00
751C GI	loss - Colors - Punc	hed
Film	10 yard	50 yard
15"	44.95	179.00
30"	89.95	355.00
751C GI	oss Metallic - Punc	hed
Film	10 yard	50 yard
15"	49.95	199.00
30"	99.95	395.00
751CNF - Not Pu	Gloss - Black, Whi Inched	te & Transparent
Film	10 yard	50 yard
30"	79.95	315.00
751CNF	Gloss - Colors - No	ot Punched
Film	10 yard	50 yard
30"	89.95	355.00
751CNF	Gloss Metallic - N o	ot Punched
Film	10 yard	50 yard
30"	99.95	395.00


751CM N	751CM Matte - Black & White		
Film	10 yard	50 yard	
24"	64.95	255.00	
48"	132.00	525.00	
751CM Matte - Black & White - Punched			
Film	10 yard	50 yard	
15"	39.95	159.00	
30"	79.95	315.00	
751CMNP Matte - Black & White			
- Not Pun	cned		
Film	10 yard	50 yard	

79.95

30"



315.00



751C Common Applications:

- · Cars, trucks, vans & trailers
- Boat & marine graphics
- Architectural & automotive window graphics
- General indoor & outdoor signage
- Railroad graphics
- (Meets AAR Specification M-947)

* Colors Available in 60" x 50 Yards

Sign Supplies

070 Black

Matte

Light Green

022 Light Yellow

010

312

Burgundy

White

063* Lime-Tree Green

062*

064

Yellow Green

080* Brown

083 Nut Brown

824 Imitation Gold

081* Light Brown

082

Beige 023 Cream

073 Dark Grev

071* Grey

076* Telegrey

074* Middle Grey

072* Light Grey

Gloss Metallic

090* Silver Grey

091 Gold

092* Copper 031 Red 034 Orange 040 Violet 041 Pink 045

Soft Pink 050

Dark Blue 084

054 Turquoise

Sky Blue

061 Green

080 Brown

073 Dark Grey

071 Grey

Matte Metallic

090 Silver Grey 091

Gold

ORACAL® 651 Intermediate Calendered

070* Black 010*

White

000*

020*

019

021

Yellow

022

025

026

Transparent

Golden Yellow

Signal Yellow

Light Yellow

Purple Red

Burgundy

Dark Red

030*

031*

Red

032

047

034*

036

Lilac

Orange

Light Red

Orange Red

Light Orange

Brimstone Yellow

045

Soft Pink 562*

Deep Sea Blue

Pink

518 Steel Blue

050 Dark Blue

Cobalt Blue 049

065

King Blue 086

Brilliant Blue 067*

Blue 057 Traffic Blue

051 Gentian Blue

098 Gentian

052 Azure Blue

084 Sky Blue

053* Light Blue

056 Ice Blue

035 066 Pastel Orange Turquoise Blue

341 054 Coral Turquoise

404 055 Mint Purple 040 060 Violet Dark Green

043* 613 Forest Green Lavender 042

061 Green * Colors Available in 60" x 50 Yards

ORACAL® 651 Intermediate Calendered

DURABILITY: 6 Years - Colors & Transparent


4 Years - Metallic

3 Years - Brilliant Blue (086)

FILM THICKNESS: 2.5 mil FINISH: Gloss, Matte, Metallic ADHESIVE: Clear, solvent-based, permanent LINER: 84# silicone-coated paper, blue liner for white film

CONFORMABILITY: Simple curves or flat surfaces





Common Applications:

- Flat, medium-term applications
- Car, truck, van & trailer graphics
- Interior & exterior general signage
- Architectural & automotive window graphics
- Point-of-purchase (POP) graphics

69.95

· Craft, home decor

651 Glo	ss - Black, White & T	ransparent
Film	10 yard	50 yard
12"	_	58.75
24"	27.95	111.95
30"	34.75	139.50
48"	57.95	232.00
*60"	_	280.00
651 Glo	ss - Colors	
Film	10 yard	50 yard
12"	_	66.25
24"	31.50	125.95
30"	38.75	157.50
48"	65.50	262.00
*60"	_	315.00
651 Glo	ss Metallic	
Film	10 yard	50 yard
12"	_	77.50
24"	36.95	147.95
30"	45.75	183.50
48"	76.50	305.00
*60"	_	370.00
074.01	DI 1 1111 11 0 T	

651 Glo	651 Gloss - Black, White & Transparent - Punched		
Film	10 yard	50 yard	
15"	17.50	69.95	
651 Glo	651 Gloss - Colors - Punched		
Film	10 yard	50 yard	
15"	19.50	78.95	
651 Glo	651 Gloss Metallic - Punched		
Film	10 yard	50 yard	
15"	22.95	91.95	

651 Gloss - Black	
Film	50 yard
36"	168.95
651 Glo	ss - White
Film	50 yard
36"	168.95
40"	187.50
54"	252.00
651 Glo	ss - Transparent
Film	50 yard
36"	168.95
40"	187.50

651M M	latte - Black & White	
Film	10 yard	50 yard
12"	14.50	58.75
24"	27.95	111.95
30"	34.75	139.50
48"	57.95	232.00
*60"	_	280.00
651M N	latte - Colors	
Film	10 yard	50 yard
12"	16.50	66.25
24"	31.50	125.95
48"	65.50	262.00
651M I	Matte Metallic	
Film	10 yard	50 yard
12"	16.50	77.50
24"	36.95	147.95
48"	76.50	305.00
651M N	latte - Black & White	- Punched
Film	10 yard	50 yard



15"

17.50

* Colors Available in 60" x 50 Yards

Silver Grey

091

Gold

Sign Supplies

ORACAL® 641 Economical Calendered

Designed for short-term outdoor use and long-term indoor applications, ORACAL 641 is an economical calendered PVC with a high-gloss finish. It offers a customized blue silicone paper liner that provides superior contrast when weeding gloss white vinyl. The 84# silicone-coated paper liner with special release characteristics provides excellent weeding and release properties.

Matte Gloss 062 070 045 Black Soft Pink Light Green Black 010 562 064 010 Deep Sea Blue Yellow Green White White 518 000 000 063 Steel Blue Transparent Lime-Tree Green Transparent 050 020 080 021 Golden Yellow Dark Blue Brown Yellow 083 019 065 312 Signal Yellow Cobalt Blue Nut Brown Burgundy 081 021 049 031 Yellow Light Brown Red King Blue 022 086 082 034 Light Yellow Brilliant Blue Beige Orange 025 023 040 067 Brimstone Yellow Violet Blue Cream 041 073 026 057 Traffic Blue Pink Purple Red Dark Grey 312 051 071 429 Carnation Pink Burgundy Gentian Blue Grey 030 098 076 050 Gentian Telegrey Dark Red Dark Blue 031 052 074 049 Azure Blue King Blue Red Middle Grey 032 084 072 086 Light Red Sky Blue Light Grey Brilliant Blue 047 053 054 Gloss Metallic Light Blue Turquoise Orange Red 034 090 056 055 Silver Grey Orange Ice Blue Mint 036 066 091 063 Light Orange Gold Turquoise Blue Lime-Tree Green 092 035 054 080 Pastel Orange Copper Turquoise Brown 055 404 073 Purple Mint Dark Grey 040 071 060 Violet Grey Dark Green **Common Applications:** 613 043 Short term promotional Matte Metallic Forest Green Lavender Interior wayfinding, window graphics 061 General outdoor signage 042 090

Lilac

041

Pink

Green

068

Grass Green

Craft, home décor



ORACAL® 641 Economical Calendered

DURABILITY: 4 Years - Black & White

FILM THICKNESS: 3.0 mil FINISH: Gloss & Matte



3 Years - Colors / Transparent / Metallics LINER: 84# silicone-coated paper, blue liner for white film

CONFORMABILITY: Flat surfaces



	ss - Black	
Film	50 yard	
36"	166.95	
641 Glo	ss - White	
Film	50 yard	
60"	269.95	
	ss - Black, White	
& Trans	•	
Film	50 yard	
24"	112.95	
30"	138.95	
48"	222.95	
641 Glo	ss - Colors	
Film	50 yard	
24"	125.95	
30"	154.95	
48"	249.95	
641 Glo	ss Metallic	
Film	50 yard	
24"	147.95	
30"	181.95	
48"	292.95	
641 Gloss - Black, White & Transparent - Punched		

48"	292.95			
641 Gloss - Black, White & Transparent - Punched				
Film	50 yard			
15"	69.95			
641 Gloss - Colors - Punched				
Film	50 yard			
15"	77.95			
641 Gloss Metallic - Punched				
Film	50 yard			
15"	91.50			


	641M Matte - Black, White & Transparent			
Film	50 yard			
24"	112.95			
30"	138.95			
48"	222.95			
641M N	641M Matte - Colors			
Film	50 yard			
24"	125.95			
30"	154.95			
48"	249.95			
641M I	641M Matte Metallic			
Film	50 yard			
24"	147.95			
30"	181.95			
48"	292.95			
641M I	Matte - Black, White &			
Transpa	arent - Punched			
Film	50 yard			
15"	69.95			
641M N	latte - Colors - Punched			
Film	50 yard			
15"	77.95			
641M I	641M Matte Metallic			

- Punched


15"

50 yard

91.50







ORACAL® 631 Economical Removable Calendered Vinyl

This plotter film offers a versatile and economical solution for various graphic applications. With its wide array of matte finish colors, it caters to diverse design needs. The specially formulated adhesive ensures clean removal from most smooth sealed surfaces within three years of application, leaving behind no residue.

Matte



Colors shown are approximate.

818

816

082

Beige

814

Ivory

Saffron 081

Light Brown

Dark Beige

172

472

173 Geyser Blue

066 Turquoise Blue

174

Teal

Powder Blue

Beach House

Light Orange

Pastel Orange

035

890

040

Violet

043

Lavender

Apricot



DURABILITY: 3 Years FILM THICKNESS: 3.0 mil

FINISH: Matte


ADHESIVE: Clear, water-based, removable LINER: 84# silicone-coated paper, blue liner for white film

CONFORMABILITY: Flat surfaces




631 Ma	631 Matte - Black, White & Transparent				
Film	10 yard	50 yard			
24"	27.95	109.95			
30"	35.95	139.95			
48"	59.95	219.95			
631 Ma	631 Matte - Colors				
Film	10 yard	50 yard			
24"	30.95	124.95			
30"	39.95	149.95			
48"	66.95	245.95			
631 Matte Metallic					
Film	10 yard	50 yard			
24"	36.95	147.95			
30"	46.95	176.95			
48"	77.95	289.95			
631 Ma	631 Matte - Black & White				
Film	10 yard	50 yard			
60"	_	268.95			

631 Matte - Black, White & Transparent - Punched					
Film	10 yard	50 yard			
15"	17.95	69.95			
631 Matte - Colors - Punched					
Film	10 yard	50 yard			
15"	19.95	76.95			
631 Matte Metallic - Punched					
Film	10 yard	50 yard			
15"	22.95	89.95			



- Short-term promotional & point-of-purchase (POP) graphics
- Interior wayfinding & architectural window graphics
- Museum & exhibition graphics
- Removable wall graphics
- Craft, home décor



ORACAL® 8800 Translucent Premium Cast Backlit Vinyl

Designed to produce high-quality backlit signs on rigid, thermoformed or pretensioned banner material, this 2.0 mil premium cast PVC film has a polyester liner and a silk-matte finish that reduces reflection. Use ORACAL 8800 on polycarbonate, clear & white acrylic or tensioned flexible substrates. This is Orafol's BEST translucent marking film with outstanding thermoforming capabilities, color retention and adhesion properties.



DURABILITY: 10 Years - Black & White

8 Years - Colors

5 Years - Metallic

FILM THICKNESS: 2.0 mil

Matte

FINISH: Silk-Matte

ADHESIVE: Clear, solvent-based, permanent

LINER: 4.0 mil silicone-coated translucent polyester liner

CONFORMABILITY: Formed or flat surfaces

Matte Metallic



White Mulberry 020 181 Golden Yellow Lilac Blue 019 594 Pastel Blue Signal Yellow

547 219 Fjord Blue Yolk Yellow 507 021 Capri Blue Yellow

052 025 Azure Blue Brimstone Yellow

380 509 **Blood Orange** Sea Blue 351 536

Municipal Orange Middle Blue 034 183 Orange Ink Blue

016 591 Crimson Midnight Blue

330 066 Fox Red Turquoise Blue 031 682

Red Ocean Green 337 652

Cardinal Pin Green 017 063

Cherry Red Lime-Tree Green 348 009 Scarlet Red Middle Green

087 030 Dark Red Emerald

044 614 Reed Green Magenta

413 658 Light Pink Melon 420 060

Red Pink

Dark Green



Coffee Brown

Swedish Grey

Laterite Grey

Middle Grey


740

748

074

8800 M	8800 Matte & Matte Metallic				
Film	10 yard	50 yard			
24"	124.95	499.00			
48"	259.95	1,019.00			

- Illuminated signage
- First & second surface applications
- Interior & exterior wayfinding
- · Architectural window graphics





Colors shown are approximate.



ORACAL® 8500 High Performance Translucent Calendered Vinyl

Deliver consistently uniform color in backlit signage applications when you use this high-performance PVC film. ORACAL 8500 is designed for long-term illuminated signs on rigid surface. It's perfect for channel letters and delivers exceptional dimensional stability. It features a silk-matte finish to reduce reflection. The customized blue silicone paper liner for white face film provides superior contrast when weeding.



DURABILITY: 7 Years - Colors / 5 Years - Metallic

FILM THICKNESS: 3.0 mil

041

Pink

FINISH: Silk-Matte

ADHESIVE: Clear, solvent-based, permanent

LINER: #84 silicone-coated paper, blue liner for white film

CONFORMABILITY: Flat surfaces

Matte Matte Metallic 090 070 800 009 Black Heather Red Middle Green Silver Grey 091 614 010 040 Reed Green Gold White Violet 020 403 068* Golden Yellow Light Violet Grass Green 013 012 618 8500 Matte & Matte Metallic Zinc Yellow Dragon Green Lilac Film 10 yard 50 yard 021* 527 087 24" 90.95 349.95 Yellow Pastel Blue Emerald 112.95 445.95 30' 053 025 060 48" 185.95 716.95 Light Blue Brimstone Yellow Dark Green *60" 869.00 8500 Matte & Matte Metallic - Punched 207 052 880 Ochre Yellow Azure Blue Coffee Brown 10 yard 15" 56.95 218.95 051 081 015 8500 Matte - Black & White Yellow Orange Gentian Blue Light Brown Film 10 yard 50 yard 528 034 011 529.00 Grey Blue Orange Pale Brown 8500 Matte - White 50 yard 016* 805 10 vard 005 Crimson 40' 579.00 Middle Blue Ivory 330 006* 074 Fox Red Intensive Blue Middle Grey 031 049 076 Red King Blue Telegrey 329 **Common Applications:** 072 542* Carnation Red Illuminated signage Light Grey Caribic Blue Interior & exterior wayfinding 032 065 Architectural window graphics Liaht Red Cobalt Blue Museum & exhibition graphics Part # example 017 007 Cherry Red Dark Blue 8500-24-10 **-** (030 541 Dark Red Dark Turquoise 066 Width = 24" Series # 323 Color# Turquoise Blue Coral Red Length = 10 yards 054 085 Turquoise Pale Pink 062 413 Light Green Light Pink * Colors Available in 60" x 50 Yards

Colors shown are approximate.

063

Lime-Tree Green

ORACAL® 8830 Translucent Premium Cast Diffuser Film

Achieve improved light distribution and uniformity in illuminated backlit signs when you use this translucent, cast PVC diffuser film with 30% light transmission. Its matte surface reduces reflection. Specially designed for the high-quality production of internally illuminated signs, it can also be used on backlit acrylic, polycarbonate, tensioned flexible substrates or milky white decorative "etched glass" window applications.



DURABILITY: 10 Years FILM THICKNESS: 2.0 mil

FINISH: Matte

ADHESIVE: Clear, solvent polyacrylate, permanent


LINER: 84# silicone-coated paper **CONFORMABILITY:** Formed or flat surfaces

010 White

8830 Matte White		
Film	10 yard	50 yard
48"	239.95	949.00

Common Applications:

- **Backlit signs**
- Window graphics
- Illuminated corporate ID signage





ORACAL® 8860 Translucent Premium Cast Diffuser Film

Achieve improved light distribution and uniformity in illuminated backlit signs when you use this translucent, cast PVC diffuser film with 60% light transmission. Its matte surface reduces light reflection. Specially designed for the highquality production of internally illuminated signs, it can also be used on backlit acrylic, polycarbonate, tensioned flexible substrates or milky white decorative "etched glass" window applications.



DURABILITY: 10 Years FILM THICKNESS: 2.0 mil

FINISH: Matte

ADHESIVE: Clear, solvent polyacrylate, permanent


LINER: 84# silicone-coated paper

CONFORMABILITY: Formed or flat surfaces



8860 Matte White		
Film	10 yard	50 yard
48"	239.95	949.00

- **Backlit signs**
- Window graphics
- Illuminated corporate ID signage





ORACAL® 8870 Premium Cast Blockout Film

Specially formulated for the production of high-quality illuminated signage, it is the perfect solution for creating blockout effects in backlit applications. Available in white with black backing and black with white backing, ORACAL 8870 delivers premium resistance to weathering and fading. Great for use with backlit acrylic, polycarbonate, glass and tensioned flexible sign substrates. Suitable for use on plotter cutters.



DURABILITY: 10 Years FILM THICKNESS: 4.0 mil FINISH: Satin Gloss


ADHESIVE: Clear, solvent polyacrylate, permanent

LINER: 84# silicone-coated paper

CONFORMABILITY: Formed or flat surfaces



8870 Satin Gloss		
Film	10 yard	50 yard
48"	239.95	949.00



- · Backlit signs
- Window graphics
- Illuminated corporate ID signage



ORACAL® 8300 Transparent Intermediate Calendered Film

Developed for indoor and outdoor decorative design usage on glass, this transparent PVC film is ideal for illuminated signs, window graphics, and glass decoration. ORACAL 8300 is transparent-colored with UV stabilizers and a gloss finish. Suitable for both wet and dry applications.

> Dark Green 079

Red Brown

Middle Grey

Dark Grey

074

073



DURABILITY: 5 Years FILM THICKNESS: 3.0 mil

FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent

8300 Gloss

LINER: 84# silicone-coated paper **CONFORMABILITY:** Flat surfaces

Gloss

aiooo	'	
	020 Golden Yellow	049 King Blue
	021 Yellow	054 Turquoise
	025 Brimstone Yellow	063 Lime-Tree Green
	031 Red	068 Grass Green
	032 Light Red	061 Green
	030 Dark Red	097 Blue Green
	047	060

FIIII	io yaiu	oo yaru	
24"	59.95	229.95	
30"	74.95	286.95	
48"	123.95	479.00	
8300 Gloss - Punched			
8300 GI	oss - Punched		
<i>8300 GI</i> Film	oss - Punched 10 yard	50 yard	
Film 15"	10 yard	50 yard 147.95	
Film 15"	10 yard 37.95	50 yard 147.95	

Common Applications:

- First & second surface applications
- Interior & exterior wayfinding and window graphics
- Museum & exhibition graphics
- · Stylish retail & boutique graphics
- Craft & home décor
- Suitable for both wet & dry applications






































Gentian Blue





Colors shown are approximate.



ORACAL® 851 Sparkling Glitter Metallic Premium Cast Film

Developed for designs requiring a heavier metallic appearance. Perfect for one-of-a-kind decorative craft, monogram, and home decor applications. Ideal for application to smooth sealed/painted boards, aluminum, glassware, ceramic plates and mugs, automotive paint, plastic and metal tumblers, chalkboards, ornaments, windows and mirrors. Combines exceptional cutting, weeding, and application characteristics with outstanding dimensional stability.



DURABILITY: 5 Years **FILM THICKNESS:** 4.0 mil

ADHESIVE: Clear, solvent-based, permanent

3.0 mil - Crystal Clear Sparkle (986) CONFORI

LINER: 84# silicone-coated paper, blue liner for Ghostly White Sparkle - 985

CONFORMABILITY: Slightly curved or flat surfaces


FINISH: High Gloss

High Gloss Sparkle



851 High Gloss Sparkle		
Film	10 yard	50 yard
12"	82.95	329.00
24"	162.95	639.00
48"	319.00	1,229.00

- · Vehicle & trailer lettering
- · Boat and Marine
- RV & Campers
- OEM grade graphic kits
- Windows & wayfinding
- · General outdoor signage
- · Craft and home décor





Sign Supplies

ORACAL® 351 Metalized Polyester Film

Ideal for decorative labels, name and technical plates, decorative elements and moldings, and safety stickers, ORACAL 351 is suitable for use on plotter cutter. Extremely thin at a thickness of only 1.0 mil, this metalized polyester film still delivers excellent dimensional stability.



DURABILITY: 2 Years - Chrome, Matte Chrome


1 Year - Gold Coated

FILM THICKNESS: 1.0 mil

FINISH: Metallic

ADHESIVE: Clear, solvent-based, permanent LINER: 84# PE-coated silicone paper **CONFORMABILITY:** Flat surfaces





- Window Graphics
- POP retail graphics
- Decals



351 Metallic - Chrome				
Film	10 yard	50 yard		
24"	51.95	197.95		
30"	63.95	244.95		
48"	105.95	399.95		
351 Me	351 Metallic - Matte Chrome			
Film	10 yard	50 yard		
24"	55.95	215.95		
30"	68.95	266.95		
48"	114.95	439.95		
351 Me	tallic - Gold C	oated		
Film	10 yard	50 yard		
24"	77.95	299.95		
30"	95.95	374.95		
48"	159.95	619.95		

Punched 351 Metallic - Chrome			
10 yard	50 yard		
31.95	124.95		
351 Metallic - Matte Chrome			
10 yard	50 yard		
34.95	135.95		
351 Metallic - Gold Coated			
10 yard	50 yard		
48.95	189.95		
	10 yard 10 yard 31.95 tallic - Matte 10 yard 34.95 tallic - Gold C 10 yard		



ORACAL® 352 Print Polyester Film

Developed for decorative labels, name/technical plates, elements and moldings, and safety decals, ORACAL 352 Print Polyester is suitable for use on plotter cutting systems. With a thickness of just 1.0 mil, this print polyester film delivers excellent dimensional stability and good long-term aging properties. It is also compatible with screen printing and UV offset printing.



DURABILITY: 2 Years

1 Year - Gold Gloss

FILM THICKNESS: 1.0 mil

2.0 mil - 912 Gold, 901 Chrome

FINISH: Metallic, Transparent, Gloss ADHESIVE: Clear, solvent-based, permanent LINER: 98# PE-coated silicone paper **CONFORMABILITY:** Flat surfaces

352 - 000 Transparent


10 yard







24"	47.95	184.95
30"	58.95	229.95
352 - 0	01 Chrome	
Film	10 yard	50 yard
24"	58.95	228.95
30"	71.95	282.95
48"	119.95	469.95
352 - 0	02 Matte Chro	
Film	10 yard	50 yard
24"	60.95	241.95
30"	75.95	295.95
48"	_	495.95
<i>352 - 0</i>	03 Gold Gloss	
Film	10 yard	50 yard
24"	65.65	257.95
30"	80.95	319.95
48"	135.95	529.95
352 - 9	07 Chrome Br	ushed
Film	10 yard	50 yard
Film 24"	10 yard 119.95	50 yard 475.95
	_	
24" 30" 48"	119.95 149.95 249.95	475.95 594.95 985.00
24" 30" 48"	119.95 149.95	475.95 594.95 985.00
24" 30" 48" 352 - 9 Film	119.95 149.95 249.95	475.95 594.95 985.00
24" 30" 48" 352 - 9	119.95 149.95 249.95 11 Gold Coate	475.95 594.95 985.00
24" 30" 48" 352 - 9 Film	119.95 149.95 249.95 11 Gold Coate 10 yard	475.95 594.95 985.00 d 50 yard
24" 30" 48" 352 - 9 Film 24" 30" 48"	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00
24" 30" 48" 352 - 9 Film 24" 30" 48"	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95 01 Chrome Gld 10 yard	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00 oss
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95 01 Chrome Gld 10 yard	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00 oss 50 yard
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film 24" 30" 48"	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95 01 Chrome Gld 10 yard 77.95 95.95 159.95	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00 coss 50 yard 305.95 379.95 625.95
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film 24" 30" 48"	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95 01 Chrome Gld 77.95 95.95	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00 coss 50 yard 305.95 379.95 625.95
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95 01 Chrome Gld 10 yard 77.95 95.95 159.95	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00 coss 50 yard 305.95 379.95 625.95
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film 24" 30" 48"	119.95 149.95 249.95 11 Gold Coate 10 yard 82.95 102.95 171.95 01 Chrome Gld 10 yard 77.95 95.95 159.95	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00 oss 50 yard 305.95 379.95 625.95 d
24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film 24" 30" 48" 352 - 9 Film	119.95 149.95 249.95 21 Gold Coate 10 yard 82.95 102.95 171.95 01 Chrome Gld 10 yard 77.95 95.95 159.95 12 Gold Coate 10 yard	475.95 594.95 985.00 d 50 yard 329.95 409.95 675.00 oss 50 yard 305.95 379.95 625.95 d 50 yard



- POP graphics
- Decals



Punched 352 - 000 Transparent			
Film	10 yard	50 yard	
15"	29.95	115.95	
352 - 00	01 Chrome	110100	
Film	10 yard	50 yard	
15"	36.95	136.95	
352 - 00	D2 Matte Chro	me	
Film	10 yard	50 yard	
15"	38.95	149.95	
352 - 00	03 Gold Gloss		
Film	10 yard	50 yard	
15"	40.95	159.95	
352 - 90	07 Chrome Br	ushed	
Film	10 yard	50 yard	
15"	75.95	297.95	
352 - 9	11 Gold Coate	d	
Film	10 yard	50 yard	
15"	52.95	205.95	
352 - 901 Chrome Gloss			
Film	10 yard	50 yard	
15"	48.95	189.95	
352 - 912 Gold Coated			
Film	10 yard	50 yard	
15"	59.95	236.95	

ORACAL® 8810 Frosted Glass Cast Window Film

Developed for long-term high-quality indoor and outdoor designs with sparkling effects on glass and glass-like shop windows and doors. The reduced gloss and rough surface prevent undesired reflections. ORACAL 8810 is suitable for use on plotter cutting systems.



DURABILITY: 7 Years FILM THICKNESS: 3.0 mil FINISH: Reduced Gloss

ADHESIVE: Clear, solvent-based, permanent


LINER: 4.0 mil polyester

CONFORMABILITY: Flat surfaces

085 Soft Pink
056 Ice Blue
055 Mint
090 Silver Grey
091

Gold

8810 Reduced Gloss			
Film	10 yard	50 yard	
24"	189.95	749.00	
30"	234.95	919.00	
48"	394.95	1,519.00	
8810 Re	8810 Reduced Gloss - Punched		
Film	10 yard	50 yard	
15"	117.95	469.00	



- Glass
- Windows
- Decals







ORACAL® 8710 Dusted Glass Window Film

Developed for decorative glass or mirror design elements, to achieve a translucent etched glass appearance, ORACAL 8710 is great for shop windows, room dividers and glass doors. The liner offers special release characteristics that provide excellent weeding and release properties. Wet application is recommended.




DURABILITY: 7 Years FILM THICKNESS: 2.75 mil

FINISH: Matte


ADHESIVE: Clear, polyacrylate, permanent LINER: 84# silicone-coated paper **CONFORMABILITY:** Flat surfaces

775 Translucent Grey

8710 M	8710 Matte					
Film	10 yard	50 yard				
24"	105.95	409.00				
30"	131.95	509.00				
48"	219.95	849.00				
8710 Matte - Punched						
Film	10 yard	50 yard				
15"	65.95	259.00				



- Glass
- Windows
- Decals





ORACAL® 8510 Etched Glass Window Film

This special PVC film is made for high-quality etched glass decoration with subdued and consistent light transmission. The reduced gloss surface prevents undesired reflection. Available in silver and gold - both with coarse or fine textures -ORACAL 8510 is designed for indoor and outdoor decorative design uses on glass, especially shop windows and doors.



DURABILITY: 7 Years FILM THICKNESS: 3.0 mil


FINISH: Matte

ADHESIVE: Clear, solvent-based, permanent

LINER: 84# silicone-coated paper **CONFORMABILITY:** Flat surfaces

090 Silver Fine
091 Gold Fine
094 Silver (Coarse)
095 Gold (Coarse)

8510 Matte				
Film	10 yard	50 yard		
24"	98.95	385.00		
30"	124.95	475.00		
48"	208.95	795.00		
8510 Matte - Silver Fine				
Film	10 yard	50 yard		
60"	249.95	955.00		
8510 Matte - Punched				
Film	10 yard	50 yard		
15"	62.95	239.00		





- Windows
- Decals





ORACAL® 7510 Fluorescent Premium Cast

Make your message impossible to miss with ORACAL 7510 high performance fluorescent cast PVC vinyl film. This high-visibility series shines brightly in all daylight conditions, as well as twilight and poor visibility situations. Perfect for short-term graphics needing maximum impact, such as vehicle advertising, motorsport numbers, P.O.P. displays, labels, decals, and retail signage. ORACAL 7510 offers lasting performance.



DURABILITY: 2 Years

3 Years - Fluorescent Yellow

FILM THICKNESS: 6.0 mil FINISH: Semi-Gloss

ADHESIVE: Clear, solvent-based, permanent


LINER: 84# silicone-coated paper

CONFORMABILITY: Curved or flat surfaces





7510 Semi-Gloss				
Film	10 yard	50 yard		
24"	209.95	825.00		
30"	265.95	1,025.00		
48"	445.95	1,725.00		
7510 Semi-Gloss - Punched				
Film	10 yard	50 yard		
15"	131.95	515.00		



- · Emergency vehicles accents
- Motorsport numbers & striping
- Labels
- Decals
- Parking lot lines
- · Event wayfinding



ORACAL® 6510 Fluorescent High Performance Cast Film

Boost visibility with ORACAL 6510 fluorescent cast PVC film. This high-visibility series shines brightly in all daylight conditions, as well as twilight and poor visibility situations. Perfect for short-term graphics needing maximum impact, this film isn't just for business use. Enhance bicycle safety during overcast, dusk, and dawn weather conditions. With outdoor durability in mind, ORACAL 6510 offers lasting performance.



DURABILITY: 1 Year

2 Years - Yellow

FILM THICKNESS: 4.0 mil FINISH: Semi-Gloss

ADHESIVE: Clear, solvent-based, permanent

LINER: 84# silicone-coated paper


CONFORMABILITY: Curved or flat surfaces





Green

6510 Semi-Gloss				
Film	10 yard	50 yard		
24"	117.95	469.00		
30"	149.95	595.00		
48"	249.95	975.00		
6510 Semi-Gloss - Punched				
Film	10 yard	50 yard		
15"	74.95	289.00		



- Vehicle wraps
- POP graphics
- Decals







ORACAL® 383 Gold & Silver Leaf Cast Film

This ultraleaf cast PVC film has a three-dimensional textured surface and excellent dimensional stability. Ideal for lettering, marking and decoration of vehicles, windows and signs requiring long-term outdoor durability. Available in chrome and gold with a gloss finish.



DURABILITY: 5 Years FILM THICKNESS: 3.5 mil


FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent

LINER: 83# silicone-coated paper **CONFORMABILITY:** Flat surfaces




383 Gloss					
Film	10 yard	50 yard			
24"	258.95	999.00			
30"	319.95	1,225.00			
48"	519.95 1,995.00				
383 Gloss - Punched					
Film	10 yard	50 yard			
15"	162.95	639.00			



- Vehicle wraps
- Wayfinding signs
- Decals
- **Building signs**
- Dimensional signage





ORALUX® 9300 Photoluminescent (Glow-in-the-Dark) Film

Great for indoor safety and emergency exit signage in buildings, cruise ships, and airplanes, this luminescent 6.0 mil, multi-layered cast PVC film is cadmium-free with an off-white, gloss surface.

ORAFOL

DURABILITY: 5 Years **FILM THICKNESS:** 6.0 mil

FINISH: Gloss

ADHESIVE: Clear, solvent polyacrylate, permanent **LINER:** 90# PE-Coated silicone paper

CONFORMABILITY: Flat surfaces

	Off White Glow in the Dark

9300 Gloss		
Size	Part No.	Price
40" x 27 yd	9300-40-27	1,195.00
48" x 27 yd	9300-48-27	1,495.00

- Smooth wall graphics
- Decals
- Safety and emergency exit signs






ORAMASK® 810 / 810S Transparent Grey Paint Mask Stencil Film

This stencil film is a highly flexible, translucent film formulated for conformable paint stencil applications, especially on complex curves, uneven or semi-flexible substrates and surfaces requiring transparency of the paint mask. Great for back-spraying illuminated sign faces, as well as various automotive, aerospace, and industrial equipment applications, 810S is suitable for wet applications. Remove the stencil film prior to baking.

THICKNESS: 3.0 mil FINISH: Matte



LINER: 84# silicone-coated paper **CONFORMABILITY:** Flat surfaces



810 Matte - Non Punched					
Size	Part No.	Price			
15" x 50 yd	810NP-15-50	89.95			
24" x 50 yd	810-24-50	145.95			
30" x 50 yd	810-30-50	179.95			
36" x 50 yd	810-36-50	216.95			
40" x 50 yd	810-40-50	236.95			
48" x 50 yd	810-48-50	299.95			
60" x 50 yd	810-60-50	369.95			
810S Matte - Non Punched	810S Matte - Non Punched				
Size	Part No.	Price			
24" x 50 yd	810S-24-50	176.95			
30" x 50 yd	810S-30-50	219.95			
48" x 50 yd	810S-48-50	369.95			
60" x 50 yd	810S-60-50	449.95			
810 / 810S Matte - Punche	ed				
Size	Part No.	Price			
15" x 50 yd	810-15-50	89.95			
15" x 50 yd	810S-15-50	109.95			

Common Applications:

- Decals
- Paint Stencils





ORAMASK® 811 White Paint Mask Stencil

This is an opaque white paint mask, developed for use in paint and stain stencil applications, especially on smooth, flat, rigid substrates and surfaces. Great for gymnasium floor paint and stain mask, as well as hobby and craft applications, such as painted drywall, cabinets, custom bag-toss game boards, and wooden home décor signage. It is NOT suitable for wet applications. Remove the stencil film prior to baking.

THICKNESS: 3.0 mil FINISH: Matte



ADHESIVE: Clear, water-based, removable LINER: 84# silicone-coated paper **CONFORMABILITY:** Flat surfaces

811 Matte		
Size	Part No.	Price
24" x 50 yd	811-24-50	134.95
30" x 50 yd	811-30-50	165.95
48" x 50 yd	811-48-50	274.95
60" x 50 yd	811-60-50	335.95
811 Matte - Punched		
Size	Part No.	Price
15" x 50 yd	811-15-50	83.95



- Exterior signage
- Temporary display
- **Automotive**
- Paint stencils

ORAMASK® 813 Transparent Blue Paint Mask Stencil Film

Use this translucent blue film on applications requiring transparency of the paint mask for substrate visibility. Developed for smooth, flat, rigid substrates and surfaces. Great for gymnasium floor paint and stain mask, as well as hobby and craft applications, such as painted drywall, cabinets, custom bag-toss game boards, and wooden home décor signage. It is NOT suitable for wet applications. Remove the stencil film prior to baking.



THICKNESS: 3.0 mil FINISH: Matte

ADHESIVE: Clear, water-base, removable LINER: 84# silicone-coated paper CONFORMABILITY: Flat surfaces

_		_	-

813 Matte		
Size	Part No.	Price
12" x 50 yd	813-12-50	71.95
24" x 50 yd	813-24-50	137.95
30" x 50 yd	813-30-50	172.95
36" x 50 yd	813-36-50	205.95
48" x 50 yd	813-48-50	289.95
60" x 50 yd	813-60-50	349.95
813 Matte - Punched		
Size	Part No.	Price
15" x 50 yd	813-15-50	85.95

- Windows
- Walls
- Floors
- Temporary display
- Paint stencils







ORABOND® 1395TM Banner Tape

This transparent 5.0 mil double-sided adhesive tape has a reliable modified solvent acrylic adhesive on both sides. Enclosed within is a polyester film carrier. The tape is protected by a white silicone-coated release liner. ORABOND 1395TM is a good solution for hemming light-duty banner materials, making P.O.P displays, etc. For a thicker, higher-performance alternative, select ORABOND 1397TM or 1397PP.



THICKNESS: 5.0 mil

ADHESIVE: Modified solvent acrylic

1395TM		
Size	Part No.	Price
1/2" x 36 yd	1395TM5-36	3.25
3/4" x 36 yd	1395TM75-36	7.75
1" x 36 yd	1395TM-1-36	6.75
1 1/2" x 36 yd	1395TM-1.5-36	10.25
2" x 36 yd	1395TM-2-36	13.50
49" x 55 yd	1395TM-49-55	510.00

Common Applications:

- Hemming light-duty banners & pole pockets
- P.O.P. displays
- Outdoor signage
- Edge sealing wall murals to challenging surfaces







ORABOND® 1397PP Banner Tape

This transparent 8.25 mil double-sided adhesive tape has a reliable modified solvent acrylic adhesive on both sides. Enclosed within is a polyester film carrier. ORABOND 1397PP is protected by a user-friendly tear-proof transparent red Polypropylene (PP) release liner. This tape is an excellent solution for hemming banners, making P.O.P displays, etc. For a thinner alternative, select ORABOND 1395TM.



THICKNESS: 8.25 mil

ADHESIVE: Modified solvent acrylic

1397PP		
Film	Part No.	Price
1/2" x 55 yd	1397PP5-55	7.25
3/4" x 55 yd	1397PP75-55	11.25
1" x 55 yd	1397PP-1-55	14.95
1 1/2" x 55 yd	1397PP-1.5-55	22.50
2" x 55 yd	1397PP-2-55	29.95
54" x 55 yd	1397PP-54-55	810.00

- Banner hemming, seaming/splicing and pole pockets
- P.O.P. displays
- Outdoor signage
- High-stress industrial bonding applications



Photo Credit: @orafolamericas



ORABOND® 1397TM Banner Tape

This is a transparent 8.25 mil double-sided adhesive tape with a reliable modified solvent acrylic adhesive on both sides. Enclosed within is a polyester film carrier. ORABOND 1397TM is protected by a white silicone coated release liner. It's an excellent solution for hemming banners, making P.O.P displays, etc. For a thinner alternative, select ORABOND 1395TM.

THICKNESS: 8.25 mil

ADHESIVE: Modified solvent acrylic

1397TM		
Film	Part No.	Price
3/4" x 55 yd	1397TM75-55	11.25
1" x 55 yd	1397TM-1-55	14.95
2" x 55 yd	1397TM-2-55	29.95

Common Applications:

- Banner hemming, seaming/splicing and pole pockets
- P.O.P. displays
- Outdoor sign components
- APET sheets (like Vivak, Spectar, Ertalyte & ClearLite)
- Corrugated plastic sheets
- Falcon Foam, Lexan and high-impact styrene



Photo Credit: @orafolamericas



ORABOND® 1399TM Banner Tape

Enclosed within is a highly conformable tissue carrier that can easily be hand-torn for an easier user experience. It can also be utilized in a tape dispenser for easily repeated processing. ORABOND 1399TM is an excellent solution for hemming banners or bonding slightly textured low-energy surfaces from vehicle dashes and nameplates to industrial powder-coated equipment. It is highly conformable and has a very high initial tack.



THICKNESS: 7.5 mil

ADHESIVE: Modified solvent acrylic

1399TM		
Film	Part No.	Price
1/2" x 55 yd	1399TM5-55	6.25
3/4" x 55 yd	1399TM75-55	9.75
1" x 55 yd	1399TM-1-55	12.95
2" x 55 yd	1399TM-2-55	25.95

- Banner hemming, seaming/splicing and pole pockets
- Bonding of low-energy surfaces (HDPE / ABS)
- High-stress industrial bonding applications





ORABOND® 1375 Mounting Tape

Designed for the unsupported transfer of vinyl to a substrate, this tape is engineered for precision. It is an exceptional solution for sign and display fabrication including durable labels, metal and plastic nameplates, fascia or HPL. ORABOND 1375 delivers excellent peel and sheer strength; extreme resistance to UV light, solvents and plasticizers; and temperature resistance from -40°F to 338°F.




THICKNESS: 2.5 mil ADHESIVE: A7 - Pure Acrylic

1395TM		
Film	Part No.	Price
24" x 55 yd	1375-24-55	274.00
48" x 55 yd	1375-48-55	545.00

Common Applications:

- Sign and display fabrication
- Mounting durable labels, metal and plastic nameplates, fascia or HPL
- Smooth to slightly porous surfaces









ORABOND® 1377 Mounting Tape

Designed for the unsupported transfer of vinyl to a substrate, this tape is an exceptional solution for sign and display fabrication including durable labels, metal and plastic nameplates, fascia or HPL. ORABOND 1377 delivers excellent peel and sheer strength; extreme resistance to UV light, solvents and plasticizers; and temperature resistance from -40°F to 338°F. It is your gateway to flawless design and efficiency.



THICKNESS: 5.0 mil **ADHESIVE:** A7 - Pure Acrylic

1395TM		
Film	Part No.	Price
24" x 55 yd	1377-24-55	430.00
48" x 55 yd	1377-48-55	850.00

Common Applications:

- · Banner hemming, seaming/splicing and pole pockets
- Bonding of low-energy surfaces (HDPE / ABS)
- High-stress industrial bonding applications
- Rough, structured and stamped surfaces





Photo Credit: @orafolamericas



ORABOND® 1812TM Premium Double-Sided Foam Industrial Tape

Use this tape when mounting light-weight to medium-weight indoor applications of ADA and other wayfinding signage. The foam construction is an excellent solution for bonding to rough or dissimilar surfaces. ORABOND 1812TM minimizes vibration between the two bonded surfaces and has good insulation properties. It can be hand-torn for an easier user experience. If a thicker version is required, use ORABOND 1819TM (82.7 mil thick).



THICKNESS: 39.5 mil

ADHESIVE: Modified solvent acrylate

1812TM		
Film	Part No.	Price
1/2" x 55 yd	1812TM5-55	6.95
3/4" x 55 yd	1812TM75-55	10.95
1" x 55 yd	1812TM-1-55	14.50

Common Applications:

- Light to medium-weight indoor ADA
- Wayfinding signage
- P.O.P. displays, plastic & metal hooks
- Hard-to-stick plastics



Photo Credit: @orafolamericas



ORABOND® 1819TM Premium Double-Sided Foam Industrial Tape

Use this tape when mounting light-weight to medium-weight indoor applications of ADA and other wayfinding signage. The foam construction is an excellent solution for bonding to rough or dissimilar surfaces. It minimizes vibration between the two bonded surfaces and has good insulation properties. ORABOND 1819TM can be hand-torn for an easier user experience. If a thinner version is required, use ORABOND 1812TM (39.5 mil thick).



THICKNESS: 82.7 mil

ADHESIVE: Modified solvent acrylate

13819TP		
Film	Part No.	Price
1/2" x 36 yd	1819TM5-36	6.75
3/4" x 36 yd	1819TM75-36	10.50
1" x 36 yd	1819TM-1-36	13.75

- Light to medium-weight indoor ADA and wayfinding signage
- P.O.P. displays, plastic & metal hooks
- Hard-to-stick plastics



Photo Credit: @orafolamericas



ORABOND® UHB03100T Ultra High Bond Tape

This UHB tape is engineered to meet and exceed the demanding requirements of various bonding applications. It's perfect for superior bonding and mounting applications. Its advanced acrylic foam adhesive ensures a durable and long-lasting connection, making it ideal when bonding dissimilar substrates. Use when thermal expansion or varying temperature fluctuations are a concern. It will maintain its integrity even under extreme conditions.



THICKNESS: 40.0 mil

ADHESIVE: Foamed acrylic, clear

UHB03100T		
Film	Part No.	Price
1/2" x 36 yd	UHB03100T5-36	23.95
3/4" x 36 yd	UHB03100T75-36	37.95
1" x 36 yd	UHB03100T-1-36	49.95




Common Applications:

- Bonding panels to frames
- Uneven or dissimilar substrates
- Mounting LED modules
- Substrates where thermal expansion or fluctuations are a concern



ORABOND® UHB03110G Ultra High Bond Tape

Looking to replace rivets, screws or welded joints? With an advanced acrylic foam adhesive that ensures a durable and long-lasting connection, this ORABOND UHB is an excellent alternative. It boasts exceptional UV resistance, making it perfect for outdoor applications. Additionally, it can withstand temperature fluctuations, chemicals, solvents, and humidity, ensuring a reliable bond in any environment.



ADHESIVE: Foamed acrylic, grey

UHB03110G		
Film	Part No.	Price
1/2" x 36 yd	UHB03110G5-36	26.95
3/4" x 36 yd	UHB03110G75-36	42.95
1" x 36 yd	UHB03110G-1-36	56.50

- Bonding aluminum, stainless steel and galvanized steel
- Bonding acrylic, polycarbonate and ABS
- Mounting and weatherproofing backlit signs
- Attaching 3D letters and shapes to interior or exterior building surfaces
- Securing panels to frames



) (a)

ORABOND® UHB03110W Ultra High Bond Tape

Recognized as an industry leader, ORABOND UHB adhesive tapes excel in both peel and sheer strength. Its high-performance capabilities make it a trusted choice for demanding applications that require a robust bond. Like the other ORABOND UHB tapes, this is a go-to choice for bonding different substrate types where thermal expansion or varying temperature fluctuations are a concern. It maintains its integrity even under extreme conditions.



THICKNESS: 44.0 mil

ADHESIVE: Foamed acrylic, white

UHB03110W		
Film	Part No.	Price
1/2" x 36 yd	UHB03110W5-36	26.95
3/4" x 36 yd	UHB03110W75-36	42.95
1" x 36 yd	UHB03110W-1-36	56.50

- · General indoor and outdoor mounting, sealing or bonding
- Bonding metal, glass and plastic (polycarbonate and acrylic) or transparent materials
- Mounting and weatherproofing backlit signs
- Attaching 3D letters and shapes to interior or exterior building surfaces
- Securing panels to frames



Photo Credit: @orafolamericas

ORALITE® 5300 Commercial Grade Reflective

This commercial grade film is suitable for the manufacture of short to medium-term, outdoor, economical, reflective traffic, guidance, warning and information signs as well as reflective lettering, numbers and symbols that are not required to comply with national specifications for retroreflectivity.



DURABILITY: 7 Years **FILM THICKNESS:** 3.5 mil

ADHESIVE: Clear, solvent-based, permanent


LINER: 89# PE-coated silicone paper

CONFORMABILITY: Flat





5300		
Film	10 yard	50 yard
24"	103.75	425.00
30"	128.95	525.00
48"	219.00	869.00
5300 - Punched		
Film	10 yard	50 yard
15"	64.75	259.00



Common Applications:

- Traffic signs
- Safety signs

- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting



ORALITE® 5400 Commercial Grade Reflective Digital Media

This film is suitable for the manufacture of short-term to medium-term outdoor, economical, reflective traffic, guidance, warning and information signs as well as reflective lettering, numbers and symbols.

DURABILITY: 4 Years FILM THICKNESS: 3.5 mil

ADHESIVE: Clear, solvent-based, permanent

LINER: 89# PE-coated silicone paper

CONFORMABILITY: Flat











Green

<i>5400</i>	
Film	50 yard
24"	420.00
30"	525.00
48"	850.00
5400 -	Punched
Film	50 yard
15"	260.00

Common Applications:

- Traffic signs
- Warning and information signs
- Reflective lettering, numbering and symbols

Part # example **5400-48-50-010** Series # Width = 48" Color # Length = 50 yards



- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting



ORALITE® 5500 Engineer Grade Reflective

This alkyd resin film is perfect for long-term, outdoor, reflective traffic control and lettering applications. It is corrosion and solvent-resistant with catadioptric glass beads embedded in a transparent layer of plastic material. The colors comply with the daytime requirements of ASTM D4956-11a when tested in accordance with ASTM practices E308 and E1164 and test methods E1347 and E1349.





DURABILITY: 7 Years FILM THICKNESS: 4.25 mil


ADHESIVE: Clear, solvent-based, permanent

LINER: 89# PE-coated silicone paper

CONFORMABILITY: Flat



<i>5500</i>		
Film	10 yard	50 yard
24"	113.95	465.00
30"	144.95	575.00
48"	239.00	935.00
5500 - Punched		
Film	10 yard	50 yard
15"	71.95	289.00



Common Applications:

- Traffic control
- Warning and information signs
- Reflective lettering, numbers and symbols

- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting



ORALITE® 5700 Engineer Grade Premium Reflective

Developed for the manufacture of long-term outdoor, traffic control, guidance, warning and information signs, this engineer-grade premium film can also be used to create reflective lettering, numbers and symbols. ORALITE 5700 delivers good resistance to chemicals and corrosion with excellent reflectivity in poor visibility and bad weather conditions.



DURABILITY: 7 Years FILM THICKNESS: 6.0 mil

ADHESIVE: Clear, solvent-based, permanent

LINER: 89# PE-coated silicone paper

CONFORMABILITY: Flat
















<i>5700</i>		
Film	10 yard	50 yard
24"	135.00	545.00
30"	169.00	675.00
48"	270.00	1,100.00
5700 - Punched		
Film	10 yard	50 yard
15"	83.95	339.00



Common Applications:

- Long-term outdoor signage
- Traffic control
- Warning and information signs
- · Reflective lettering, numbers and symbols

- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting





ORALITE® 6700 Engineer Grade Prismatic Reflective

This reflective sheeting offers excellent corrosion and solvent resistance. It consists of sealed cells of air-backed microprisms, using total internal reflection. The distinct shape of the sealing identifies the machine direction and the manufacturer of the sheeting. ORALITE 6700 is weather resistant with no appreciable cracking, scaling, pitting, blistering, edge lifting, or curling of more than 1/32" (0.8 mm) shrinkage or expansion.



DURABILITY: 7 Years LINER: 3.0 mil polypropylene, silicone-coated on one side FILM THICKNESS: 6.0 - 8.0 mil

CONFORMABILITY: Flat ADHESIVE: Clear, solvent polyacrylate, permanent





White



020 Yellow



030 Red



035 Orange



050 Blue



060



Green



080 Brown



Common Applications:

- Traffic Control
- Warning and informational Signs



6700-48-50-010

Part # example

- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting





ORALITE® 9900 Brilliant Grade Premium Reflective

This brilliant grade premium vinyl is highly reflective, weatherproof, self-adhesive sheeting with excellent corrosion and solvent resistance for the manufacture of durable permanent outdoor signing. The construction of this product consists of sealed cells of air-backed microprisms using total internal reflection. The distinct shape of the sealing identifies the machine direction and the manufacturer of the sheeting.



DURABILITY: 12 Years

10 Years - Fluorescent Yellow Green /

Fluorescent Yellow

CONFORMABILITY: Flat 3 Years - Fluorescent Orange

FILM THICKNESS: 14.5 mil

16.5 mil - Fluorescents





6	Ų	y	ΔI	Iĥ	3	
ν,		ń		9	à	,
a,	몆	y,	À	B)	V	

010 White

020

030

Red

035

Blue

Orange 050

Yellow



060 Green



080 Brown



029

Fluorescent Yellow Green

ADHESIVE: White, solvent polyacrylate, permanent

LINER: 3.0 mil polypropylene, silicone-coated on one side

9900

24"

48"

Film

24"

48"

999.00

1,999.00

50 yard

1,599.00

3,199.00

9900 - Fluorescent Colors



037

Fluorescent Yellow



038

Fluorescent Orange



Common Applications:

- Permanent outdoor
- Traffic signage

CERTIFICATIONS:

• Fully meets and/or exceeds the requirements of ASTM D 4956 for specifications for Type XI, class 1 retroreflective sheeting





Designed for the production of traffic signs that will be subjected to long-term outdoor exposure. ORALITE 5900 is highly reflective, weatherproof, self-adhesive sheeting with excellent corrosion and solvent resistance. The smooth surface of the film allows for high-quality printability.



DURABILITY: 10 Years **FILM THICKNESS:** 9.0 mil

ADHESIVE: White, solvent polyacrylate, permanent **LINER:** 3.0 mil polypropylene, silicone-coated on one side

CONFORMABILITY: Flat

















060 Green




080 Brown



Common Applications:

- Long-term outdoor signage
- Traffic signs



- Meets requirements of MUTCD
- Meets ASTM D 4956 specifications for Type IV, Class 1 retroreflective sheeting





ORALITE® 5051 Transparent Cast Overlay Film for Reflective

Use this 2.0 mil, high-performance cast PVC film as a protective layer on white or printed ORALITE reflective films that are intended for short to mid-term outdoor applications. Designed to be used with ORALITE High-Intensity Prismatic Construction Grade and Engineer Grade Series. Meets or exceeds color and photometric requirements of ASTM D 4956 specifications when used with ORALITE 5700, 5500, 5400 or 5300 reflective films.



DURABILITY: 5 Years **FILM THICKNESS:** 2.0 mil

FINISH: Gloss

ADHESIVE: Clear, solvent polyacrylate, permanent


LINER: 4.0 mil polyester (PET), silicone-coated on one site, reverse treated

CONFORMABILITY: Flat

020 Yellow
030 Red
050

Blue

5051	
Film	55 yard
24"	329.00
48"	659.00





Common Applications:

- Long-term outdoor signage
- · Letterings, markings and symbols
- · Traffic control, warning and information signs

ORALITE 5051/5061

Photo Credit: @orafolamericas

ADHESIVE: Clear, solvent polyacrylate, permanent

LINER: 4.0 mil polyester (PET), silicone-coated on one side, reverse treated

ORALITE® 5061 Transparent PMMA Overlay Film for Reflective

Use this 3.0 mil, high-performance PMMA film as a protective layer on white or printed ORALITE reflective films intended for long-term outdoor use. Recommended for use on ORALITE 5800 and 5900. Meets or exceeds color and photometric requirements of ASTM D 4956 specifications when used with ORALITE 5900 or 5800 reflective films.

204.95



DURABILITY: 12 Years **FILM THICKNESS:** 3.0 mil

FINISH: Gloss

O20
Yellow
O30
Red
O35
Orange
O50
Blue


Green
080
Brown

060

10 yard 50 yard 104.95 409.00

CONFORMABILITY: Flat

809.00



Common Applications:

5061 Film

24"

48"

- Long-term outdoor signage
- · Letterings, markings and symbols
- Traffic control, warning and information signs

ORALITE® 5600 Fleet Engineer Grade Digital Media

Designed for long-term outdoor applications, this marking film and digital print media features superior glass bead reflective performance for emergency and commercial vehicle graphics. ORALITE 5600 is very bright and crisp from dusk to dawn and during poor weather conditions. The retro-reflective properties act as a safety mechanism when headlights and streetlights bounce off the film, alerting oncoming traffic and pedestrians.



DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 279,

290, 290F, 293

FILM THICKNESS: 5.0 mil

FINISH: Gloss

ADHESIVE: Clear, solvent-based, permanent

Removable with heat

LINER: 89# PE-coated silicone paper **CONFORMABILITY:** Flat, simple curves













213 Lemon


020 Yellow 035

Orange 030

Red













5600 - Printable White				
Film	10 yard	25 yard	50 yard	
24"	195.00	395.00	830.00	
30"	245.00	489.00	979.00	
48"	399.00	799.00	1,600.00	
54"	439.00	899.00	1,775.00	
60"	499.00	999.00	1,999.00	
5600 - Colors				

Film	10 yard	50 yard
24"	205.00	830.00
30"	255.00	1,029.00
48"	419.00	1,650.00
5600 - Printable White - Punched		


15"	121.50	489.00		
5600 - Colors - Punched				
Film	10 yard 50 yar			
15"	127.50	515.00		



- **Common Applications:**
- Automotive commercial fleet graphics
- Transit & railroad train car graphics
- Emergency vehicle & apparatus graphics
- Parking lot signage
- Park and recreational signage

- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting
- Meets AAR Specification M-947







ORALITE® 5600RA with RapidAir® Fleet Engineer Grade Digital

This engineer-grade reflective delivers the same features as ORALITE 5600 and the benefit of bubble-free applications with RapidAir adhesive technology. This film offers a lower initial tack than ORALITE 5650RA, making it the perfect solution for larger-format wrap applications to box trucks and trailers with rivets or print & cut graphic applications. Recommended overlaminates include ORAGUARD 290, 290F and 293 or upgrade to ORAGUARD 279.



DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 279,

290, 290F, 293

FILM THICKNESS: 5.0 mil FINISH/FILM COLOR: Gloss / White ADHESIVE: Clear, solvent-based, repositionable, permanent

Removable with heat

LINER: 89# PE-coated silicone paper with RapidAir Technology **CONFORMABILITY:** Flat, moderate to complex curves

5600RA















Common Applications:

- Long-term reflective graphic applications & general outdoor signage
- Automotive commercial fleet graphics & wrap applications
- · Box trucks & trailers with rivets
- Transit graphics
- · Emergency vehicle & apparatus graphics

Part No. Price 229.00 24" x 10 yards 5600RA-24-10-010 24" x 25 yards 5600RA-24-25-010 459.00 5600RA-24-50-010 915.00 24" x 50 yards 5600RA-48-10-010 459.00 48" x 10 yards 48" x 25 yards 5600RA-48-25-010 925.00 48" x 50 yards 5600RA-48-50-010 1,850.00 54" x 10 yards 5600RA-54-10-010 509.00 54" x 25 yards 5600RA-54-25-010 1,025.00 54" x 50 yards 5600RA-54-50-010 2,050.00



- Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting
- Meets ASTM # 84-07 Class "A" specifications



ORALITE® 5650RA with RapidAir® Fleet Engineer Grade Digital

This fleet engineer-grade reflective marking film and digital print media offers a slightly higher initial tack than ORALITE 5600RA. Perfect for larger-format print & cut graphic applications, it is very bright and crisp from dusk to dawn and during poor weather conditions. The retro-reflective properties act as a safety mechanism when headlights and streetlights bounce off the film, alerting oncoming traffic and pedestrians.



DURABILITY: 7 Years

OVERLAMINATE: ORAGUARD® 279,

010 \Mhite

Black 091

Gold

290, 290F, 293

FILM THICKNESS: 5.0 mil

FINISH: Gloss


ADHESIVE: Clear, solvent-based, permanent

Removable with heat

LINER: 89# PE-coated silicone paper featuring RapidAir® technology

CONFORMABILITY: Flat, moderate to complex curves

007	vviiite				
	213 Lemon	5650RA	Reflective - P	rintable White	
	Lomon	Film	10 yard	25 yard	50 yard
	020	24"	250.00	509.00	999.00
	Yellow	30"	299.00	609.00	1,199.00
	035	48"	479.00	999.00	1,899.00
	Orange	54"	539.00	1,099.00	2,099.00
	030	60"	589.00	1,199.00	2,299.00
	Red	5650RA	Reflective		
	364	Film	10 yard	50 yard	
	Ruby	24"	250.00	999.00	
	050	30"	299.00	1,199.00	
	Blue	48"	479.00	1,899.00	
	060	5650RA	Reflective - P	unched	
	Green	Film	10 yard	50 yard	
Gre	GIGGII	15"	155.00	599.00	
	070				



Common Applications:

- · Automotive commercial fleet graphics & wrap applications
- Transit & railroad train car graphics
- Emergency vehicle & apparatus graphics
- · Long-term reflective outdoor general signage

CERTIFICATIONS:

• Meets ASTM D 4956 specifications for Type I, Class 1 retroreflective sheeting





ORALITE® V98 Conformable Microprismatic Reflective

This is a tough weather and solvent resistant microprismatic retroreflective product designed for vehicles that require increased visibility such as fire, EMS, police, utility, telecom and DOT. The material is plotter cuttable and easy to apply to smooth painted or unpainted vehicle surfaces. The single-layer product does not require edge sealing and is designed to be applicator-friendly. ORALITE V98 meets/exceeds the requirements of NFPA 1901.




DURABILITY: 5 Years FILM THICKNESS: 12.0 - 15.0 mil ADHESIVE: Clear, solvent-based, permanent Removable with heat ner

LINER: Silicone-coated paper release lir
CONFORMABILITY: Minor curves

X = <u>X</u> XX	012 Red
	015 White
	018 Yellow
	023 Blue
X XX	027 Green
	112 Fluorescent

V98 -	V98 - High Tack / Standard Tack - Colors				
Film	50 yard				
1"	47.95				
2"	52.95				
6"	282.95				
30"	1,325.00				
V98 -	V98 - High Tack - Fluorescent				
Film	50 yard				
1"	52.95				
2"	105.95				
6"	315.95				

U	010.00		
30"	1,499.00		
V98 - High Tack - Red, White & Fluorescent Yellow Green			
Film	10 yard		
6"	63.95		





Common Applications:

• Emergency vehicle graphics

Yellow Green

• Traffic & safety signs



ORALITE® V98 Pre-Striped Conformable Reflective Graphic

Eliminate the need for piecing sheets together when you use this conformable reflective fluorescent lime / red vinyl that is pre-striped in the chevron pattern. The material is plotter cuttable and easy to apply to smooth painted or unpainted vehicle surfaces. The single layer product does not require edge sealing. Available in Left-Hand and Right-Hand configurations, the sheeting meets and exceeds the requirements of ASTM D4956 | NFPA 1901.



DURABILITY: 5 Years

FILM THICKNESS: 12.0 - 15.0 mil

ADHESIVE: Clear, solvent-based, permanent Removable with heat

LINER: Silicone-coated paper release liner **CONFORMABILITY:** Flat to complex curves

V98LH - Left Hand - Standard Tack

	70			
v		v		
		90.		
			v	

775 Fluorescent Yellow Green with Left Hand Red Stripe



Fluorescent Yellow Green with Right Hand Red Stripe

	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
Size	Part No.	Price	
V98RH - Right Hand - Standard Tack			
30" x 50 yards	V98LH-30-50-775ST	2,100.00	
30" x 10 yards	V98LH-30-10-775ST	450.00	
6" x 50 yards	V98LH-6-50-775ST	425.00	
6" X 10 yards	V98LH-0-10-77551	85.00	

Footili Iligiit Ilalia Otal	INUI U I UUN	
Size	Part No.	Price
6" x 10 yards	V98RH-6-10-775ST	85.00
6" x 50 yards	V98RH-6-50-775ST	425.00
30" x 10 yards	V98RH-30-10-775ST	450.00
30" x 50 yards	V98RH-30-50-775ST	2,100.00

V98RH - Right Hand - High Tack				
Size	Part No.	Price		
30" x 10 yards	V98RH-30-10-776HT	450.00		

- Telecom vehicles
- DOT vehicles
- Fire, EMS and police vehicles





ORATAPE® HT55 High Tack Paper Application Tape

This is Orafol's most popular paper application tape. The semi-transparent high-tack application tape has a specially formulated high-tack adhesive allowing the tape to stick to silicone-coated release liners. Graphics stay flat with no tunneling. HT55 delivers problem-free pre-masking of die-cut or computer-cut vinyl graphics; especially decorative films, such as ORACAL 831, ORACAL 8810, ORACAL 8510, and ORACAL 8710.



THICKNESS: 4.0 - 4.5 mil
OPACITY: Semi-transparent
ADHESIVE: High tack, natural rubber

MT95			
Size	Part No.	Case Qty.	Price
6 1/2" x 100 yards	HT55-6.5-100	1	38.95
12" x 100 yards	HT55-12-100	1	71.50
14" x 100 yards	HT55-14-100	1	83.50
24" x 100 yards	HT55-24-100	1	142.50
30" x 100 yards	HT55-30-100	1	178.50
48" x 100 yards	HT55-48-100	1	285.00
54" x 100 yards	HT55-54-100	1	325.00





ORATAPE® MT95 Medium Tack Conformable Clear Application Tape

This transparent polyethylene-based film is an everyday workhorse for sign and graphic shops that need a clear and conformable application tape. The specially formulated adhesive is designed to work with both matte and gloss plotter films of all sizes. Its medium-tack performance is suitable for both wet and dry applications. The transparency and conformability of MT95 allow precise graphic registration and placement on curved surfaces.



THICKNESS: 6.0 mil OPACITY: Transparent

ADHESIVE: Medium tack, modified polyacrylate

MT95			
Size	Part No.	Case Qty.	Price
14" x 100 yards	MT95-14-100	1	81.50
24" x 100 yards	MT95-24-100	1	139.00
30" x 100 yards	MT95-30-100	1	174.00
40" x 100 yards	MT95-40-100	1	232.00
48" x 100 yards	MT95-48-100	1	278.00

